

Sintesi organica per via fotochimica con particolare interesse all'ottenimento di reazione stereo selettive.

Bassaid, S.; Guarnaccio, A.; Dehbi, A.; D'Auria, M.; Tiffour, I. Identification of supramolecular structure in a semiconductor mixture of two organic compounds: curcumin and paracetamol. *SN Appl. Sci.* **2019**, *1*, 198.

D'Auria, M. The photochemical isomerization of 2-furylidenetetralone. *J. Photochem. Photobiol., A: Chem.* **2020**, *390*, 112332.

D'Auria, M. The Paternò-Büchi reaction - a comprehensive review. *Photochem. Photobiol. Sci.* **2019**, *18*, 2297-2362.

D'Auria, M. La chiralità in reazioni fotochimiche. Un caso di falso? *Rendiconti dell'Accademia Nazionale delle Scienze detta dei XL, Memorie di Scienze Fisiche e Naturali*, **2019**, *43*, Parte II, Tomo II, 225-234.

D'Auria, M. Hydrogen atom transfer in the photochemical isomerization of hydrazones of 1,2,4-oxadiazole derivatives. *Photochem. Photobiol. Sci.* **2021**, *20*, 671-676.

D'Auria, M. On the photochemical reaction of pyridinium salts with nucleophiles. *Photochem. Photobiol. Sci.* **2021**, *20*, 923-926.

D'Auria, M. The photochemical isomerization of hexatomic heterocyclic compounds. *Curr. Org. Chem.* **2021**, *25*, 1659-1685.

D'Auria, M.; Stoia, S. *The Paternò-Büchi Reaction*, Cambridge Scholars Publishing, Newcastle upon Tyne, UK, 2019.

L'aromaticità dei composti organici. Sviluppo di nuovi strumenti di quantificazione

D'Auria, M. The use of D index in the estimation of aromaticity. The case of cycloparaphenylene. *Lett. Org. Chem.* **2019**, *16*, 134-138.

D'Auria, M. The use of D' index in the determination of the aromatic character of organic compounds. Comparison with HOMHED and NICS. *ChemistrySelect* **2020**, *5*, 2816-2823.

Biorefinery da prodotti di scarto dell'industria forestale

Mecca, M.; D'Auria, M.; Todaro, L. Effect of heat treatment on wood chemical composition, extraction yield and quality of the extractives of some wood species by the use of molybdenum catalysts. *Wood Sci. Technol.* **2019**, *53*, 119-133.

Benedetto, C.; D'Auria, M.; Mecca, M.; Prasad, P.; Singh, P.; Singh, S.; Sinisgalli, C.; Milella, L. Chemical and biological evaluation of essential oil from *Saussurea costus* (Falc.) Lipsch. From Garhwal Himalaya collected at different harvesting period. *Nat. Prod. Res.* **2019**, *33*, 2355-2358.

Cetera, P.; D'Auria, M.; Mecca, M.; Todaro, L. Gallic acid as main product in the water extractives of *Quercus frainetto* ten. *Nat. Prod. Res.* **2019**, *33*, 2864-2867.

D'Auria, M.; Emanuele, L.; Racioppi, R.; Stefanizzi, N. Determination of simple carbohydrates in beer using SPME, on fiber derivatization and gas chromatography mass spectrometry. *Food Res.* **2020**, *4*, 1156-1161.

D'Auria, M.; Mecca, M.; Todaro, L. High temperature treatment allows the detection of episesamin in paulownia wood extractives. *Nat. Prod. Res.* **2020**, *34*, 1326-1330.

Faraone, I.; Russo, D.; D'Auria, M.; Bruno, M. R.; Cetera, P.; Todaro, L.; Milella, L. Influence of thermal modification and extraction techniques on yield, antioxidant capacity and phytochemical profile of chestnut (*Castanea sativa* Mill.) wood. *Holzforschung* **2021**, *75*, 260-268.

Bruno, M. R.; Russo, D.; Faraone, I.; D'Auria, M.; Milella, L.; Todaro, L. Orchard biomass residues: chemical composition, biological activity and wood characterization of apricot tree (*Prunus armeniaca* L.). *Biofuels, Bioprod. Bioref.* **2021**, *15*, 377-391.

D'Auria, M. Increase of the shelf-life of vegetables. *Int. J. Res. Stud. Sci. Eng. Technol.* **2021**, *8* (2), 9-11.

D'Auria, M.; Mecca, M.; Racioppi, R. Use of mass spectrometry in the determination of volatile organic compounds in natural matrices and in the characterization of wood extractives. In *Mass Spectrometry – Theory and Applications*, Nichols, W. O. (Ed.), Nova Science Publishers, New York, 2021, p. 1-125.

Mecca, M.; Todaro, L.; Lo Giudice, V.; Lovaglio, T.; D'Auria, M. GC-MS and SPME techniques highlighted contrasting chemical behaviour in the water extractives of modified *Castanea sativa* Mill. and *Fagus sylvatica* L. wood. *Forests* **2021**, *12*, 986.

Faraone, I.; Russo, D.; Bruno, M. R.; Todaro, L.; D'Auria, M.; Milella, L. Focus on *Olea europaea* L. pruning by-products: extraction techniques, biological activity, and phytochemical profile, *Biofuels, Bioprod. Bioref.* **2021**, *15*, 1835-1849.

Determinazione di sostanze volatili in matrici naturali

Rosati, L.; Romano, V. A.; Cerone, L.; Fascetti, S.; Potenza, G.; Bazzato, E.; Cillo, D.; Mecca, M.; Racioppi, R.; D'Auria, M.; Farris, E. Pollination features and floral volatiles of *Gymnospermium scipetarum* (Barberidaceae). *J. Plant Res.* **2019**, *132*, 49-56.

D'Auria, M.; Lorenz, R.; Mecca, M.; Racioppi, R.; Romano, V. A.; Viggiani, L. Fragrance components of *Platanthera bifolia* subsp. *Osca* and *Platanthera chlorantha* collected in several sites in Italy. *Nat. Prod. Res.* **2020**, *34*, 2857-3861.

D'Auria, M.; Fascetti, S.; Racioppi, R.; Romano, V. A.; Rosati, L. Orchids from Basilicata: the Scent. In *Orchids Phytochemistry, Biology and Horticulture*, Merillon, J. -M.; Kodja, H., Eds.; Springer, 2020.

D'Auria, M.; Lorenz, R.; Mecca, M.; Racioppi, R.; Romano, V. A. Aroma components of *Cephalanthera* orchids. *Nat. Prod. Res.* **2021**, *35*, 174-177.

Mecca, M.; Racioppi, R.; Romano, V. A.; Viggiani, L.; Lorenz, R.; D'Auria, M. Volatile organic compounds from *Orchis* species found in Basilicata (Southern Italy). *Compounds* **2021**, *1*, 83-93.

D'Auria, M.; Lorenz, R.; Mecca, M.; Racioppi, R.; Romano, V. A. The composition of the aroma of *Serapias* orchids in Basilicata (Southern Italy), *Nat. Prod. Res.* **2021**, *35*, 4068-4072.