

Nicola Cavallo - Elenco delle pubblicazioni.

Articoli su riviste internazionali

1981

1. R.Barbini, M.Bassetti, M.E.Biagini, R.Boni, A.Cattoni, V.Chimenti, S.de Simone, B.Dulach, S.Faini, S.Guiducci, A.Luccio, M.Preger, C.Sanelli, M.Serio, S.Tazzari, F.Tazzioli, M.Vescovi, G.Vignola, A.Vitali, E.Burattini, N.Cavallo, M.Foresti, C.Mencuccini, E.Pancini, P.Patteri, R.Rinzivillo, U.Troya, G.Dalba, F.Ferrari, P.Fornasini, A.Jackson and J.Worgan:
“The Adone Wiggler Facility”
Nuovo Cimento 4, No 8, 1-39 (1981).
DOI: 10.1007/BF02740738
UGOV: 6925

1982

2. E.Burattini, N.Cavallo, G.Cappuccio, Sh.M.Efendief, M.Grandolfo and P.Vecchia:
“Temperature dependence of antimony L₁ absorption edge of SbSI near T_c”
Ferroelectric 43, 211-215 (1982).
DOI:10.1080/00150198208210648
UGOV: 6926
3. A.Bianconi, M.dell'Ariccia, A.Giovannelli, E.Burattini, N.Cavallo, E.Pancini, P.Patteri, C.Carlini, F.Ciardelli, D.Papeschi, P.Pertici, G.Vitulli, G.Dalba, P.Fornasini, S.Mobilio and L.Palladino:
“EXAFS studies with Synchrotron Radiation of polystyrene-ruthenium catalysts”
Chem. Phys. Lett. 90, 257-259 (1982).
doi: 10.1016/0009-2614(82)83234-X
UGOV: 6025

1983

4. E.Burattini, A.Reale, E.Bernieri, N.Cavallo, A.Morone, M.R.Masullo, R.Rinzivillo, G.Dalba, P.Fornasini and C.Mencuccini:
“Experimental activity at the Adone Wiggler Facility”
Nuclear Instr. and Methods 208, 91-96 (1983).
Doi: 10.1016/0167-5087(83)91107-9
UGOV: 6021
5. R.Barbini, G.Vignola, S.Trillo, R.Boni, S.de Simone, S.Faini, S.Guiducci, M.Preger, M.Serio, B.Spataro, S.Tazzari, F.Tazzioli, M.Vescovi, A.Cattoni, C.Sanelli, M.Castellano, N.Cavallo, F.Cevenini, M.R.Masullo, P.Patteri, R.Rinzivillo, A.Cutolo and S.Solimeno:
“Preliminary results of the Adone storage ring FEL experiment, LELA”
J. de Phys. 44, C1, 1-9 (1983).
DOI: 10.1051/jphyscol:1983101
UGOV: 6022

1984

6. M.Castellano, N.Cavallo, F.Cevenini, M.R.Masullo, P.Patteri, R.Rinzivillo, S.Solimeno and A.Cutolo:
“Analytic and experimental analysis of the undulator radiation at finite distance as a function of the e-beam parameters”
N.Cimento 81B, 67-101 (1984).
DOI: 10.1007/BF02721640
UGOV: 6023

1985

7. M.Biagini, R.Boni, S.de Simone, S.Guiducci, M.Preger, M.Serio, S.Tazzari, F.Tazzioli, M.Vescovi, M.Ambrosio, G.C.Barbarino, M.Castellano, N.Cavallo, F.Cevenini, M.R.Masullo, P.Patteri, R.Rinzivillo, S.Solimeno and A.Cutolo:
“Gain of the LELA Free Electron Laser and characteristic of the optical cavity”
Nuclear Instr. and Methods A237, 273, (1985).
DOI: [10.1016/0168-9002\(85\)90361-4](https://doi.org/10.1016/0168-9002(85)90361-4)
8. S.Solimeno, A.Cutolo, G.C.Barbarino, M.Castellano, N.Cavallo and F.Cevenini:
“Inverse Free Electron Laser on a Storage Ring”
Nuclear Instr. and Methods A237, 298 (1985).
DOI: [10.1016/0168-9002\(85\)90366-3](https://doi.org/10.1016/0168-9002(85)90366-3)
9. N.Cavallo, E.Perillo, E.Rosato and G.Spadaccini:
“A data retrieval application in nuclear physics”
Rivista di Informatica XV, 63 (1985).
10. M.Castellano, N.Cavallo, F.Cevenini and P.Patteri:
“A remote control system for the LELA experiment”
Nuclear Instr. and Methods A239, 235, (1985).

1986

11. M.Ambrosio, G.C.Barbarino, M.Castellano, N.Cavallo, F.Cevenini, M.R.Masullo, P.Patteri and M.Preger :
“Optical Cavity of the Adone FEL Experiment”
Nuclear Instr. and Methods A246, 63 (1986).
12. M.Ambrosio, G.C.Barbarino, M.Castellano, N.Cavallo, F.Cevenini, M.R.Masullo, P.Patteri, M.Preger and A.Cutolo:
“Progress Report of the LELA Experiment”
Nuclear Instr. and Methods A250, 239 (1986).
13. M.Ambrosio, G.C.Barbarino, M.Castellano, N.Cavallo, F.Cevenini, M.R.Masullo and P.Patteri:
“Preliminary Results on Dielectric Mirror Damage due to the Radiation of a High K Undulator”
Nuclear Instr. and Methods A250, 289 (1986).

1987

14. M.Ambrosio, G.C.Barbarino, M.Castellano, N.Cavallo, F.Cevenini, M.R.Masullo, P.Patteri and M.Preger:
“Optical cavity alignment and mirror damage in the LELA FEL experiment”
Nuclear Instr. and Methods A259, 88 (1987).

1988

15. N.Cavallo, M.Castellano, F.Cevenini, S.Guiducci, M.R.Masullo, P.Patteri and M.Preger:
“Final report on the LELA FEL experiment”
Nuclear Instr. and Methods A272, 64 (1988).

1989

16. M.Castellano, L.Catani, N.Cavallo, F.Cevenini, S.De Simone, G. Di Pirro, S.Guiducci, P.Patteri and M.Serio:
“A distributed VME control system for the LISA superconducting linac”
IEEE Trans. on Nuclear Science, NS-36, 1619 (1989).

1990

17. M.Castellano, N.Cavallo, F.Cevenini, F.Cioccia, G.Dattoli, A.Dipace, G.P.Gallerano, P.Patteri, A.Renieri, E.Sabia, , F.Tazzioli and A.Torre:
“The FEL project in Frascati INFN Laboratories with the Linear SC Accelerator LISA”
Nuclear Instr. and Methods A296, 159 (1990).

1992

18. M.Castellano, N.Cavallo, F.Cevenini, F.Cioccia, G.Dattoli, A.Di Pace, G.P.Gallerano, A.Ghigo, P.Patteri, A.Renieri, E.Sabia, C.Sanelli, M.Serio, F.Tazzioli and A.Torre:
“Status report of the IR FEL project on the superconducting linac LISA at LNF-Frascati”
Nuclear Instr. and Methods A304, 204 (1992).
19. D.Babusci, M.Castellano, N.Cavallo, F.Cevenini, A.Ghigo:
“Laser diagnostics of high power low energy electron beams”
Il Nuovo Cimento 105A, 503 (1992).
20. M.Castellano, N.Cavallo, F.Cevenini, F.Cioccia, G.Dattoli, A.Di Pace, G.P.Gallerano, P.Patteri, A.Renieri, E.Sabia, F.Tazzioli and A.Torre and J.Zhuang:
“Progress report of the machine construction and FEL program on LISA at LNF”
Nuclear Instr. and Methods A318, 168 (1992).

1993

21. M.Castellano, L.Catani, N.Cavallo, F.Cevenini, F.Cioccia, G.Dattoli, A.Di Pace, M.Ferrario, G.P.Gallerano, M.Minestrini, P.Patteri and F.Tazzioli :
“Status of the commissioning of LISA for the SURF FEL experiment”
Nuclear Instr. and Methods A331, 272 (1993).
22. M.Castellano, N.Cavallo, F.Cevenini, S.Kulinski, P.Patteri, F.Tazzioli and M.Vescovi:
“Commissioning and performance of the low emittance, low pulse electron gun for the SC linac LISA”
Nuclear Instr. and Methods A332, 354 (1993).

1994

23. M.Acciarri, ..., N.Cavallo, et al.:
“Measurement of cross sections and leptonic forward-backward asymmetries at the Z pole and determination of electroweak parameters”
Z. Phys. C 62, 551 (1994)
24. M.Acciarri, ..., N.Cavallo, et al.:
“Measurement of inclusive production of neutral hadrons from Z decays”
Phys. Lett. B, 328, 223 (1994)
25. M.Acciarri, ..., N.Cavallo, et al.:
“Measurements of the Inclusive $b \rightarrow \tau n X$ Branching Ratio”
Phys. Lett. B, 332, 201 (1994)
26. M.Acciarri, ..., N.Cavallo, et al.:
“Measurements of the $B^0\bar{B}^0$ Mixing Parameter and the $Z \rightarrow b\bar{b}$ (bar) Forward-Backward Asymmetry”
Phys. Lett. B, 335, 542 (1994)
27. M.Acciarri, ..., N.Cavallo, et al.:
“A Measurement of τ Polarization at LEP”
Phys. Lett. B 341, 245 (1994)
28. M.Acciarri, ..., N.Cavallo, et al.:

“B* Production in Z decays at LEP”
Phys. Lett. B 341, 589 (1994)

1995

29. M.Acciarri, ..., N.Cavallo, et al.:
“Energy and Particle Flow in Three-Jet and Radiative Two-Jet Events from Hadronic Z Decays”
Phys. Lett. B 345, 74 (1995)
30. M.Acciarri, ..., N.Cavallo, et al.:
“Measurement of Exclusive Branching Fractions of Hadronic One-Prong Tau Decays”
Phys. Lett. B 345, 93 (1995)
31. M.Acciarri, ..., N.Cavallo, et al.:
“Search for Anomalous $Z \rightarrow \gamma\gamma$ Events at LEP”
Phys. Lett. B 345, 609 (1995)
32. M.Acciarri, ..., N.Cavallo, et al.:
“Measurements of Energetic Single-Photon Production at LEP”
Phys. Lett. B 346, 190 (1995)
33. M.Acciarri, ..., N.Cavallo, et al.:
“Measurement of the Weak Charged Current Structure in Semileptonic b-Hadron Decays at the Z Peak”
Phys. Lett. B 351, 375 (1995)
34. M.Acciarri, ..., N.Cavallo, et al.:
“Search for Neutralinos in Z Decays”
Phys. Lett. B 350, 109 (1995)
35. A.Aloisio, M.G. Alviggi, G.Carlino, N. Cavallo, R. De Asmundis, V. Innocente, S.Lanzano, L. Lista, P. Paolucci, S.Patricelli, D. Piccolo, C.Sciacca and V. Soulimov:
“The L3 Forward-Backward muon RPC trigger system”
Nuclear Instr. and Methods A360, 340 (1995)
36. U. Becker, ..., N.Cavallo, et al.:
“The New Forward Muon Detector of L3: Features and Implementation”
Nuclear Physics B (Proc. Suppl.) 44 (1995) 455-460
37. A.Aloisio, M.G. Alviggi, G.Carlino, N. Cavallo, R. De Asmundis, V. Innocente, S.Lanzano, L. Lista, P. Paolucci, S.Patricelli, D. Piccolo, C.Sciacca and V. Soulimov:
“Performances of the RPC Trigger System of the L3 Forward-Backward Muon Spectrometer”
Nuclear Physics B (Proc. Suppl.) 44 (1995) 417-422
38. M.Acciarri, ..., N.Cavallo, et al.:
“One-prong Tau Decay with Neutral Kaons”
Phys. Lett. B 352, 487-497, 1995
39. M.Acciarri, ..., N.Cavallo, et al.:
“Test of QED at LEP Energies using $e^+e^- \rightarrow \gamma\gamma$ and $e^+e^- \rightarrow l^+l^- \gamma\gamma$ ”
Phys. Lett. B 353, 136-144, 1995
40. M.Acciarri, ..., N.Cavallo, et al.:
“Evidence for Gluon Interference in Hadronic Z Decays”
Phys. Lett. B 353, 145-154, 1995
41. M.Acciarri, ..., N.Cavallo, et al.:
“Study of the $K_{os} K_{os}$ Final State in Two-Photon Collisions”
Phys. Lett. B 363, 118-126, 1995

42. M.Acciarri, ..., N.Cavallo, et al.:
 “Search for Neutral Charmless B Decays at LEP”
Phys. Lett. B 363, 127-136, 1995
43. M.Acciarri, ..., N.Cavallo, et al.:
 “Search for the Decays $B_s^0 \rightarrow \gamma\gamma$ and $B_s^0 \rightarrow \gamma\gamma$ ”
Phys. Lett. B 363, 137-174, 1995
-
- 1996
44. M.Acciarri, ..., N.Cavallo, et al.:
 “Measurement of Hadron and Lepton-Pair Production at $130 \text{ GeV} < \sqrt{s} < 140 \text{ GeV}$ at LEP”
Phys. Lett. B 370, 195-210, 1996
45. M.Acciarri, ..., N.Cavallo, et al.:
 “Search for Excited Leptons in e^+e^- Annihilation at $\sqrt{s} = 130-140 \text{ GeV}$ ”
Phys. Lett. B 370, 211-221, 1996
46. M.Acciarri, ..., N.Cavallo, et al.:
 “Studies of Structure af Hadronic Event and Determination of α_s Determination at $\sqrt{s} = 130$ and 136 GeV ”
Phys. Lett. B 371, 137-148, 1996
47. M.Acciarri, ..., N.Cavallo, et al.:
 “Measurement of η Production in Two and Three-Jets Events from Hadronic Z Decays at LEP”
Phys. Lett. B 371, 126-136, 1996
48. M.Acciarri, ..., N.Cavallo, et al.:
 “Combining Heavy Flavour Electroweak Measurements at LEP”
Nuclear Instr. and Methods A 378 (1996) 101-115
49. M.Acciarri, ..., N.Cavallo, et al.:
 “Measurement of Muon Pair Production at $50 < \sqrt{s} < 86 \text{ GeV}$ at LEP”
Phys. Lett. B 374, 331-340 (1996)
50. P.Paolucci, ..., N.Cavallo, et al.:
 “The BaBar detector for muon identification and neutral hadron detection”
Nuclear Instr. and Methods A 379, (1996) 472-474
51. A.Aloisio, ..., N.Cavallo, et al.:
 “The RPC trigger system of the F/B muon spectrometer at the L3 experiment”
Nuclear Instr. and Methods A 379, (1996) 552-554
52. M.Acciarri, ..., N.Cavallo, et al.:
 “Search for Supersymmetric Particles at $130 \text{ GeV} < \sqrt{s} < 140 \text{ GeV}$ at LEP”
Phys. Lett. B 377 (1996) 289-303
53. M.Acciarri, ..., N.Cavallo, et al.:
 “Search for Unstable Sequential Neutral and Charged Heavy Leptons in e^+e^- Annihilation at $\sqrt{s} = 130$ and 136 GeV ”
Phys. Lett. B 377 (1996) 304-312
54. M.Acciarri, ..., N.Cavallo, et al.:
 “Measurements of the Michel parameters and the average τ neutrino helicity from τ decays in $e^+e^- \rightarrow \tau^+\tau^-$ ”
Phys. Lett. B 377 (1996) 313-324
55. M.Acciarri, ..., N.Cavallo, et al.:
 “Observation of Multiple Hard Photon Final States at $\sqrt{s} = 130-140 \text{ GeV}$ at LEP”

Phys. Lett. B 384 (1996) 323-332

56. M.Acciarri, ..., N.Cavallo, et al.:
“Measurement of the Branching Ratios $b \rightarrow ev X, \mu v X, \tau v X$ and $v X$ ”
Zeitschrift fur Physik C 71 (1996) 379-389
57. M.Acciarri, ..., N.Cavallo, et al.:
“Search for New Particles in Hadronic Events With Isolated Phoyons”
Phys. Lett. B 388 (1996) 409-418
58. M.Acciarri, ..., N.Cavallo, et al.:
“Measurements of the B_d^0 Meson Oscillation Frequency”
Phys. Lett. B 383 (1996) 487-498
59. A.Adam, ..., N.Cavallo, et al.:
“The Forward Muon Detector of L3”
Nuclear Instr. and Methods A 383 (1996) 342-366
DOI: 10.1016/S0168-9002(96)00777-2
Cited by more than 180 records
60. M.Acciarri, ..., N.Cavallo, et al.:
“Search for neutral Higgs boson production through the process $e^+ e^- \rightarrow Z^* \rightarrow H^0 \gamma$ ”
Phys. Lett. B 385, 454-470 (1996)
61. M.Acciarri, ..., N.Cavallo, et al.:
“Measurement of the lifetime of the Tau Lepton”
Phys. Lett. B 389 (1996) 187-196

1997

62. M.Acciarri, ..., N.Cavallo, et al.:
“Search for Neutral B meson Decays to Two Charged Leptons”
Phys. Lett. B 391 (1997) 474-480
63. M.Acciarri, ..., N.Cavallo, et al.:
“Search for Exclusive B Decays to J and η or π^0 with the L3 Detector”
Phys. Lett. B 391 (1997) 481-490
64. M.Acciarri, ..., N.Cavallo, et al.:
“Measurement of Inclusive Omega and η' Production in Hadronic Z Decays”
Phys. Lett. B393, 465-476 (1997)
65. M.Acciarri, ..., N.Cavallo, et al.:
“Study of the Weak Charged Hadronic Current in b Decays”
Phys. Lett. B393, 477-486 (1997)
66. M.Acciarri, ..., N.Cavallo, et al.:
“Measurement of $D_s^- \rightarrow \tau^- \bar{\nu}_\tau$ and a new limit for $B^- \rightarrow \tau^- \bar{\nu}_\tau$ ”
Phys. Lett. B396, 327-337 (1997)
67. M.Acciarri, ..., N.Cavallo, et al.:
“Search for Excited Leptons in $e^+ e^-$ Annihilation at $\sqrt{s} = 161$ GeV”
Phys. Lett. B 401 (1997) 139-149
68. M.Acciarri, ..., N.Cavallo, et al.:
“Pair-Production of W Bosons in $e^+ e^-$ Interactions at $\sqrt{s} = 161$ GeV”
Phys. Lett. B398, 223-238, (1997)

69. M.Acciarri, ..., N.Cavallo, et al.:
“Production of Single W Bosons at LEP”
Phys. Lett. B403 (1997) 168-176
70. M.Acciarri, ..., N.Cavallo, et al.:
“QCD Studies and Determination of α_s in e^+e^- Collisions at $\sqrt{s} = 161$ GeV and 172 GeV”
Phys. Lett. B404 (1997) 390-402
71. M.Acciarri, ..., N.Cavallo, et al.:
“Production of e, μ and τ Pairs in Untagged Two Photon Collisions at LEP”
Phys. Lett. B407 (1997) 341-350
72. M.Acciarri, ..., N.Cavallo, et al.:
“Inclusive J/ Ψ , Ψ' and χ_c Production in Hadronic Z Decays”
Phys. Lett. B407 (1997), 351-360
73. M.Acciarri, ..., N.Cavallo, et al.:
“Cross-section of Hadron production in $\gamma\gamma$ Collisions at LEP”
Phys. Lett. B408 (1997), 450-464
74. M.Acciarri, ..., N.Cavallo, et al.:
“ K_{os} and Λ Production in Quark and Gluon Jets at LEP”
Phys. Lett. B407 (1997), 389-401
75. M.Acciarri, ..., N.Cavallo, et al.:
“Measurement of Hadron and Lepton-Pair Production at 161 GeV < \sqrt{s} < 172 GeV at LEP”
Phys. Lett. B407 (1997), 361-376
76. M.Acciarri, ..., N.Cavallo, et al.:
“Search for Anomalous Four-jet Events in e^+e^- Annihilations at $\sqrt{s} = 130$ -172 GeV”
Phys. Lett. B411 (1997), 330-338
77. M.Acciarri, ..., N.Cavallo, et al.:
“Study of the Hadronic Events and Measurements of α_s between 30 and 91 GeV”
Phys. Lett. B411 (1997), 339-353
78. M.Acciarri, ..., N.Cavallo, et al.:
“Search for Heavy Neutral and Charged leptons in e^+e^- Annihilations at $\sqrt{s} = 161$ and $\sqrt{s} = 172$ ”
Phys. Lett. B412 (1997) 189-200
79. M.Acciarri, ..., N.Cavallo, et al.:
“Single and Multi-Photon Events with Missing Energy in e^+e^- Collisions at 161 GeV < \sqrt{s} < 172 GeV”
Phys. Lett. B415 (1997) 299-310
80. M.Acciarri, ..., N.Cavallo, et al.:
“Hard-Photon Production at $\sqrt{s} = 161$ and 172 GeV at LEP”
Phys. Lett. B413 (1997) 159-166
81. M.Acciarri, ..., N.Cavallo, et al.:
“Upsilon Production in Z Decays”
Phys. Lett. B413 (1997) 167-175
82. M.Acciarri, ..., N.Cavallo, et al.:
“Measurements of Mass, Width and Gauge Couplings of the W Boson at LEP”
Phys. Lett. B413 (1997) 176-190
83. M.Acciarri, ..., N.Cavallo, et al.:
“Search for R-Parity Breaking Sneutrino Exchange at LEP”

Phys. Lett. B414 (1997) 373-381

84. M.Acciarri, ..., N.Cavallo, et al.:
“Neutral-Current Four-Fermion Production in e^+e^- Interactions at $161 \text{ GeV} \leq \sqrt{s} \leq 172 \text{ GeV}$ ”
Phys. Lett. B413 (1997) 191-200
85. M.Acciarri, ..., N.Cavallo, et al.:
“Measurements of $\eta(958)$ Formation in Two-Photon Collisions at LEP1”
Phys. Lett. B418 (1997) 399-410
86. M.Acciarri, ..., N.Cavallo, et al.:
“Measurement of the Average Lifetime of b-Hadrons in Z Decays”
Phys. Lett. B416 (1997), 220-232
87. M.Acciarri, ..., N.Cavallo, et al.:
“Resonance formation in the $\pi^+\pi^-\pi^0$ final state in two-photon collisions”
Phys. Lett. B413 (1997), 147-158
88. M.Acciarri, ..., N.Cavallo, et al.:
“Search for the standard model Higgs boson in e^+e^- interactions at $61 \text{ GeV} \leq \text{sqrt}(s) \leq 172 \text{ GeV}$ ”
Phys. Lett. B411 (1997), 373-386
89. M.Acciarri, ..., N.Cavallo, et al.:
“Measurements of W-pair cross sections in e^+e^- interactions at $\sqrt{s} = 172 \text{ GeV}$ and W-decay branching fractions”
Phys. Lett. B407 (1997), 419-431
90. M.Acciarri, ..., N.Cavallo, et al.:
“Search for new physics in energetic single photon production in e^+e^- annihilation at the Z resonance”
Phys. Lett. B412 (1997), 201-209

1998

91. N.Cavallo, F.Fabozzi, P.Paolucci, L.Parascandolo, P.Parascandolo and D.Piccolo
“Electronics Design of the Front-End for the RPC Muon Detector at BaBar”
Nuclear Physics B (Proc. Suppl.) 61B (1998) 545-550
92. F.Anulli, A.Asmone, R.Baldini Ferroli, R.M.Bionta, A.Buzzo, A.Calcaterra, G.P.Carlino, N. Cavallo, R.Contri, G.Crosetti, R.deSangro^a, F.Fabozzi, D.Falciai, T.Franchi, J.R.Johnson, L.Lista, M.LoVetere, M.Macri, S.Mele, R.Monge, A.Palano, M.Pallavicini, P.Paolucci, P.Parascandolo, C.Patrignani, I.Peruzzi, M.G.Pia, D.Piccolo, M.Piccolo, E.Robutti, A.Santroni, C.Sciacca, K.van Bibber, T.J.Wenaus, D.M.Wright and A.Zallo
“The Muon and K_L Detector for the BaBar Experiment: Physics Requirements, Final Design and Start of Construction”
Nuclear Physics B (Proc. Suppl.) 61B (1998) 244-249
93. N.Cavallo, F.Fabozzi, P.Paolucci, L.Parascandolo, P.Parascandolo and D.Piccolo
“Front-End Readout Development for the IFR Muon Detector at BaBar”
Nuclear Instr. and Methods 409 (1998) 297-299
94. F.Anulli, ..., N.Cavallo, et al.:
“The muon and neutral hadron detector for BaBar”
Nuclear Instr. and Methods 409 (1998) 542-546
95. M.Acciarri, ..., N.Cavallo, et al.:
“Missing Mass Spectra in Hadronic Events from e^+e^- Collisions at $\sqrt{s} = 161\text{-}172 \text{ GeV}$ and Limits on Invisible Higgs Decays”
Phys. Lett. B418 (1998) 389-398
96. M.Acciarri, ..., N.Cavallo, et al.:

- “Search for Scalar Leptons, Charginos and Neutralinos in e^+e^- collisions at $\text{sqrt}(s) = 161\text{-}172 \text{ GeV}$ “
Eur. Phys. J. C 4 (1998) 207-219
97. M.Acciarri, ..., N.Cavallo, et al.:
“Local multiplicity fluctuations in hadronic Z decay”
Phys. Lett. B429 (1998), 375-386
98. M.Acciarri, ..., N.Cavallo, et al.:
“Measurement of the Weak Dipole Moments of the τ Lepton”
Phys. Lett. B426 (1998), 207-216
99. M.Acciarri, ..., N.Cavallo, et al.:
“Angular multiplicity fluctuations in hadronic Z decays and comparison to QCD models and analytical calculations”
Phys. Lett. B428 (1998), 186-196.
100. M.Acciarri, ..., N.Cavallo, et al.:
“Determination of the Number of Light Neutrino Species from Single Photon Production at LEP”
Phys. Lett. B 431 (1998) 199-208.
101. M.Acciarri, ..., N.Cavallo, et al.:
“Measurement of t Polarization at LEP”
Phys. Lett. B 429 (1998) 387-398.
102. M.Acciarri, ..., N.Cavallo, et al.:
“Measurements of the Bd° $Bd^\circ\bar{b}$ Oscillation Frequency”
Eur. Phys. J. C 5, 195-203 (1998)
103. M.Acciarri, ..., N.Cavallo, et al.:
“Search for New Physics Phenomena in Fermion-Pair Production at LEP”
Phys. Lett. B 433 (1998) 163-175.
104. M.Acciarri, ..., N.Cavallo, et al.:
“Measurements of the anomalous magnetic and electric dipole moments if the tau lepton”
Phys. Lett. B 434 (1998) 169-179.
105. M.Acciarri, ..., N.Cavallo, et al.:
“Search for the Standard Model Higgs Boson in e^+e^- Interactions at $\sqrt{s} = 183 \text{ GeV}$ ”
Phys. Lett. B 431 (1998) 437-450.
106. M.Acciarri, ..., N.Cavallo, et al.:
“Photon Structure Functions and Azimuthal Correlations of Lepton Pairs in Tagged $\gamma\gamma$ Collisions”
Phys. Lett. B 438 (1998) 363-378.
107. M.Acciarri, ..., N.Cavallo, et al.:
“Search for Neutral Higgs Bosons of the Minimal Supersymmetric Standard Model in e^+e^- Interations at at $\sqrt{s} = 130\text{-}183 \text{ GeV}$ ”
Phys. Lett. B 436 (1998) 389-402.
108. M.Acciarri, ..., N.Cavallo, et al.:
“Study of the Hadronic Photon Structure Function F gamma 2 at LEP”
Phys. Lett. B 436 (1998) 403-416.
109. M.Acciarri, ..., N.Cavallo, et al.:
“Production of Single W Bosons in e^+e^- Interactions at $130 \text{ GeV} \leq \sqrt{s} \leq 183 \text{ GeV}$ and Limits on Anomalous WW gamma Couplings”
Phys. Lett. B 436 (1998) 417-427.
110. M.Acciarri, ..., N.Cavallo, et al.:

“Test of CP Invariance in $Z \rightarrow \mu^+ \mu^- \gamma$ decay”
 Phys. Lett. B 436 (1998) 428-436.

111. M.Acciarri, ..., N.Cavallo, et al.:
 “Measurement of the Inclusive Charmless Semileptonic Branching Fraction of Beauty Hadrons and a Determination of $|V_{ub}|$ at LEP”
 Phys. Lett. B 436 (1998) 174-186.
112. M.Acciarri, ..., N.Cavallo, et al.:
 “Study of Anomalous $ZZ\gamma$ and $Z\gamma\gamma$ Couplings at LEP”
 Phys. Lett. B 436 (1998) 187-198.
113. M.Acciarri, ..., N.Cavallo, et al.:
 “Measurement of Radiative Bhabha and Quasi-Real Compton Scattering”
 Phys. Lett. B 439 (1998) 183-196.
114. M.Acciarri, ..., N.Cavallo, et al.:
 “Measurement of W-Pair Cross Sections in e^+e^- Interactions at $\sqrt{s} = 183$ GeV and W-Decay Branching Fractions”
 Phys. Lett. B 436 (1998) 437-452.
115. M.Acciarri, ..., N.Cavallo, et al.:
 “Measurement of the Michel Parameters and the Average Tau-Neutrino Helicity from Tau Decays at LEP”
 Phys. Lett. B 438 (1998) 405-416.
116. M.Acciarri, ..., N.Cavallo, et al.:
 “Measurement of the Effective Weak Mixing Angle by Jet-Charge Asymmetry in Hadronic Decays of the Z Boson”
 Phys. Lett. B 439 (1998) 225-236.
117. M.Acciarri, ..., N.Cavallo, et al.:
 “Upper Limit on the Lifetime Difference of Short- and Long-Lived B^0 s Mesons”
 Phys. Lett. B 438 (1998) 417-429.
118. M.Acciarri, ..., N.Cavallo, et al.:
 “Single and Multi-Photon Events with Missing Energy in e^+e^- Collisions at $\sqrt{s} = 183$ GeV”
 Phys. Lett. B 444 (1998) 503-515.
119. M.Acciarri, ..., N.Cavallo, et al.:
 QCD Results from Studies of Hadronic Events produced in e^+e^- Annihilations at $\sqrt{s} = 183$ GeV”
 Phys. Lett. B 444 (1998) 569-582.

1999

120. M.Acciarri, ..., N.Cavallo, et al.:
 “Searches for Scalar Top and Scalar Bottom Quarks in e^+e^- Interactions at $161 \text{ GeV} \leq \sqrt{s} \leq 183 \text{ GeV}$ ”
 Phys. Lett. B 445 (1999) 428-438.
121. M.Acciarri, ..., N.Cavallo, et al.:
 “Search for Charged Higgs Bosons in e^+e^- Collisions at Centre-of-Mass Energies between 130 and 183 GeV”
 Phys. Lett. B 446 (1999) 368-377.
122. M.Acciarri, ..., N.Cavallo, et al.:
 “Measurement of the $e^+e^- \rightarrow Z \rightarrow bb(\bar{b})$ Forward-Backward Asymmetry and the $B^0\bar{B}^0$ Mixing Parameter Using Prompt Leptons”
 Phys. Lett. B 448 (1999) 152-162.
123. M.Acciarri, ..., N.Cavallo, et al.:

- “The Q₂ Evolution of the Hadronic Photon Structure Function F gamma 2 at LEP”
Phys. Lett. B 447 (1999) 147-156.
124. M.Acciarri, ..., N.Cavallo, et al.:
“Chi_c2 Formation in Two-Photon Collisions at LEP”
Phys. Lett. B 453 (1999) 73-82.
125. M.Acciarri, ..., N.Cavallo, et al.:
“Inclusive Charm Production in Two-Photon Collisions at LEP “
Phys. Lett. B 453 (1999) 83-93.
126. M.Acciarri, ..., N.Cavallo, et al.:
“Heavy Quarkonium Production in Z Decays”
Phys. Lett. B 453 (1999) 94-106.
127. M.Acciarri, ..., N.Cavallo, et al.:
“ Measurement of the cross-section for the process $\gamma^* \gamma^* \rightarrow$ hadrons at LEP”
Phys. Lett. B 453 (1999) 333-342.
128. M.Acciarri, ..., N.Cavallo, et al.:
“Study of Neutral-Current Four-Fermion and ZZ Production in e⁺e⁻ Collisions at $\sqrt{s} = 183$ GeV”
Phys. Lett. B 450 (1999) 281-293.
129. N.Cavallo:
“Electronics for the BaBar Experiment at PEP-II: A Short Review”
Nuclear Physics B (Proc. Suppl.) 78 (1999) 64-71
130. M.Acciarri, ..., N.Cavallo, et al.:
“Measurement of Mass and Width of the W Boson at LEP”
Phys. Lett. B 454 (1999) 386-398
131. M.Acciarri, ..., N.Cavallo, et al.:
“Search for R-parity Violating Chargino and Neutralino Decays in e⁺e⁻ Collisions up to $\sqrt{s} = 183$ GeV”
Phys. Lett. B 459 (1999) 354-366
132. M.Acciarri, ..., N.Cavallo, et al.:
“Search for Scalar Leptons in e⁺e⁻ collisions at $\sqrt{s} = 183$ GeV”
Phys. Lett. B 456 (1999) 283-296
133. M.Acciarri, ..., N.Cavallo, et al.:
“Measurement of an Elongation of the Pion Source in Z Decays”
Phys. Lett. B 458 (1999) 517-528
134. M.Acciarri, ..., N.Cavallo, et al.:
“Formation of the χ_c in Two-Photon Collisions at LEP”
Phys. Lett. B 461 (1999) 155-166
135. M.Acciarri, ..., N.Cavallo, et al.:
“Search for Heavy Neutral and Charged Leptons in e⁺e⁻ Annihilation at $\sqrt{s} = 183$ and 189 GeV”
Phys. Lett. B 462 (1999) 354-364
136. M.Acciarri, ..., N.Cavallo, et al.:
“Seach for the Standard Model Higgs boson in e⁺e⁻ interactions at $\sqrt{s} = 183$ and 189 GeV”
Phys. Lett. B 461 (1999) 376-386
137. M.Acciarri, ..., N.Cavallo, et al.:
“Seach for the Heavy Isosinglet Neutrinos in e⁺e⁻ Annihilation at $130 < \sqrt{s} < 189$ GeV”
Phys. Lett. B 461 (1999) 397-404.

138. M.Acciarri, ..., N.Cavallo, et al.:
 “Measurement of Inclusive $D^{*\pm}$ Production in Two-Photon Collisions at LEP”
Phys. Lett. B 467 (1999) 137-146.
139. M.Acciarri, ..., N.Cavallo, et al.:
 “Measurement of the spectroscopy of Orbitally Excited B mesons at LEP”
Phys. Lett. B 465 (1999) 323-334.
140. M.Acciarri, ..., N.Cavallo, et al.:
 “Search for Low Scale Gravity Effects in e^+e^- Collisions at LEP”
Phys. Lett. B 464 (1999) 135-144.
141. M.Acciarri, ..., N.Cavallo, et al.:
 “Study of the Z Boson Pair Production in e^+e^- Collisions at LEP at $\sqrt{s} = 189$ GeV”
Phys. Lett. B 465 (1999) 363-375.
142. M.Acciarri, ..., N.Cavallo, et al.:
 “Search for Charged Higgs Bosons in e^+e^- Collisions at LEP at $\sqrt{s} = 189$ GeV”
Phys. Lett. B 466 (1999) 71-78.
143. M.Acciarri, ..., N.Cavallo, et al.:
 “Search for Scalar Leptons in e^+e^- collisions at $\sqrt{s} = 189$ GeV”
Phys. Lett. B 471 (1999) 280-292
144. M.Acciarri, ..., N.Cavallo, et al.:
 “Single and Multi-Photon Events with Missing Energy in e^+e^- collisions at $\sqrt{s} = 189$ GeV”
Phys. Lett. B 470 (1999) 268-280.
145. M.Acciarri, ..., N.Cavallo, et al.:
 “Measurement of Triple-Gauge-Boson Couplings of the W Boson at LEP”
Phys. Lett. B 467 (1999) 171-184.
146. M.Acciarri, ..., N.Cavallo, et al.:
 “Searches for Scalar Quarks in e^+e^- Interactions at $\sqrt{s} = 189$ GeV”
Phys. Lett. B 471 (1999) 308-320.
147. M.Acciarri, ..., N.Cavallo, et al.:
 “Search for Neutral Higgs Bosons of the Minimal Supersymmetric Standard Model in e^+e^- Interactions at $\sqrt{s} = 189$ GeV”
Phys. Lett. B 471 (1999) 321-331
148. M.Acciarri, ..., N.Cavallo, et al.:
 “Search for Extra Dimensions in Boson and Fermion Pair Production in e^+e^- Interactions at LEP”
Phys. Lett. B 470 (1999) 281-288

2000

149. M.Acciarri, ..., N.Cavallo, et al.:
 “Measurement of R_b and $Br(B \rightarrow l\nu X)$ at LEP using Double-Tag Methods”
Eur. Phys. J. C 13, 47-61 (2000)
150. M.Acciarri, ..., N.Cavallo, et al.:
 “Search for Charginos and Neutralinos in e^+e^- collisions at $\sqrt{s} = 189$ GeV”
Phys. Lett. B 472 (2000) 420-433
151. M.Acciarri, ..., N.Cavallo, et al.:
 “Search for Excited Leptons at $\sqrt{s} = 189$ GeV”
Phys. Lett. B 473 (2000) 177-185
152. M.Acciarri, ..., N.Cavallo, et al.:

- “Measurement of the Probability of Gluon Splitting into Charmed Quarks in Hadronic Z Decays”
Phys. Lett. B 476 (2000) 243-255
153. M.Acciarri, ..., N.Cavallo, et al.:
“Direct Observation of Longitudinally Polarised W⁺- Bosons”
Phys. Lett. B 474 (2000) 194-204
154. M.Acciarri, ..., N.Cavallo, et al.:
“Measurement of Hadron and Lepton-Pair Production at 130 GeV <math>\sqrt{s} < 189</math> GeV at LEP”
Phys. Lett. B 479 (2000) 101-117
155. M.Acciarri, ..., N.Cavallo, et al.:
“Measurement of the Running of the Fine-Structure Constant”
Phys. Lett. B 476 (2000) 40-48
156. M.Acciarri, ..., N.Cavallo, et al.:
“Hard-Photon Production and Tests of QED at LEP”
Phys. Lett. B 475 (2000) 198-205
157. M.Acciarri, ..., N.Cavallo, et al.:
“Measurement of the e⁺e⁻ → Z gamma gamma Cross Section and Determination of Quartic Gauge Boson Couplings at LEP”
Phys. Lett. B 478 (2000) 39-49
158. M.Acciarri, ..., N.Cavallo, et al.:
“Search for Charginos with a Small Mass Difference to the Lightest Supersymmetric Particle at $\sqrt{s} = 189$ GeV.”
Phys. Lett. B 482 (2000) 31-42
159. M.Acciarri, ..., N.Cavallo, et al.:
“Measurements of Cross Sections and Forward-Backward Asymmetries at the Z Resonance and Determination of Electroweak Parameters.”
European Physical Journal C 16 (2000) 1-40
160. M.Acciarri, ..., N.Cavallo, et al.:
“Inclusive Sigma⁺ and Sigma⁰ Production in Hadronic Z Decays.”
Phys. Lett. B 479 (2000) 79-88
161. M.Acciarri, ..., N.Cavallo, et al.:
“Measurement of the Photon Structure Function at High Q₂ at LEP”
Phys. Lett. B 483 (2000) 373-386
162. M.Acciarri, ..., N.Cavallo, et al.:
“Measurement of the Lifetime of the Tau Lepton”
Phys. Lett. B 479 (2000) 67-78
163. M.Acciarri, ..., N.Cavallo, et al.:
“Search for an invisibly decaying Higgs boson in e⁺e⁻ collisions at $\sqrt{s} = 183-189$ GeV”
Phys. Lett. B 485 (2000) 85-94
164. M.Acciarri, ..., N.Cavallo, et al.:
“Measurements of the bbbar production cross section and forward-backward asymmetry at centre-of-mass energies above the Z pole at LEP”
Phys. Lett. B 485 (2000) 71-84
165. M.Acciarri, ..., N.Cavallo, et al.:
“Search for Anomalous ZZgamma and Z gamma gamma couplings in the process e+e- → Zgamma at L”
Phys. Lett. B 489 (2000) 55-64
166. M.Acciarri, ..., N.Cavallo, et al.:

“QCD Studies in e+e- Annihilation from 30 GeV to 189 GeV “
 Phys. Lett. B 489 (2000) 65-80

167. M.Acciarri, ..., N.Cavallo, et al.:
 “Search for Manifestations of New Physics in Fermion-Pair Production at LEP “
 Phys. Lett. B 489, (2000) 81-92
168. M.Acciarri, ..., N.Cavallo, et al.:
 “Production of Single W Bosons at $\sqrt{s} = 189$ GeV and Measurement of WWgamma Gauge Couplings “
 Phys. Lett. B 487 (2000) 229-240
169. M.Acciarri, ..., N.Cavallo, et al.:
 Measurement of Bose-Einstein Correlations in $e^+e^- \rightarrow W^+W^-$ at $\sqrt{s} \sim 189$ GeV”
 Phys. Lett. B 493 (2000) 233-248
170. M.Acciarri, ..., N.Cavallo, et al.:
 “Determination of gamma / Z interference in e^+e^- annihilation at LEP”
 Phys. Lett. B 489, (2000) 93-101
171. M.Acciarri, ..., N.Cavallo, et al.:
 “Measurement of the W^+W^- gamma Cross Section and Direct Limits on Anomalous Quartic Gauge Boson Couplings at LEP”
 Phys. Lett. B 490, (2000) 187-195
172. M.Acciarri, ..., N.Cavallo, et al.:
 “Search for anomalous couplings in the Higgs sector at LEP “
 Phys. Lett. B 489, (2000) 102-114
173. M.Acciarri, ..., N.Cavallo, et al.:
 “Search for a Higgs Boson Decaying into Two Photons in e^+e^- Interactions at $\sqrt{s} = 189$ GeV”
 Phys. Lett. B 489 (2000) 115-124
174. M.Acciarri, ..., N.Cavallo, et al.:
 “Measurement of the W-pair Production Cross Section and W-Decay Branching Fractions in e^+e^- Interactions at $\sqrt{s} = 189$ GeV”
 Phys. Lett. B 496, (2000) 19-33
175. M.Acciarri, ..., N.Cavallo, et al.:
 “Search for Charged Higgs Bosons in e^+e^- Collisions at Centre-of-Mass Energies up to 202 GeV”
 Phys. Lett. B 496, (2000) 34-42

2001

176. M.Acciarri, ..., N.Cavallo, et al.:
 “Study of Z Boson Pair Production in e^+e^- - Interactions at $\sqrt{s} = 192-202$ GeV”
 Phys. Lett. B 497, (2001) 23-38
177. M.Acciarri, ..., N.Cavallo, et al.:
 “Light Resonances in K0s $K^{\pm} < ?/- + \eta?/+ ?-$ final states in gamma gamma collisions at LEP. figures: 1, 2, 3, 4, 5, 6, “
 Phys. Lett. B 501, (2001) 1-11
178. M.Acciarri, ..., N.Cavallo, et al.:
 “Search for R-parity Violating Decays of Supersymmetric Particles in e^+e^- Collisions $\sqrt{s} = 189$ GeV”
 Eur. Phy. J. C 19 (2001) 397-414
179. M.Acciarri, ..., N.Cavallo, et al.:
 “K0s K0s Final State in Two-Photon collisions and Implications for Glueballs”

Phys. Lett. B 501, (2001) 173-182

180. M.Acciarri, ..., N.Cavallo, et al.:
“Measurements of the Cross Sections for Open Charm and Beauty Production in gamma gamma Collisions at $\sqrt{s} = 189\text{-}202 \text{ GeV}$. “
Phys. Lett. B 503, (2001) 10-20
181. M.Acciarri, ..., N.Cavallo, et al.:
“Search for Excited Leptons in e^+e^- Interactions at $\sqrt{s} = 192\text{-}202 \text{ GeV}$. “
Phys. Lett. B 502, (2001) 37-50
182. M.Acciarri, ..., N.Cavallo, et al.:
“Higgs Candidates in e^+e^- Interactions at $\sqrt{s} = 206.6 \text{ GeV}$ ”
Phys. Lett. B 495, (2000) 18-25
DOI: 10.1016/S0370-2693(00)01281-8
Cited by more than 130 records
183. M.Acciarri, ..., N.Cavallo, et al.:
“Search for Neutral Higgs Bosons of the Minimal Supersymmetric Standard Model in e^+e^- Interactions at $\sqrt{s} = 192\text{-}202 \text{ GeV}$ ”
Phys. Lett. B 503, (2001) 21-33
184. M.Acciarri, ..., N.Cavallo, et al.:
“Search for the Standard Model Higgs boson in e^+e^- Collisions at \sqrt{s} up to 202 GeV. “
Phys. Lett. B 508, (2001) 225-236
185. M.Acciarri, ..., N.Cavallo, et al.:
“Measurement of the Charm Production Cross Section in c Collisions at LEP”
Phys. Lett. B 514 (2001) 19-28
186. M.Acciarri, ..., N.Cavallo, et al.:
“Measurement of the Tau Branching Fractions into Leptons”
Phys. Lett. B 507 (2001) 47-60
187. M.Acciarri, ..., N.Cavallo, et al.:
“Study of the $e^+e^- \gamma\gamma Z\gamma\gamma \rightarrow q\bar{q}\gamma\gamma$ Process at LEP”
Phys. Lett. B 505 (2001) 47-58
188. M.Acciarri, ..., N.Cavallo, et al.:
“Total Cross Section in $\gamma\gamma$ Collisions at LEP”
Phys. Lett. B 519 (2001) 33-45
189. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of CP -Violating Asymmetries in B° -Decays to CP eigenstate”
Phys. Lett. 86 (2001), 2515-2522
190. B.Aubert, ..., N.Cavallo, et al.:
“The BaBar detector”
Nuclear Instruments and Methods A479 (2002) 1-116
Cited by more than 1453 records
191. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of the decays $B \rightarrow \phi K$ and $B \rightarrow \phi K^*$ ”
Phys. Rev. Lett. 87, (2001) 151801
192. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of branching fractions and search for CP-violating charge asymmetries in charmless two-body B decays into pions and kaons”
Phys. Rev. Lett. 87, 151802 (2001)

193. B.Aubert, ..., N.Cavallo, et al.:
 “Measurement of J/ Ψ production in continuum e^+e^- annihilations near $\sqrt{s} = 10.6$ GeV”
Phys. Rev. Lett. 87, 162002 (2001)
194. B.Aubert, ..., N.Cavallo, et al.:
 “Observation of CP violation in the B° meson system”
Phys. Rev. Lett. 87, 091801 (2001)
 Cited by more than 540 records
195. B.Aubert, ..., N.Cavallo, et al.:
 “Measurement of the B° and B^+ meson lifetimes with fully reconstructed hadronic final states”
Phys. Rev. Lett. 87 (2001) 201803
196. B.Aubert, ..., N.Cavallo, et al.:
 “Measurement of branching fractions for exclusive B decays to charmonium final states”
Phys. Rev. D. 65, 032001 (2001)
197. B.Aubert, ..., N.Cavallo, et al.:
 “Measurement of the $B \rightarrow J/\psi K^*(892)$ decay Amplitudes”
Phys. Rev. Lett. 87, 241801 (2001)
198. B.Aubert, ..., N.Cavallo, et al.:
 “Search for the decay $B^\circ \rightarrow \gamma\gamma$ ”
Physical Review Letters, 87 (2001) 241803
199. B.Aubert, ..., N.Cavallo, et al.:
 “Measurements of the branching fractions of exclusive charmless B meson decays with η' and omega mesons”
Physical Review Letters, 87 (2001) 221802
200. M.Acciarri, ..., N.Cavallo, et al.:
 “Search for Heavy Isosinglet Neutrino in e^+e^- Annihilation at LEP “
Phys. Lett. B 517, (2001) 67-74
201. P.Achard, ..., N.Cavallo, et al.:
 “Search for Heavy Neutral and Charged Leptons in e^+e^- Annihilation at LEP “
Phys. Lett. B 517, (2001) 75-85
202. P.Achard, ..., N.Cavallo, et al.:
 “Standard Model Higgs Boson with the L3 Experiment at LEP”
Phys. Lett. B 517 (2001) 319-331
203. P.Achard, ..., N.Cavallo, et al.:
 “ Measurement of the Topological Branching Fractions of the τ Lepton at LEP”
Phys. Lett. B 519 (2001) 189-198

2002

204. P.Achard, ..., N.Cavallo, et al.:
 “Bose-Einstein Correlations of Neutral and Charged Pions in Hadronic Z Decays”
Phys. Lett. B 524 (2002) 55-64
205. P.Achard, ..., N.Cavallo, et al.:
 “Inclusive Pi zero and K_s° Production in Two-Photon Collisions at LEP. “
Phys. Lett. B 524 (2002) 44-54
206. B.Aubert, ..., N.Cavallo, et al.:
 “Measurements of the branching fractions for $\psi(2S) \rightarrow e^+e^-$ and $\psi(2S) \rightarrow \mu^+\mu^-$ ”

Phys. Rev. D 65 (2002) 031101

207. B.Aubert, ..., N.Cavallo, et al.:
“Study of CP-violating asymmetries in $B^0 \rightarrow \pi^+ + \pi^-$, $K^+ + \pi^-$ decays”
Physical Review D, 65 (2002) 051502
208. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of $B^- \rightarrow K^* \gamma$ branching fractions and charge Asymmetries”
Phys. Rev. Lett. 88 (2002) 101805
209. B.Aubert, ..., N.Cavallo, et al.:
“Direct CP violation searches in charmless hadronic B meson decays”
Physical Review D, 65 (2002) 051101
210. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of B_0 -anti- B_0 flavor oscillations in hadronic B_0 decays”
Phys. Rev. Lett. 88, 221802 (2002)
211. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of the B_0 -anti- B_0 oscillation frequency with inclusive dilepton events”
Phys. Rev. Lett. 88, 221803 (2002)
212. B.Aubert, ..., N.Cavallo, et al.:
“Search for the rare decays $B \rightarrow K l^+ l^-$ and $B \rightarrow K^* l^+ l^-$ ”
Phys. Rev. Lett. 88, 241801 (2002)
213. B.Aubert, ..., N.Cavallo, et al.:
A Study of Time-Dependent CP-Violating Asymmetries and Flavor Oscillations in Neutral B Decays at the Y(4S)
Phys. Rev. D 66 (2002) 032003
DOI: 10.1103/PhysRevD.66.032003
Cited by more than 250 records
214. P.Achard, ..., N.Cavallo, et al.:
“Search for R-parity Violating Decays of Supersymmetric Particles in $e^+ e^-$ Collisions at LEP.”
Phys. Lett. B524 (2002) 65-80
215. P.Achard, ..., N.Cavallo, et al.:
“f1(1285) Formation in Two-Photon Collisions at LEP.”
Phys. Lett. B526 (2002) 269-277
216. P.Achard, ..., N.Cavallo, et al.:
“Double-Tag Events in Two-Photon Collisions at LEP.”
Phys. Lett. B531 (2002) 39-51
217. P.Achard, ..., N.Cavallo, et al.:
“Study of the $W^+ W^- \gamma$ gamma Process and Limits on Anomalous Quartic Gauge Boson Couplings at LEP.”
Phys. Lett. B527 (2002) 29-38
218. P.Achard, ..., N.Cavallo, et al.:
“Study of Multiphoton Final States and Tests of QED in $e^+ e^-$ Collisions at ? s up to 208 GeV.
Phys. Lett. B531 (2002) 28-38
219. D. Piccolo, A. Palano, S. Bagnasco, A. Buzzo, R. Contri, G. Crosetti, M. Lo Vetere, M. Macri, R. Monge, S. Passaggio, C. Patrignani, E. Robutti, A. Santroni, F. Anulli, R. Baldini, A. Calcaterra, R. De Sangro, D. Falciai, G. Finocchiaro, P. Patteri, I. Peruzzi, M. Piccolo, Z. Yu, A. Zallo, N. Cavallo, G. De Nardo, F. Fabozzi, C. Gatto, L. Lista, P. Paolucci, C. Sciacca, R. Bonta, D. Wright, H. Band, J. Johnson:
“The RPC-based IFR system at BaBar experiment: preliminary results”
Nuclear Instr. and Methods A477 (2002) 435-439

220. A.Aloisio, M.G. Alviggi, S. Patricelli, C. Sciacca, G. Carlino, N. Cavallo, R. De Asmundis, D. Della Volpe, L. Lista, P. Paolucci and D. Piccolo:
“Long-term performance of the L3 RPC system”
Nuclear Instr. and Methods A456 (2000) 113-116
221. P.Paolucci, N. Cavallo, F. Fabozzi and D.Piccolo:
“The IFR online detector control at the BaBar experiment at SLAC”
Nuclear Instr. and Methods A456 (2000) 137-139
222. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of D_s^+ and D_s^{*+} production in B meson decays and from continuum e+e- annihilation at $\sqrt{s} = 10.6 \text{ GeV}$ ”
Phys. Rev. D 65, 091104 (2002)
223. B.Aubert, ..., N.Cavallo, et al.:
“A study of $B^\pm \rightarrow J/\psi \pi^\pm$ and $B^\pm \rightarrow J/\psi K^\pm$ decays: measurement of the ratio of branching fractions and search for direct CP-violating charge asymmetries”
Phys. Rev. D 65 (2002) 091101
224. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of D_s^+ and D_s^{*+} production in B meson decays and from continuum e+e- annihilation at $\sqrt{s} = 10.6 \text{ GeV}$ ”
Physical Review Letters, 89 (2002) 011802; Erratum-*ibid.* 89 (2002) 169903
225. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of the Bo lifetime with partially reconstructed Bo->D*- l+ nu decays”
Phys. Rev. Lett. 89, 011802 (2002)
226. B.Aubert, ..., N.Cavallo, et al.:
“Search for T and CP violation in Bo-anti-Bo mixing with inclusive dilepton events”
Phys. Rev. Lett. 88, 231801 (2002)
227. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of the branching fraction and CP content for the decay Bo->D*+ D*^-”
Phys. Rev. Lett. 88, 221803 (2002)
228. P.Achard, ..., N.Cavallo, et al.:
“Search for a Higgs Boson Decaying into Two-Photons at LEP”
Phys. Lett. B534 (2002) 28-38.
229. P.Achard, ..., N.Cavallo, et al.:
“Inclusive D*+- Production in Two-Photon Collisions at LEP”
Phys. Lett. B 535 (2002) 59-69.
230. P.Achard, ..., N.Cavallo, et al.:
“Lambda and Sigma zero Pair Production in Two-Photon Collisions at LEP”
Phys. Lett. B536 (2002) 24-33.
231. P.Achard, ..., N.Cavallo, et al.:
“Determination of Alpha_s from Hadronic Event Shapes in e+e- Annihilation at $192 < \sqrt{s} < 208 \text{ GeV}$ ”
Phys. Lett. B536 (2002) 217-228.
232. P.Achard, ..., N.Cavallo, et al.:
“The $e^+ e^- \rightarrow Z$ gamma gamma $\rightarrow q \bar{q}$ gamma gamma Reaction at LEP and Constraints on Anomalous Quartic Gauge Boson Couplings”
Phys. Lett. B540 (2002) 43-51.
233. P.Achard, ..., N.Cavallo, et al.:
“Measurement of Genuine Three-Particle Bose-Einstein Correlations in Hadronic Z Decay”

Phys. Lett. B540, (2002) 185-198

234. P.Achard, ..., N.Cavallo, et al.:
“Measurement of Bose-Einstein Correlations in e+e- → W+W- Events at LEP”
Phys. Lett. B547 (2002) 139-150
Doi: 10.1016/S0370-2693(02)02767-3
235. P.Achard, ..., N.Cavallo, et al.:
“Production of Single W Bosons at LEP and Measurement of WW gamma Gauge Coupling Parameters”
Phys. Lett. B547 (2002) 151-163
236. P.Achard, ..., N.Cavallo, et al.:
“Search for Neutral Higgs bosons of the Minimal Supersymmetric Standard Model in e+e- Interactions at Sqrt(s) up to 209 GeV”.
Phys. Lett. B545 (2002) 30-42.
Doi: 10.1016/S0370-2693(02)02577-7
237. P.Achard, ..., N.Cavallo, et al.:
“Search for Single Top Production at LEP”.
Phys. Lett. B549 (2002) 290-300
238. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of the CP violating asymmetry amplitude SIN2BETA with B° mesons”
Phys. Rev. Lett. 89 (2002) 201802
Doi: 10.1103/PhysRevLett.89.201802
Cited by more than 450 records

2003

239. B.Aubert, ..., N.Cavallo, et al.:
“Study of inclusive production of charmonium mesons in B decay”
Phys Rev. D67 (2003) 032002
Doi: 10.1103/PhysRevD.67.032002
240. A. Heister, ..., N.Cavallo, et al:
“Search for the standard model Higgs boson at LEP.”
Phys. Lett. B 565 (2003) 61-75
Doi: 10.1016/S0370-2693(03)00614-2
Cited by more than 1500 records
241. B.Aubert, ..., N.Cavallo, et al.:
“Measurements of branching fractions and CP violating asymmetries in $B^0 \rightarrow \pi^+ \pi^-$, $K^+ \pi^-$, $K^+ K^-$ decays”
Phys. Rev. Lett. 89 (2002) 281802
DOI: 10.1103/PhysRevLett. 89.281802
Cited by more than 250 records
242. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of the branching fraction for inclusive semileptonic B meson decays”
Phys. Rev. D 67 (2003) 031101, 2003
243. B.Aubert, ..., N.Cavallo, et al.:
“A study of the rare decays $B^0 \rightarrow D^{(*)}+(S)$ PI- AND $B^0 \rightarrow D^{(*)}-(S)$ K+.”
Phys. Rev. Lett. 90 (2003) 181803, 2003
244. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of the B^0 meson lifetime with partial reconstruction of $B^0 \rightarrow D^{*-}$ PI+ AND $B^0 \rightarrow D^{*-}$ RHO+ decays”
Phys. Rev. D 67 (2003) 091101 (2003)

245. B.Aubert, ..., N.Cavallo, et al.:
“Simultaneous measurement of the b0 meson lifetime and mixing frequency with $B0 \rightarrow D^*- L+ NU(L)$ decays”
Phys. Rev. D 67 (2003) 072002
246. F. Anulli, S. Bagnasco, R. Baldini, H.R. Band, R. Bionta, J.E. Brau, V. Brigljevic, A. Buzzo, A. Calcaterra, M. Carpinelli, C. Cartaro, N. Cavallo, G. Crosetti, R. de Sangro, G. De Nardo, A. Eichenbaum, F. Fabozzi, D. Falciari, F. Ferrarotto, F. Ferroni, G. Finocchiaro, F. Forti, R. Frey, C. Gatto, E. Grauges, M. Iwasaki, J.R. Johnson, D.J. Lange, L. Lista, M. Lo Vetere, C. Lu, M. Macri, R. Messner, T.B. Moore, Silvio Morganti, H. Neal, N. Neri, A. Palano, E. Paoloni, P. Paolucci, S. Passaggio, F. Pastore, P. Patteri, I. Peruzzi, M. Piccolo, D. Piccolo, G. Piredda, E. Robutti, A. Roodman, A. Santroni, C. Sciacca, N.B. Sinev, David M. Strom, A. Soha, S. Tosi, J. Va'vra, William J. Wisniewski, D.M. Wright, Y. Xie, A. Zallo:
“Resistive Plate Chamber performance in the BaBar IFR system”
IEEE Trans.Nucl.Sci. 49 (2002) 888-893
247. F. Anulli, S. Bagnasco, R. Baldini, H.R. Band, R. Bionta, J.E. Brau, V. Brigljevic, A. Buzzo, A. Calcaterra, M. Carpinelli, C. Cartaro, N. Cavallo, G. Crosetti, R. de Sangro, G. De Nardo, A. Eichenbaum, F. Fabozzi, D. Falciari, F. Ferrarotto, F. Ferroni, G. Finocchiaro, F. Forti, R. Frey, C. Gatto, E. Grauges, N.I. Yakovlev, M. Iwasaki, J.R. Johnson, D.J. Lange, L. Lista, M. Lo Vetere, C. Lu, M. Macri, R. Messner, T.B. Moore, Silvio Morganti, N. Neri, H. Neal, A. Palano, E. Paoloni, P. Paolucci, S. Passaggio, F.C. Pastore, P. Patteri, I. Peruzzi, M. Piccolo, D. Piccolo, G. Piredda, E. Robutti, A. Roodman, A. Santroni, C. Sciacca, N.B. Sinev, David M. Strom, A. Soha, S. Tosi, J. Va'vra, William J. Wisniewski, D.M. Wright, Y. Xie, A. Zallo:
“The BaBar Instrumented Flux Return performance: lessons learned”
Nucl. Instrum. Meth. A 494 (2002) 455-463

2003

248. P.Achard, ..., N.Cavallo, et al.:
“Measurement of the CKM matrix element $|V(ub)|$ with $B \rightarrow rho e nu$ decays”
Phys. Rev. Lett. 90 (2003) 181801
249. P.Achard, ..., N.Cavallo, et al.:
“Inclusive charged hadron production in two photon collisions at LEP”
Phys. Lett. B 554 (2003) 105-114
250. B.Aubert, ..., N.Cavallo, et al.:
“Measurements of CP violating asymmetries and branching fractions in B meson decays to eta-prime K.”
Published in *Phys. Rev. Lett.* 91 (2003) 161801
doi:10.1103/PhysRevLett. 91.161801
251. B.Aubert, ..., N.Cavallo, et al.:
“Search for D0 - anti-D0 mixing and a measurement of the doubly Cabibbo suppressed decay rate in $D0 \rightarrow K pi$ decays.”
Published in *Phys. Rev. Lett.* 91:171801,2003.
doi:10.1103/PhysRevLett. 91.171801
252. P.Achard, ..., N.Cavallo, et al.:
“Measurement of W polarization at LEP”
Phys. Lett. B 557 (2003) 147-156
253. P.Achard, ..., N.Cavallo, et al.:
“Study of the $e^+ e^- \rightarrow Z e^+ e^-$ process at LEP”
Phys. Lett. B 561 (2003) :73-81
254. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of $B0 \rightarrow D(*)^+ D^*-$ branching fractions and $B0 \rightarrow D^*+(S) D^*$ - polarization with a partial reconstruction technique”
Phys. Rev. D 67 (2003) 092003

255. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of the branching fraction and CP violating asymmetries in neutral B decays to $D^{*-} D^{-}$ ”
Phys. Rev. Lett. 90:221801, 2003
256. B.Aubert, ..., N.Cavallo, et al.:
“Study of time dependent cp asymmetry in neutral B decays to $J/\Psi \pi 0$ ”
Phys. Rev. Lett. 91 (2003) 061801
257. B.Aubert, ..., N.Cavallo, et al.:
“Observation of the decay $B^{+} \rightarrow \pi^{+} \pi 0$, study of $B^{+} \rightarrow K^{+} \pi 0$, and search for $B^0 \rightarrow \pi 0 \pi 0$ ”
Phys. Rev. Lett. 91 (2003) 021801
doi:10.1103/PhysRevLett. 91.021801
258. B.Aubert, ..., N.Cavallo, et al.:
“Evidence for $B^{+} \rightarrow J/\Psi \pi^{+}$ and search for $B^0 \rightarrow J/\Psi \pi^0$ ”
Phys. Rev. Lett. 91 (2003) 231801
doi:10.1103/PhysRevLett. 90.231801
259. P.Achard, ..., N.Cavallo, et al.:
“Search for color reconnection effects in $E^{+} E^{-} \rightarrow W^{+} W^{-} \rightarrow$ hadrons through particle flow studies at LEP”
Physics Letters B. 561 (2003) 202-212
doi:10.1016/S0370-2693(03)00490-8
260. B.Aubert, ..., N.Cavallo, et al.:
“Measurements of the branching fractions and charge asymmetries of charmless three body charged B decays”
Phys. Rev. Lett. 91 (2003) 051801
doi:10.1103/PhysRevLett. 91.051801
261. B.Aubert, ..., N.Cavallo, et al.:
“Rare B decays into states containing a J/Ψ meson and a meson with s anti-s quark content”
Phys. Rev. Lett. 91 (2003) 071801
doi:10.1103/PhysRevLett. 91.071801
262. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of time dependent CP asymmetries and the CP odd fraction in the decay $B^0 \rightarrow D^{*+} D^{*-}$ ”
Phys. Rev. Lett. 91 (2003) 131801
doi:10.1103/PhysRevLett. 91.131801
263. B.Aubert, ..., N.Cavallo, et al.:
“Evidence for the rare decay $B \rightarrow K^{*} l^{+} l^{-}$ and measurement of the $B \rightarrow K l^{+} l^{-}$ branching fraction.”
Phys. Rev. Lett. 91 (2003) 221802
doi:10.1103/PhysRevLett. 91.221802
264. B.Aubert, ..., N.Cavallo, et al.:
“Rates, polarizations, and asymmetries in charmless vector vector B meson decays.”
Phys. Rev. Lett. 91:171802,2003.
doi:10.1103/PhysRevLett. 91.171802
265. B.Aubert, ..., N.Cavallo, et al.:
“Observation of a narrow meson decaying to $D^{+}(S) \pi 0$ at a mass of 2.32-GeV/C**2.”
Phys. Rev. Lett. 90 (2003) 242001
doi:10.1103/PhysRevLett. 90.242001
Cited by more than 590 records
266. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of the branching fractions for the exclusive decays B^0 and B^{+} to anti- $D^{(*)} D^{(*)} K^{*}$ ”
Phys. Rev. D 68 (2003) 092001
doi:10.1103/PhysRevD.68.092001

267. P.Achard, ..., N.Cavallo, et al.:
“Measurement of exclusive RHO0 RHO0 production in two photon collisions at high Q**2 at LEP”
Phys. Lett. B 568 (2003) 11-22
doi:10.1016/j.physletb.2003.05.003
268. B.Aubert, ..., N.Cavallo, et al.:
“Limits on D0 - anti-D0 mixing and CP violation from the ratio of lifetimes for decay to K- PI+, K- K+ and PI- PI+”
Phys. Rev. Lett. 91 (2003) 121801
doi:10.1103/PhysRevLett. 91.121801
269. P.Achard, ..., N.Cavallo, et al.:
“Search for excited leptons at LEP”
Phys. Lett. B 568 (2003) 23-34
doi:10.1016/j.physletb.2003.05.004
270. P.Achard, ..., N.Cavallo, et al.:
“Proton anti-proton pair production in two photon collisions at LEP”
Phys. Lett. B 571 (2003) 11-20
doi:10.1016/j.physletb.2003.05.005
271. B.Aubert, ..., N.Cavallo, et al.:
“Measurements of branching fractions and CP violating asymmetries in B0 → RHO+- H+- decays”
Phys. Rev. Lett. 91 (2003) 201802
doi:10.1103/PhysRevLett. 91.201802
272. P.Achard, ..., N.Cavallo, et al.:
“Search for a higgs boson decaying to weak boson pairs at LEP”
Phys. Lett. B 568 (2003) 191-204
doi:10.1016/j.physletb.2003.06.057
273. B.Aubert, ..., N.Cavallo, et al.:
“Observation of a significant excess of π°p° events in B meson decays”
Phys. Rev. Lett. 91 (2003) 241801
doi:10.1103/PhysRevLett. 91.241801
274. P.Achard, ..., N.Cavallo, et al.:
“Z boson pair production at LEP”
Phys. Lett. B 572 (2003) 133-144
doi:10.1016/j.physletb.2003.08.023
275. D. Piccolo, F. Anulli, R. Baldini, H.R. Band, R. Bionta, J.E. Brau, V. Brigljevic, A. Buzzo, A. Calcaterra, M. Carpinelli, T. Cartaro, N. Cavallo, G. Crosetti, G. De Nardo, R. De Sangro, A. Eichenbaum, D. Falciai, F. Fabozzi, F. Ferroni, G. Finocchiaro, F. Forti, R. Frey, J. Johnson, C. Gatto, E. Grauges Pous, M. Iwasaki, D.J. Lange, L. Lista, M. Lo Vetere, C. Lu, H. Neal, N. Neri, M. Macri, B. Messener, M.R. Monge, T.B. Moore, Silvio Morganti, A. Palano, E. Paoloni, P. Paolucci, S. Passaggio, F.C. Pastore, C. Patrignani, P. Patteri, I. Peruzzi, D. Piccolo, M. Piccolo, G. Piredda, A. Pompili, E. Robutti, A. Roodman, A. Santroni, C. Sciacca, N.B. Sinev, A. Soha, D. Strom, S. Tosi, J. Va'vra, Y. Xie, William J. Wisniewski, D.M. Wright:
“Performances of RPCs in the BaBar experiment”
Nucl. Instrum. Meth. A 515 (2003) 322-327
276. F. Anulli, S. Bagnasco, R. Baldini, H.R. Band, R. Bionta, J.E. Brau, V. Brigljevic, A. Buzzo, A. Calcaterra, M. Carpinelli, T. Cartaro, N. Cavallo, G. Crosetti, R. de Sangro, G. De Nardo, A. Eichenbaum, F. Fabozzi, D. Falciai, F. Ferrarotto, F. Ferroni, G. Finocchiaro, F. Forti, R. Frey, C. Gatto, E. Grauges, M. Iwasaki, J.R. Johnson, D.J. Lange, Y.P. Lau, L. Lista, M. Lovetere, C. Lu, M. Macri, T.B. Moore, Silvio Morganti, N. Neri, H. Neal, A. Palano, E. Paoloni, P. Paolucci, S. Passaggio, F. Pastore, P. Patteri, I. Peruzzi, M. Piccolo, D. Piccolo, G. Piredda, E. Robutti, A. Santroni, C. Sciacca, N.B. Sinev, David M. Strom, A. Soha, S. Tosi, D.M. Wright, Y. Xie, A. Zallo, A. Roodman, J. Va'vra, William J. Wisniewski:
“Mechanisms affecting performance of the babar resistive plate chambers and searches for remediation”
Nucl. Instrum. Meth. A 508 (2003) 128-132

277. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of the inclusive charmless semileptonic branching ratio of B mesons and determination of $|V(ub)|$.
Phys. Rev. Lett. 92 (2004) 071802
[doi:10.1103/PhysRevLett.92.071802](https://doi.org/10.1103/PhysRevLett.92.071802)
278. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of branching fractions and CP violating charge asymmetries in $B^+ \rightarrow RHO^+ PI0$ AND $B^+ \rightarrow RHO0 PI^+$ decays, and search for $B0 \rightarrow RHO0 PI0$ ”
Physical Review Letters, 93 (2004) 051802
Doi: [10.1103/PhysRevLett.93.051802](https://doi.org/10.1103/PhysRevLett.93.051802)
279. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of time dependent CP asymmetry in $B0 \rightarrow D(*)^- pi^+$ decays and constraints on $|\sin(2\beta + \gamma)|$ ”
Phys. Rev. Lett. 92 (2004) 251801
[doi: 10.1103/PhysRevLett.92.251801](https://doi.org/10.1103/PhysRevLett.92.251801)
280. B.Aubert, ..., N.Cavallo, et al.:
“Search for the radiative decays $B \rightarrow rho gamma$ and $B0 \rightarrow omega gamma$.
Phys. Rev. Lett. 92 (2004) 111801
[doi:10.1103/PhysRevLett.92.111801](https://doi.org/10.1103/PhysRevLett.92.111801)
281. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of the $B0 \rightarrow K^*(2)(1430)0 \gamma$ and $B^+ \rightarrow K^*(2)(1430)^+ \gamma$ branching fractions.”
Phys. Rev. D70 (2004) 091105
[doi:10.1103/PhysRevD.70.091105](https://doi.org/10.1103/PhysRevD.70.091105)
282. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of the branching fraction and polarization for the decay $B^- \rightarrow D^*0 K^*$.
Phys. Rev. Lett. 92 (2004) 141801
[doi: 10.1103/PhysRevLett.92.141801](https://doi.org/10.1103/PhysRevLett.92.141801)
283. B.Aubert, ..., N.Cavallo, et al.:
Measurements of the branching fractions of charged B decays to $K^+ - pi^+ pi^-$ final states.
Phys. Rev. D70 (2004) 092001
[doi: 10.1103/PhysRevD.70.092001](https://doi.org/10.1103/PhysRevD.70.092001)
284. B.Aubert, ..., N.Cavallo, et al.:
Measurements of branching fractions in $B \rightarrow phi K$ and $B \rightarrow phi pi$ and search for direct CP violation in $B^- \rightarrow phi K^+$.
Phys. Rev. D69 (2004) 011102
[doi:10.1103/PhysRevD.69.011102](https://doi.org/10.1103/PhysRevD.69.011102)
285. B.Aubert, ..., N.Cavallo, et al.:
“ Measurement of the branching fraction for $B^+ \rightarrow chi(c0) K^+$.
Phys. Rev. D69 (2004) 071103
[doi:10.1103/PhysRevD.69.071103](https://doi.org/10.1103/PhysRevD.69.071103)
286. P. Achard, ..., N.Cavallo et al:
“Single photon and multiphoton events with missing energy in e+ e- collisions at LEP.”
Phys. Lett. B 587 (2004) 16-32
[doi:10.1016/j.physletb.2004.01.010](https://doi.org/10.1016/j.physletb.2004.01.010)

287. B.Aubert, ..., N.Cavallo, et al.:
"Measurement of the average phi multiplicity in B meson decay."
Published in Phys. Rev. D69 (2004) 052005
doi:10.1103/PhysRevD.69.052005
288. B.Aubert, ..., N.Cavallo, et al.:
" Measurement of time dependent CP asymmetries and constraints on $\sin(2 \beta + \gamma)$ with partial reconstruction of $B^0 \rightarrow D^{*-} \pi^+$ decays."
Phys. Rev. Lett. 92 (2004) 251802
doi:10.1103/PhysRevLett. 92.251802
289. P.Achard, ..., N.Cavallo, et al.:
"Search for color singlet and color reconnection effects in hadronic Z decays at LEP"
Phys. Lett. B581 (2004) 19-30
doi:10.1016/j.physletb.2003.12.003
290. P.Achard, ..., N.Cavallo, et al.:
"Search for charged higgs bosons at LEP"
Phys. Lett. B575 (2003), pp. 208-220.
doi:10.1016/j.physletb.2003.09.057<
291. P.Achard, ..., N.Cavallo, et al.:
"Inclusive Jet Production in Two-Photon Collisions at LEP".
Phys. Lett. B602 (2004) 157-166
doi: 10.1016/j.physletb.2004.10.003
292. P.Achard, ..., N.Cavallo, et al.:
"Search for Scalar Leptons and Scalar Quarks at LEP".
Phys. Lett. B 580 (2004) 37-49.
doi:10.1016/j.physletb.2003.10.010
293. P.Achard, ..., N.Cavallo, et al.:
"Search for Doubly-Charged Higgs Bosons at LEP".
Phys. Lett. B 576 (2003), 18-28.
doi:10.1016/j.physletb.2003.09.082
294. P.Achard, ..., N.Cavallo, et al.:
"Flavour Independent Search for Neutral Higgs Bosons at LEP".
Phys. Lett. B 583 (2004), 14-27.
doi:10.1016/j.physletb.2003.12.039verage ph
295. B.Aubert, ..., N.Cavallo, et al.:
"Measurements of branching fractions in $B \rightarrow \bar{K}$ and $B \rightarrow \bar{\pi}$ and search for direct CP violation in $B^+ \rightarrow \bar{K}^+$ "
Phys. Rev. D 69 (2004) 011102
Doi: 10.1103/PhysRevD.69.011102
296. B.Aubert, ..., N.Cavallo, et al.:
"Measurement of $\sin^{**2} \beta$ with hadronic and previously unused muonic J/Psi decays"
Phys. Rev. D 69 (2004) 052001
doi:10.1103/PhysRevD.69.052001
297. B.Aubert, ..., N.Cavallo, et al.:
" J / psi production via initial state radiation in $e^+ e^- \rightarrow \mu^+ \mu^- \gamma$ at an $e^+ e^-$ center-of-mass energy near 10.6-GeV"
Phys. Rev. D 69 (2004) 011103
doi:10.1103/PhysRevD.69.011103

298. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of branching fractions of color suppressed decays of the anti-B0 meson to D(*)0 PI0, D(*)0 ETA, D(*)0 OMEGA, and D0 ETA-PRIME”.
Phys. Rev. D 69 (2004) 032004
doi:10.1103/PhysRevD.69.032004
299. B.Aubert, ..., N.Cavallo, et al.:
“Observation of a narrow meson decaying to D+(S) PI0 gamma at a mass of 2.458-GEV/C**2.”
Phys. Rev. D 69 (2004) 031101
doi:10.1103/PhysRevD.69.031101
300. B.Aubert, ..., N.Cavallo, et al.:
“Observation of B**0 ---> OMEGA K0, B+ ---> ETA PI+, AND B+ ---> ETA K+ and study of related decays”
Phys. Rev. Lett. 92 (2004) 061801
doi:10.1103/PhysRevLett. 92.061801
301. B.Aubert, ..., N.Cavallo, et al.:
“Observation of the decay B0 → RHO+ RHO- and measurement of the branching fraction and polarization”
Phys. Rev. D 69(2004) 031102
doi:10.1103/PhysRevD.69.031102
302. B.Aubert, ..., N.Cavallo, et al.:
Measurement of the branching fractions and CP asymmetry of B- →D0(CP) K- decays with the BABAR detector.
Phys. Rev. Lett. 92(2004) 202002
doi:10.1103/PhysRevLett. 92.202002
303. B.Aubert, ..., N.Cavallo, et al.:
Limits on the decay rate difference of neutral B mesons and on CP, T, and CPT violation in B0 anti-B0 oscillations.
Phys. Rev. Lett. 9 (2004) 181801
doi:10.1103/PhysRevLett. 92.181801
304. B.Aubert, ..., N.Cavallo, et al.:
Measurements of the mass and width of the eta(c) meson and of aneta(c)(2S) candidate.
Phys. Rev. Lett. 92(2004) 142002
doi:10.1103/PhysRevLett. 92.142002
305. B.Aubert, ..., N.Cavallo, et al.:
Measurement of branching fractions and charge asymmetries in B+- → rho+- pi0 and B+- ---> rho0 pi+- decays and search for B0 ---> rho0 pi0.
Phys. Rev. Lett. 93:051802, 2004.
doi:10.1103/PhysRevLett. 93.051802
306. P.Achard, ..., N.Cavallo, et al.:
“Measurement of the Z boson mass using e+ e- → Z gamma events at center of mass energies above the Z pole.”
Phys. Lett. B585:42-52, 2004.
doi:10.1016/j.physletb.2004.01.074
307. B.Aubert, ..., N.Cavallo, et al.:
”Search for lepton flavor violation in the decay tau- → l- l+ l-.”
Phys. Rev. Lett. 92 (2004) 121801
doi:10.1103/PhysRevLett. 92.121801
308. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of the branching fraction for B- → D0 K*-.”
Phys. Rev. D 69 (2004) 051101
doi:10.1103/PhysRevD.69.051101

309. B.Aubert, ..., N.Cavallo, et al.:
Measurements of branching fractions and CP violating asymmetries in B meson decays to charmless two body states containing a K0.
Phys. Rev. Lett. **92** (2004) 201802
doi:[10.1103/PhysRevLett.92.201802](https://doi.org/10.1103/PhysRevLett.92.201802)
310. P.Achard, ..., N.Cavallo, et al.:
Inclusive lambda production in two photon collisions at LEP.
Phys. Lett. **B586** (2004) 140-150
doi:[10.1016/j.physletb.2004.02.030](https://doi.org/10.1016/j.physletb.2004.02.030)
311. M. Abbrescia, E. Cavallo, A. Colaleo, G. Iaselli, F. Loddo, M. Maggi, B. Marangelli, S. Natali, S. Nuzzo, G. Pugliese, A. Ranieri, F. Romano, R. Trentadue, N. Cavallo, G. Comunale, F. Fabozzi, P. Paolucci, D. Piccolo, C. Sciacca, G. Belli, C. De Vecchi, R. Guida, S.P. Ratti, G. Riccardi, P. Torre, P. Vitulo, A. Dimitrov, B. Pavlov, P. Petkov, P. Vankov:
Study of long-term performance of CMS RPC under irradiation at the CERN GIF.
Nucl. Instrum. Meth. A **533** (2004) 102-106
doi:[10.1016/j.nima.2004.07.009](https://doi.org/10.1016/j.nima.2004.07.009)
312. M. Abbrescia, E. Cavallo, A. Colaleo, G. Iaselli, F. Loddo, M. Maggi, B. Marangelli, V. Memoli, S. Natali, S. Nuzzo, G. Pugliese, A. Ranieri, F. Romano, R. Trentadue, N. Cavallo, G. Comunale, F. Fabozzi, P. Paolucci, D. Piccolo, C. Sciacca, G. Belli, C. De Vecchi, R. Guida, S.P. Ratti, G. Riccardi, P. Torre, P. Vitulo, T. Anguelov, V. Genchev, B. Panev, Stefan Piperov, G. Sultanov, P. Vankov, A. Dimitrov, I. Glushkov, L. Litov, Irina Nasteva, B. Pavlov, P. Petkov, Y. Ban, H.T. Liu, S.J. Qian, Y.L. Ye, J. Ying:
The cosmic rays quality test procedure for the CMS barrel resistive plate chambers.
Nucl. Instrum. Meth. A **533** (2004) 208-213
doi:[10.1016/j.nima.2004.07.029](https://doi.org/10.1016/j.nima.2004.07.029)
313. M. Abbrescia, E. Cavallo, A. Colaleo, G. Iaselli, F. Loddo, M. Maggi, B. Marangelli, S. Natali, S. Nuzzo, G. Pugliese, A. Ranieri, F. Romano, R. Trentadue, N. Cavallo, G. Comunale, F. Fabozzi, P. Paolucci, D. Piccolo, C. Sciacca, G. Belli, C. De Vecchi, R. Guida, S.P. Ratti, C. Riccardi, P. Torre, P. Vitulo, Yong Ban, Hong-Tao Liu, Si-Jin Qian, Yan-Lin Ye, Jun Ying, T. Anguelov, V. Genchev, B. Panev, Stefan Piperov, G. Sultanov, P. Vankov, A. Dimitrov, I. Glushkov, L. Litov, Irina Nasteva, B. Pavlov, P. Petkov:
“Production and test of one-third of barrel Resistive Plate Chambers of the CMS experiment at LHC.”
Nucl. Instrum. Meth. A **535** (2004) 283-286
doi:[10.1016/j.nima.2004.07.132](https://doi.org/10.1016/j.nima.2004.07.132)
314. B.Aubert, ..., N.Cavallo, et al.:
“Search for the rare leptonic decay B+ ---> mu+ nu(mu).”
Phys. Rev. Lett. **92** (2004) 221803
doi:[10.1103/PhysRevLett.93.189902](https://doi.org/10.1103/PhysRevLett.93.189902)

315. B.Aubert, ..., N.Cavallo, et al.:
“Study of high momentum eta-prime production in $B \rightarrow \eta'\pi^+$.”
Phys. Rev. Lett. 93 (2004) 061801
doi:10.1103/PhysRevLett. 93.061801
316. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of the B^+ / B^0 production ratio from the $\eta(4S)$ meson using $B^+ \rightarrow J/\psi K^+$ and $B^0 \rightarrow J/\psi K^0(S)$ decays.”
Phys. Rev. D 69 (2004) 071101
doi:10.1103/PhysRevD.69.071101
317. B.Aubert, ..., N.Cavallo, et al.:
“Study of $B^{*-} \rightarrow J/\psi \pi^{*-}$ and $B^{*-} \rightarrow J/\psi K^{*-}$ decays: Measurement of the ratio of branching fractions and search for direct CP violation.”
Phys. Rev. Lett. 92 (2004) 241802
doi:10.1103/PhysRevLett. 92.241802
318. B.Aubert, ..., N.Cavallo, et al.:
“Search for $B^{*-} \rightarrow [K^{*-}\pi^{*-}](D) K^{*-}$ and upper limit on the $b \rightarrow u$ amplitude in $B^{*-} \rightarrow D K^{*-}$.”
Phys. Rev. Lett. 93 (2004) 131804
doi:10.1103/PhysRevLett. 93.131804
319. B.Aubert, ..., N.Cavallo, et al.:
“Observation of the decay $B \rightarrow J/\psi \eta'$ and search for $X(3872) \rightarrow J/\psi \eta'$.
Phys. Rev. Lett. 93 (2004) 041801
doi:10.1103/PhysRevLett. 93.041801
320. P.Achard, ..., N.Cavallo, et al.:
“Measurement of triple gauge boson couplings of the W boson at LEP.”
Phys. Lett. B 586 (2004) 151-166
doi:10.1016/j.physletb.2004.02.045
321. P.Achard, ..., N.Cavallo, et al.:
“Muon pair and tau pair production in two photon collisions at LEP.”
Phys. Lett. B 585 (2004) 53-62
doi:10.1016/j.physletb.2004.02.012
322. B.Aubert, ..., N.Cavallo, et al.:
“Measurements of CP violating asymmetries in $B^0 \rightarrow K^0(S)\pi^0$ decays.”
Phys. Rev. Lett. 93 (2004) 131805
doi:10.1103/PhysRevLett. 93.131805
323. B.Aubert, ..., N.Cavallo, et al.:
“Limits on the decay rate difference of neutral B mesons and on CP, T, and CPT violation in $B^0 - \bar{B}^0$ oscillations.”
Phys. Rev. D 70 (2004) 012007
doi:10.1103/PhysRevD.70.012007
324. B.Aubert, ..., N.Cavallo, et al.:
“Search for the decay $B^0 \rightarrow p \bar{p}$.”
Phys. Rev. D 69 (2004) 091503
doi:10.1103/PhysRevD.69.091503
325. B.Aubert, ..., N.Cavallo, et al.:
“Branching fraction measurements of $B \rightarrow \eta(c) K$ decays.”
Phys. Rev. D 70 (2004) 011101
doi:10.1103/PhysRevD.70.011101
326. B.Aubert, ..., N.Cavallo, et al.:

- B meson decays to eta(prime)K*, eta(prime)rho, eta(prime)pi0, omega pi0, and phi pi0.
Phys. Rev. D 70 (2004) 032006
doi:10.1103/PhysRevD.70.032006
327. B.Aubert, ..., N.Cavallo, et al.:
Measurement of the time dependent CP asymmetry in the B0 ---> phi K0 decay.
Phys. Rev. Lett. 93 (2004) 071801
doi:10.1103/PhysRevLett. 93.071801
328. B.Aubert, ..., N.Cavallo, et al.:
Measurement of the electron energy spectrum and its moments in inclusive B ---> X e nu decays.
Phys. Rev. D 69 (2004) 111104
doi:10.1103/PhysRevD.69.111104
329. B.Aubert, ..., N.Cavallo, et al.:
Measurements of moments of the hadronic mass distribution in semileptonic B decays.
Phys. Rev. D 69 (2004) 111103
doi:10.1103/PhysRevD.69.111103
330. B.Aubert, ..., N.Cavallo, et al.:
Measurement of the direct CP asymmetry in b ---> s gamma decays.
Phys. Rev. Lett. 93 (2004) 021804
doi:10.1103/PhysRevLett. 93.021804
331. P.Achard, ..., N.Cavallo, et al.:
Search for anomalous couplings in the Higgs sector at LEP.
Phys. Lett. B 589 (2004) 89-102
doi:10.1016/j.physletb.2004.03.048
332. B.Aubert, ..., N.Cavallo, et al.:
Searches for B0 decays to combinations of two charmless isoscalar mesons.
Phys. Rev. Lett. 93 (2004) 181806
doi:10.1103/PhysRevLett. 93.181806
333. P.Achard, ..., N.Cavallo, et al.:
Measurement of exclusive rho+ rho- production in high-Q**2 two-photon collisions at LEP.
Phys. Lett. B 597 (2004) 26-38
doi:10.1016/j.physletb.2004.07.013
334. B.Aubert, ..., N.Cavallo, et al.:
Measurement of the ratio of decay amplitudes for anti-B0 ---> J / psi K*0 and B0 ---> J / psi K*0.
Phys. Rev. Lett. 93 (2004) 081801
doi:10.1103/PhysRevLett. 93.081801
335. B.Aubert, ..., N.Cavallo, et al.:
Measurement of the B ---> X(s) l+ l- branching fraction with a sum over exclusive modes.
Phys. Rev. Lett. 93 (2004) 081802
doi:10.1103/PhysRevLett. 93.081802
336. B.Aubert, ..., N.Cavallo, et al.:
Determination of the branching fraction for B ---> X(c) l nu decays and of |V(cb)| from hadronic mass and lepton energy moments.
Phys. Rev. Lett. 93 (2004) 011803
doi:10.1103/PhysRevLett. 93.011803
337. B.Aubert, ..., N.Cavallo, et al.:
Study of the decay B0(anti-B0) ---> rho+ rho-, and constraints on the CKM angle alpha.
Phys. Rev. Lett. 93 (2004) 231801
doi:10.1103/PhysRevLett. 93.231801

338. P.Achard, ..., N.Cavallo, et al.:
Study of the e+ e- ---> Z gamma process at LEP and limits on triple neutral-gauge-boson couplings.
Phys. Lett. B 597 (2004) 119-130
doi:10.1016/j.physletb.2004.07.002
339. P.Achard, ..., N.Cavallo, et al.:
Search for branons at LEP.
Phys. Lett. B597 (2004) 145-154
doi:10.1016/j.physletb.2004.07.014
340. B.Aubert, ..., N.Cavallo, et al.:
Search for B0 decays to invisible final states and to nu anti-nu gamma.
Phys. Rev. Lett. 93 (2004) 091802
doi:10.1103/PhysRevLett. 93.091802
341. B.Aubert, ..., N.Cavallo, et al.:
Branching fractions and CP asymmetries in B0 ---> K+ K- K0(S) and B+ > K+ K0(S) K0(S).
Phys. Rev. Lett. 93 (2004) 181805
doi:10.1103/PhysRevLett. 93.181805

2005

342. P.Achard, ..., N.Cavallo, et al.:
“Study of spin and decay plane correlations of W bosons in the e+ e --> W+ W- process at LEP.”
Eur.Phys. J.C40 (2005) 333-341
doi:10.1140/epjc/s2005-02137-9
343. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of the branching fraction of Upsilon (4S) to B0B0bar”
Phys. Rev. Lett. 95 (2005) 042001
DOI: 10.1103/PhysRevLett. 95.042001
344. B.Aubert, ..., N.Cavallo, et al.:
“A Measurement of the total width, the electronic width, and the mass of the Upsilon(10580) resonance.”
Phys. Rev. D72 (2005) 032005
doi:10.1103/PhysRevD.72.032005
345. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of the anti-B0 ---> D*+ l- anti-nu-l decay rate and |V(cb)|.”
Phys. Rev. D71 (2005) 051502
doi:10.1103/PhysRevD.71.051502
346. B.Aubert, ..., N.Cavallo, et al.:
“Improved Measurements of CP-Violating Asymmetry Amplitudes in B0 -> pi+pi- Decays”
Phys. Rev. Lett. 95 (2005) 151803.
DOI: 10.1103/PhysRevLett. 95.151803
347. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of branching fraction and dalitz distribution for B0 ---> D(*)+- K0 pi+ decays.”
Phys. Rev. Lett. 95 (2005) 171802
doi:10.1103/PhysRevLett. 95.171802
348. B.Aubert, ..., N.Cavallo, et al.:
“Improved Measurement of CP Asymmetries in B0 -> (ccbar)K0(*) Decays.”
Phys. Rev. Lett. 94 (2005) 161803
DOI: 10.1103/PhysRevLett. 94.161803
Cited by more than 190 records
349. B.Aubert, ..., N.Cavallo, et al.:

- Study of the $B^- \rightarrow J/\psi K^- \pi^+ \pi^-$ decay and measurement of the $B^- \rightarrow X(3872) K^-$ branching fraction.
Phys. Rev. D 71:071103, 2005.
doi:10.1103/PhysRevD.71.071103
Cited by more than 310 records
350. B.Aubert, ..., N.Cavallo, et al.:
Measurements of the branching fraction and CP-violation asymmetries in $B^0 \rightarrow f(0)(980) K^0 S$.
Phys. Rev. Lett. 94:041802, 2005.
doi:10.1103/PhysRevLett. 94.041802
351. P.Achard, ..., N.Cavallo, et al.:
Studies of hadronic event structure in $e^+ e^-$ annihilation from 30-GeV to 209-GeV with the L3 detector.
Phys. Rept. 399 (2004) 71-174
doi:10.1016/j.physrep.2004.07.002
352. P.Achard, ..., N.Cavallo, et al.:
Measurement of the cross section of W-boson pair production at LEP.
Phys. Lett. B 600 (2004) 22-40
doi:10.1016/j.physletb.2004.08.060
353. P.Achard, ..., N.Cavallo, et al.:
Measurement of the atmospheric muon spectrum from 20-GeV to 3000-GeV.
Phys. Lett. B 598 (2004) 15-32
doi:10.1016/j.physletb.2004.08.003
354. B.Aubert, ..., N.Cavallo, et al.:
“Observation of direct CP violating asymmetry in $B^0 \rightarrow K^+ \pi^-$ decays.”
Phys. Rev. Lett. 93:131801, 2004.
doi:10.1103/PhysRevLett. 93.131801
Cited by more than 220 records
355. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of the $B^0 \rightarrow \phi K^* 0$ decay amplitudes.”
Phys. Rev. Lett. 93 (2004) 231804
doi:10.1103/PhysRevLett. 93.231804
356. B.Aubert, ..., N.Cavallo, et al.:
“Search for the decay $B^- \rightarrow J/\psi \gamma$.”
Phys. Rev. D 70 (2004) 091104
doi:10.1103/PhysRevD.70.091104
357. B.Aubert, ..., N.Cavallo, et al.:
“Search for flavor-changing neutral current and lepton-flavor violating decays of $D^0 \rightarrow l^+ l^-$.”
Phys. Rev. Lett. 93 (2004) 191801
doi:10.1103/PhysRevLett. 93.191801
358. B.Aubert, ..., N.Cavallo, et al.:
“Search for the radiative penguin decays $B^+ \rightarrow \rho^+ \gamma$, $B^0 \rightarrow \rho^0 \gamma$, and $B^0 \rightarrow \omega \gamma$.”
Phys. Rev. Lett. 94:011801, 2005.
doi:10.1103/PhysRevLett. 94.011801
359. B.Aubert, ..., N.Cavallo, et al.:
“Study of $B \rightarrow D(sJ)(*)^+ \bar{D}(*^-)$ decays.”
Phys. Rev. Lett. 93 (2004) 181801
doi:10.1103/PhysRevLett. 93.181801
360. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of neutral B decay branching fractions to $K^0 S \pi^+ \pi^-$ final states.”
Phys. Rev. D 70 (2004) 091103

doi:10.1103/PhysRevD.70.091103

361. B.Aubert, ..., N.Cavallo, et al.:
“Study of $e^+ e^- \rightarrow \pi^+ \pi^- \pi^0$ process using initial state radiation with BABAR.”
Phys. Rev. D 70 (2004) 072004
doi:10.1103/PhysRevD.70.072004
362. B.Aubert, ..., N.Cavallo, et al.:
“Search for D^0 anti- D^0 mixing using semileptonic decay modes.”
Phys. Rev. D 70:091102, 2004.
doi:10.1103/PhysRevD.70.091102
363. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of the branching fractions for inclusive B^- and anti- B^0 decays to flavor-tagged D , $D(s)$ and $\Lambda(b)$.”
Phys. Rev. D 70:091106, 2004.
doi:10.1103/PhysRevD.70.091106
364. B.Aubert, ..., N.Cavallo, et al.:
“Improved measurement of CP asymmetries in $B^0 \rightarrow (c \bar{c}) K^0 \pi^0$ decays.”
Phys. Rev. Lett. 94:161803, 2005.
doi:10.1103/PhysRevLett. 94.161803
365. P.Achard, ..., N.Cavallo, et al.:
“Measurement of exclusive $\rho(770)^0 \rho(770)^0$ production in mid-virtuality two photon interactions at LEP.”
Phys. Lett. B 604:48-60, 2004.
doi:10.1016/j.physletb.2004.10.049
366. P.Achard, ..., N.Cavallo, et al.:
“Inclusive jet production in two-photon collisions at LEP.”
Phys. Lett. B 602:157-166, 2004.
doi:10.1016/j.physletb.2004.10.003
367. B.Aubert, ..., N.Cavallo, et al.:
“Ambiguity-free measurement of $\cos 2\beta$: Time-integrated and time dependent angular analyses of $B \rightarrow J/\psi \pi^+$.”
Phys. Rev. D 71:032005, 2005.
doi:10.1103/PhysRevD.71.032005
368. B.Aubert, ..., N.Cavallo, et al.:
“Measurements of B meson decays to $\Omega^* K^*$ and $\Omega^* \rho$.”
Phys. Rev. D 71:031103, 2005.
doi:10.1103/PhysRevD.71.031103
369. B.Aubert, ..., N.Cavallo, et al.:
“A Search for the decay $B^+ \rightarrow K^+ \nu \bar{\nu}$.”
Phys. Rev. Lett. 94:101801, 2005.
doi:10.1103/PhysRevLett. 94.101801
370. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of the ratio $B(B^- \rightarrow D^{*0} K^-) / B(B^- \rightarrow D^{*0} \pi^-)$ and of the CP asymmetry of $B^- \rightarrow D^{*0}(\text{CP}+) K^-$ decays.”
Phys. Rev. D 71:031102, 2005.
DOI: 10.1103/PhysRevD.71.031102
371. P.Achard, ..., N.Cavallo, et al.:
“Search for an invisibly decaying Higgs boson at LEP.”
Phys. Lett. B 609:35-48, 2005.
DOI: 10.1016/j.physletb.2005.01.030

372. M. Abbrescia, E. Cavallo, A. Colaleo, G. Iaselli, F. Loddo, M. Maggi, B. Marangelli, S. Natali, S. Nuzzo, G. Pugliese, A. Ranieri, F. Romano, R. Trentadue, N. Cavallo, G. Comunale, P. Paolucci, D. Piccolo, C. Sciacca, G. Belli, C. De Vecchi, R. Guida, S.P. Ratti, C. Riccardi, P. Torre, P. Vitulo, Y. Ban, J. Cai, H. Liu, S. Qian, Q. Wang, Y. Ye, J. Ying, A. Dimitrov, I. Glushkov, L. Litov, Irina Nasteva, B. Pavlov, P. Petkov, T. Anguelov, V. Genchev, P. Iaydjiev, B. Panev, S. Stoykova, G. Sultanov, R. Trayanov, P. Vankov:
“Cosmic ray tests of double-gap resistive plate chambers for the CMS experiment.”
Nucl. Instrum. Meth. A 550:116-126, 2005.
373. B.Aubert, ..., N.Cavallo, et al.:
Branching fractions and CP asymmetries in $B^0 \rightarrow \pi^0 \pi^0$, $B^+ \rightarrow \pi^+ \pi^0$ and $B^+ \rightarrow K^+ \pi^0$ decays isospin analysis of the $B \rightarrow \pi \pi$ system.
Phys. Rev. Lett. 94:181802, 2005.
doi:10.1103/PhysRevLett. 94.181802
374. B.Aubert, ..., N.Cavallo, et al.:
Search for a charged partner of the $X(3872)$ in the B meson decay $B \rightarrow X^- K$, $X^- \rightarrow J/\psi \pi^- \pi^0$.
Phys. Rev. D 71:031501, 2005.
doi:10.1103/PhysRevD.71.031501
375. B.Aubert, ..., N.Cavallo, et al.:
Measurement of branching fractions and charge asymmetries for exclusive B decays to charmonium.
Phys. Rev. Lett. 94:141801, 2005.
doi:10.1103/PhysRevLett. 94.141801
376. B.Aubert, ..., N.Cavallo, et al.:
Limit on the $B^0 \rightarrow \rho \rho^0$ branching fraction and implications for the CKM angle alpha.
Phys. Rev. Lett. 94:131801, 2005.
DOI: 10.1103/PhysRevLett. 94.131801
377. B.Aubert, ..., N.Cavallo, et al.:
Search for factorization suppressed $B \rightarrow \chi(c) K^(*)$ decays.
Phys. Rev. Lett. 94:171801, 2005.
378. B.Aubert, ..., N.Cavallo, et al.:
Measurements of branching fractions and time-dependent CP-violating asymmetries in $B \rightarrow \eta'$ -prime K decays.
Phys. Rev. Lett. 94:191802, 2005.
379. P.Achard, ..., N.Cavallo, et al.:
Z-boson production with two unobserved, back-to-back, hard photons at LEP.
Phys. Lett. B 613:118-127, 2005.
380. B.Aubert, ..., N.Cavallo, et al.:
Search for $B \rightarrow J/\psi D$ decays.
Phys. Rev. D 71:091103, 2005.
381. P.Achard, ..., N.Cavallo, et al.:
Measurement of the shadowing of high-energy cosmic rays by the Moon: A Search for TeV-energy antiprotons.
Astropart.Phys. 23:411-434, 2005.
382. P.Achard, ..., N.Cavallo, et al.:
Measurement of exclusive $\rho^+ \rho^-$ production in mid-virtuality two photon interactions and study of the gamma gamma* $\rightarrow \rho \rho$ process at LEP.
Phys. Lett. B 615:19-30, 2005.
383. P.Achard, ..., N.Cavallo, et al.:
Compton scattering of quasi-real virtual photons at LEP.
Phys. Lett. B 616:145-158, 2005.
DOI: 10.1016/j.physletb.2005.04.054

384. P.Achard, ..., N.Cavallo, et al.:
Neutral-current four-fermion production in e+ e- interactions at LEP.
Phys. Lett. B616:159-173, 2005.
DOI: 10.1016/j.physletb.2005.04.062
385. B.Aubert, ..., N.Cavallo, et al.:
Production and decay of XI(c)0 at BABAR.
Phys. Rev. Lett. 95:142003, 2005.
386. B.Aubert, ..., N.Cavallo, et al.:
Measurement of time-dependent CP-violating asymmetries and constraints on sin(2beta + gamma) with partial reconstruction of B ---> D*-+ pi+- decays.
Phys. Rev. D 71:112003, 2005.
387. B.Aubert, ..., N.Cavallo, et al.:
Measurement of gamma in B-+ ---> D(*) K-+ decays with a Dalitz analysis of D ---> K0(s) pi- pi+.
Published in Phys. Rev. Lett. 95:121802, 2005.
388. B.Aubert, ..., N.Cavallo, et al.:
Search for b ---> u transitions in B- and D0 K- and B- ---> D*0 K-.
Published in Phys. Rev. D 72:032004, 2005.
389. B.Aubert, ..., N.Cavallo, et al.:
Study of the tau- ---> 3h- 2h+ tau-neutrino decay.
Published in Phys. Rev. D 72:072001, 2005.
390. B.Aubert, ..., N.Cavallo, et al.:
Measurement of the branching fraction and decay rate asymmetry of B- ---> D(pi+ pi= pi)) K-.
Published in Phys. Rev. D 72:071102, 2005.
391. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of time-dependent CP asymmetries in B0 ---> D(*)D decays. “
Phys. Rev. Lett. 95:131802, 2005.
392. B.Aubert, ..., N.Cavallo, et al.:
“Search for the rare decays B+ ---> D(*)+ K0(S).”
Phys. Rev. D 72:011102, 2005.
393. P. Achard, ..., N.Cavallo, et al.:
"Measurement of the Photon Structure Function F2gamma with the L3 Detector at LEP "
Phys.Lett.B 622 (2005) 249-264
394. P. Achard, ..., N.Cavallo, et al.:
“Measurement of the running of the electromagnetic coupling at large momentum-transfer at LEP.”
Phys. Lett. B623:26-36, 2005.
395. B.Aubert, ..., N.Cavallo, et al.:
“Search for the Decay tau- to 4pi- 3pi+ (pi0) nu(tau).”
Phys. Rev. D 72:012003, 2005.
396. B.Aubert, ..., N.Cavallo, et al.:
“Determination of Vub from measurements of the electron and neutrino momenta in inclusive semileptonic B decays.”
Phys. Rev. Lett. 95:111801, 2005, Erratum-ibid.97:019903, 2006.
397. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of double charmonium production in e+ e- annihilations at s(1/2) = 10.6-GeV.”**
Phys. Rev. D 72:031101, 2005.

398. B.Aubert, ..., N.Cavallo, et al.:
“Search for lepton-flavor and lepton-number violation in the decay $\tau^- \rightarrow l^- h^+ h^-$.
Phys. Rev. Lett. 95:191801, 2005.
399. B.Aubert, ..., N.Cavallo, et al.:
“Search for the rare decay $\bar{B}^0 \rightarrow D^*0 \gamma$.
Phys. Rev. D 72:051106, 2005.
400. B.Aubert, ..., N.Cavallo, et al.:
“Observation of a broad structure in the $\pi^+ \pi^- J/\psi$ mass spectrum around 4.26-Gev/c**2.”
Phys. Rev. Lett. 95:142001, 2005.
401. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of time-dependent CP asymmetries and the CP-odd fraction in the decay $B^0 \rightarrow D^*+ D^*-$.
Phys. Rev. Lett. 95:151804, 2005.
402. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of CP Observables for the Decays $B^{+-} \rightarrow D^0(\text{CP}) K^{*+-}$.
Phys. Rev. D 72:071103, 2005.
403. B.Aubert, ..., N.Cavallo, et al.:
“Study of $B \rightarrow \pi l \nu$ and $B \rightarrow \rho l \nu$ decays and determination of $V(ub)$.
Phys. Rev. D 72:051102, 2005.
404. B.Aubert, ..., N.Cavallo, et al.:
“Dalitz-plot analysis of the decays $B^{+-} \rightarrow K^{+-} \pi^{+-} \pi^{+-}$.
Phys. Rev. D 72:072003, 2005, Erratum-ibid.D74:099903, 2006.
405. B.Aubert, ..., N.Cavallo, et al.:
“A Precision measurement of the Lambda+(c) baryon mass.
Phys. Rev. D 72:052006, 2005.
406. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of the $B^+ \rightarrow p \bar{n}$ branching fraction and study of the decay dynamics.
Phys. Rev. D 72:051101, 2005.
407. B.Aubert, ..., N.Cavallo, et al.:
“Evidence for $B^+ \rightarrow \bar{K}^0 K^+$ and $B^0 \rightarrow K^0 \bar{K}^0$, and measurement of the branching fraction and search for direct CP violation in $B^+ \rightarrow K^0 \pi^+$.
Phys. Rev. Lett. 95:221801, 2005.
408. B.Aubert, ..., N.Cavallo, et al.:
“An Amplitude analysis of the decay $B^{+-} \rightarrow \pi^{+-} \pi^{+-} \pi^{+-}$.
Phys. Rev. D 72:052002, 2005.
409. B.Aubert, ..., N.Cavallo, et al.:
“Dalitz plot analysis of $D^0 \rightarrow \bar{K}^0 K^+ K^-$.
Phys. Rev. D 72:052008, 2005.
410. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of the time-dependent CP-violating asymmetry in $B^0 \rightarrow K^0(s) \pi^0 \gamma$ decays.”
Phys. Rev. D 72:051103, 2005.

2006

411. S. Schael, ..., N.Cavallo, et al.:
Precision electroweak measurements on the Z resonance.
Physics Report 427 (2006) 257-454

412. S. Schael, ..., N.Cavallo, et al.:
Search for neutral MSSM Higgs bosons at LEP.
Eur. Phys. J. C 47 (2006) 547-587
doi:10.1140/epjc/s2006-02569-7
Cited by more than 490 records
413. B.Aubert, ..., N.Cavallo, et al.:
“Observation of a new Ds meson decaying to DK at a mass of 2.86 GeV/c2”
Phys. Rev. Lett. 97 (2006) 222001
DOI: 10.1103/PhysRevLett. 97.222001
414. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of the anti-B0 lifetime and the B0 anti-B0 oscillation frequency using partially reconstructed anti-B0 ---> D*+ l- anti-nu(l) decays.”
Phys. Rev. D 73:012004, 2006.
415. B.Aubert, ..., N.Cavallo, et al.:
“A Search for the decay B+ ---> tau+ nu(tau).”
Phys. Rev. D 73:057101, 2006.
416. B.Aubert, ..., N.Cavallo, et al.:
“Study of J/psi pi+ pi- states produced in B0 ---> J / psi pi+ pi- K0 and B- ---> J / psi pi+ pi- K-.”
Phys. Rev. D 73:011101, 2006.
417. B.Aubert, ..., N.Cavallo, et al.:
“Study of b ---> c and b ---> u interference in the decay B- ---> [K+ pi-](D) K*-.”
Phys. Rev. D 72:071104, 2005.
418. B.Aubert, ..., N.Cavallo, et al.:
“Measurements of the B ---> X(s) gamma branching fraction and photon spectrum from a sum of exclusive final states.”
Phys. Rev. D 72:052004, 2005.
419. B.Aubert, ..., N.Cavallo, et al.:
“Search for lepton flavor violation in the decay tau +- ---> e+- gamma.”
Phys. Rev. Lett. 96:041801, 2006.
420. B.Aubert, ..., N.Cavallo, et al.:
“Measurements of neutral B decay branching fractions to K0(s) pi+ pi- final states and the charge asymmetry of B0 ---> K*+ pi-.”
Phys. Rev. D 73:031101, 2006.
421. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of the branching ratios Gamma(D(s)*+ ---> D(s)+ pi0) / Gamma(D(s)*+ ---> D(s)+ gamma) and Gamma(D*0 ---> D0 pi0) / Gamma(D*0 ---> D0 gamma).”
Phys. Rev. D 72:091101, 2005.
422. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of branching fractions and resonance contributions for B0 ---> anti-D0 K+ pi- and search for B0 ---> D0 K+ pi- decays.”
Phys. Rev. Lett. 96:011803, 2006.
423. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of the inclusive electron spectrum in charmless semileptonic B decays near the kinematic endpoint and determination of V(ub)”
Phys. Rev. D 73:012006, 2006.
424. B.Aubert, ..., N.Cavallo, et al.:
“Search for the W-exchange decays B0 ---> D(s)(*)- D(s)(*)+.”

- Phys. Rev. D 72:111101, 2005.
425. B.Aubert, ..., N.Cavallo, et al.:
“Measurements of the absolute branching fractions of $B^+ \rightarrow K^+ X(c \bar{c})$.”
 Phys. Rev. Lett. 96:052002, 2006.
426. P. Achard, ..., N.Cavallo, et al.:
“Measurement of hadron and lepton-pair production in $e^+ e^-$ collisions at $s^{}(1/2) = 192\text{-GeV}$ to 208-GeV at LEP.”**
 Eur.Phys. J.C47:1-19, 2006.
[10.1140/epjc/s2006-02539-1](https://doi.org/10.1140/epjc/s2006-02539-1)
427. P. Achard, ..., N.Cavallo, et al.:
“Measurement of the mass and the width of the W boson at LEP.”
 Eur.Phys. J.C45:569-587, 2006.
[10.1140/epjc/s2005-02459-6](https://doi.org/10.1140/epjc/s2005-02459-6)
428. B.Aubert, ..., N.Cavallo, et al.:
“A Search for the rare decay $B^0 \rightarrow \tau^+ \tau^-$ at BABAR.”
 Phys. Rev. Lett. 96:241802, 2006.
429. B.Aubert, ..., N.Cavallo, et al.:
“A Study of $e^+ e^- \rightarrow p \bar{p}$ using initial state radiation with BABAR.”
 Phys. Rev. D 73:012005, 2006.
430. B.Aubert, ..., N.Cavallo, et al.:
“Search for rare quark-annihilation decays, $B^- \rightarrow D(s)(*) \phi$ ”
 Phys. Rev. D 73:011103, 2006.
431. B.Aubert, ..., N.Cavallo, et al.:
“Search for the rare decays $B^0 \rightarrow D(*)^+(s) a_0(2)$ ”
 Phys. Rev. D 73:071103, 2006.
432. B.Aubert, ..., N.Cavallo, et al.:
“Measurements of the branching fractions and CP-asymmetries of $B^- \rightarrow D^0(CP) K$ decays”
 Phys. Rev. D 73:051105, 2006.
433. P. Achard, ..., N.Cavallo, et al.:
“Analysis of the $\pi^+ \pi^- \pi^+ \pi^-$ and $\pi^+ \pi^0 \pi^- \pi^0$ final states in quasi-real two-photon collisions at LEP”
 Phys. Lett. B638:128-139, 2006.
[10.1016/j.physletb.2006.05.006](https://doi.org/10.1016/j.physletb.2006.05.006)
434. M. Abbrescia, E. Cavallo, A. Colaleo, G. Iaselli, F. Loddo, M. Maggi, B. Marangelli, S. Natali, S. Nuzzo, G. Pugliese, A. Ranieri, F. Romano, R. Trentadue, N. Cavallo, G. Comunale, F. Fabozzi, P. Paolucci, D. Piccolo, C. Sciacca, G. Belli, C. De Vecchi, R. Guida, S.P. Ratti, G. Riccardi, P. Torre, P. Vitulo, Yong Ban, Hong-Tao Liu, Si-Jin Qian, Yan-Lin Ye, Jun Ying, T. Anguelov, V. Genchev, B. Panev, Stefan Piperov, G. Sultanov, P. Vankov, A. Dimitrov, I. Glushkov, L. Litov, Irina Nasteva, B. Pavlov, P. Petkov:
“Production and quality control of the barrel RPC chambers of the CMS experiment”
 Nucl.Phys. Proc.Suppl.150 (2006) 290-294
[doi:10.1016/j.nuclphysbps.2004.11.389](https://doi.org/10.1016/j.nuclphysbps.2004.11.389)
435. P. Achard, ..., N.Cavallo, et al.:
“A search for flaring very-high-energy cosmic gamma-ray sources with the L3+C muon spectrometer”
 Astropart.Phys. 25:298-310, 2006.
[doi:10.1016/j.astropartphys.2006.03.007](https://doi.org/10.1016/j.astropartphys.2006.03.007)
436. M. Abbrescia, A. Colaleo, R. Guida, G. Iaselli, F. Loddo, M. Maggi, B. Marangelli, S. Natali, S. Nuzzo, G. Pugliese, A. Ranieri, F. Romano, R. Trentadue, N. Cavallo, F. Fabozzi, P. Paolucci, D. Piccolo, G. Polese, C. Sciacca, G. Belli, M. Necchi, S.P. Ratti, G. Riccardi, P. Torre, P. Vitulo, T. Anguelov, V. Genchev, B. Panev, Stefan Piperov, G. Sultanov, P. Vankov, L. Litov, B. Pavlov, P. Petkov:

“HF production in CMS-Resistive Plate Chambers”
Published in Nucl.Phys. Proc.Suppl.158:30-34, 2006.
doi:10.1016/j.nuclphysbps.2006.07.002

437. M. Abbrescia, A. Colaleo, R. Guida, G. Iaselli, F. Loddo, M. Maggi, B. Marangelli, S. Natali, S. Nuzzo, G. Pugliese, A. Ranieri, F. Romano, R. Trentadue, N. Cavallo, F. Fabozzi, P. Paolucci, D. Piccolo, G. Polese, C. Sciacca, G. Belli, M. Necchi, S.P. Ratti, C. Riccardi, P. Torre, P. Vitulo, T. Anguelov, V. Genchev, B. Panev, Stefan Piperov, G. Sultanov, P. Vankov, A. Dimitrov, L. Litov, B. Pavlov, P. Petkov:
“Quality control tests for the CMS barrel RPCs”
Nucl.Phys. Proc.Suppl.158:73-77, 2006.
doi:10.1016/j.nuclphysbps.2006.08.051
438. B.Aubert, ..., N.Cavallo, et al.:
“Determinations of $V(ub)$ from inclusive semileptonic B decays with reduced model dependence”
Phys. Rev. Lett. 96 (2006) 221801
doi:10.1103/PhysRevLett. 96.221801
439. B.Aubert, ..., N.Cavallo, et al.:
“The $e^+ e^- \rightarrow 3(\pi^+ \pi^-), 2(\pi^+ \pi^- \pi^0)$ and $K^+ K^- 2(\pi^+ \pi^-)$ cross sections at center-of-mass energies from production threshold to 4.5-GeV measured with initial-state radiation.”
Phys. Rev. D 73 (2006) 052003
doi:10.1103/PhysRevD.73.052003
440. B.Aubert, ..., N.Cavallo, et al.:
“Measurements of the $B \rightarrow D^*$ form-factors using the decay $\bar{B}^0 \rightarrow D^{*+} e^- \text{ electron-neutrino}$.”
Phys. Rev. D 74:092004, 2006.
doi:10.1103/PhysRevD.74.092004
441. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of time-dependent CP asymmetries in $B^0 \rightarrow D^{(*)+} \pi^-$ and $B^0 \rightarrow D^{*-} \rho^{*-}$ decays.”
Phys. Rev. D 73:111101, 2006.
doi:10.1103/PhysRevD.73.111101
442. B.Aubert, ..., N.Cavallo, et al.:
“Measurements of the branching fraction and time-dependent CP asymmetries of $B^0 \rightarrow J/\psi \pi^0$ decays.”
Phys. Rev. D 74 (2006) 011101
doi:10.1103/PhysRevD.74.011101
443. B.Aubert, ..., N.Cavallo, et al.:
“Branching fraction limits for B^0 decays to η' , η' pi0 and η pi0.”
Phys. Rev. D 73 (2006) 071102
doi:10.1103/PhysRevD.73.071102
444. B.Aubert, ..., N.Cavallo, et al.:
“Measurements of CP-violating asymmetries and branching fractions in B decays to omega K and omega pi.”
Phys. Rev. D 74:011106, 2006.
doi:10.1103/PhysRevD.74.011106
445. B.Aubert, ..., N.Cavallo, et al.:
“Observation of B^0 Meson Decay to $a^{+-}(1)(1260) \pi^+$.”
Phys. Rev. Lett. 97:051802, 2006.
doi:10.1103/PhysRevLett. 97.051802
446. B.Aubert, ..., N.Cavallo, et al.:
“Search for T, CP and CPT violation in B^0 anti- B^0 mMixing with inclusive dilepton events.”
Phys. Rev. Lett. 96:251802, 2006.
doi:10.1103/PhysRevLett. 96.251802
447. B.Aubert, ..., N.Cavallo, et al.:

- “Measurements of Lambda(c)+ branching fractions of Cabibbo-suppressed decay modes involving Lambda and Sigma0”
Phys. Rev. D 75 (2007) 052002
DOI: 10.1103/PhysRevD.75.052002
448. B.Aubert, ..., N.Cavallo, et al.:
“ Study of inclusive B- and anti-B0 decays to flavor-tagged D, D(s) and Lambda+(c).”
Phys. Rev. D75 (2007) 072002
doi:10.1103/PhysRevD.75.072002
- UGOV: 8181 (FF)
449. B.Aubert, ..., N.Cavallo, et al.:
Observation of a charmed baryon decaying to D0p at a mass near 2.94-GeV/c**2.
Phys. Rev. Lett. 98 (2007) 012001
DOI: 10.1103/PhysRevLett. 98.012001
450. B.Aubert, ..., N.Cavallo, et al.:
Measurement of branching fractions in radiative B decays to eta K gamma and search for B decays to eta-prime K gamma.
Phys. Rev. D 74:031102, 2006.
doi:10.1103/PhysRevD.74.031102
451. B.Aubert, ..., N.Cavallo, et al.:
“Search for the charmed pentaquark candidate Theta(c)(3100)0 in e+ e- annihilations at s**(1/2) = 10.58-GeV.”
Phys. Rev. D 73:091101, 2006.
doi:10.1103/PhysRevD.73.091101
452. B.Aubert, ..., N.Cavallo, et al.:
“Measurements of branching fractions, rate asymmetries, and angular distributions in the rare decays B ---> K l+ l- and B ---> K* l+ l-.”
Phys. Rev. D 73:092001, 2006.
doi:10.1103/PhysRevD.73.092001
453. B.Aubert, ..., N.Cavallo, et al.:
Study of the decay anti-B0 ---> D*+ omega pi-.
Phys. Rev. D 74:012001, 2006.
doi:10.1103/PhysRevD.74.012001
454. B.Aubert, ..., N.Cavallo, et al.:
“Observation of Decays B0 ---> D(s)(*)+ pi- and B0 ---> D(s)(*)- K+.”
Phys. Rev. Lett. 98 (2007) 081801
DOI: 10.1103/PhysRevLett. 98.081801
455. B.Aubert, ..., N.Cavallo, et al.:
“Search for the decay tau- ---> 3pi- 2pi+ 2pi0 nu(tau).”
Phys. Rev. D 73 (2006) 112003
doi:10.1103/PhysRevD.73.112003
456. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of anti-b0 ---> D(*)0 anti-K(*)0 branching fractions.”
Phys. Rev. D 74 (2006) 031101
doi:10.1103/PhysRevD.74.031101
457. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of the B- ----> D0 K*- branching fraction.”
Phys. Rev. D 73 (2006) 111104
doi:10.1103/PhysRevD.73.111104

458. B.Aubert, ..., N.Cavallo, et al.:
“A Study of the D*(sJ)(2317) and D(sJ)(2460) Mesons in Inclusive c anti-c Production Near $(s)^{**}(1/2) = 10.6\text{-GeV}.$ ”
Phys. Rev. D 74 (2006) 032007
doi:10.1103/PhysRevD.74.032007
459. B.Aubert, ..., N.Cavallo, et al.:
“Observation of Upsilon(4S) decays to $\pi^+ \pi^-$ Upsilon(1S) and $\pi^+ \pi^-$ Upsilon(2S).”
Phys. Rev. Lett. 96:232001, 2006.
460. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of branching fractions and CP-violating charge asymmetries for B meson decays to $D^{(*)}$ anti- $D^{(*)}$, and implications for the CKM angle gamma.”
Phys. Rev. D 73:112004, 2006.
doi:10.1103/PhysRevLett. 96.232001
461. B.Aubert, ..., N.Cavallo, et al.:
“Dalitz plot analysis of the decay $B^{*-} \rightarrow K^{*-} K^{*-} K^{*-}.$ ”
Phys. Rev. D 74:032003, 2006.
doi:10.1103/PhysRevD.74.032003
462. B.Aubert, ..., N.Cavallo, et al.:
“Search for B Meson Decays to η' η' K.”
Phys. Rev. D 74:031105, 2006.
doi:10.1103/PhysRevD.74.031105
463. B.Aubert, ..., N.Cavallo, et al.:
“B meson decays to mega K^* , omega rho, omega omega, omega phi, and omega f(0).”
Phys. Rev. D 74:051102, 2006.
doi:10.1103/PhysRevD.74.051102
464. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of the eta and eta-prime transition form-factors at $q^{**2} = 112\text{-GeV}^{**2}.$ ”
Phys. Rev. D 74:012002, 2006.
doi:10.1103/PhysRevD.74.012002
465. B.Aubert, ..., N.Cavallo, et al.:
“Search for the decay $B^0 \rightarrow a(1)^{+-} \rho^{+-}.$ ”
Phys. Rev. D 74:031104, 2006.
doi:10.1103/PhysRevD.74.031104
466. B.Aubert, ..., N.Cavallo, et al.:
“Study of $B \rightarrow D^{(*)} D^{(*)}(sJ)$ Decays and Measurement of D-(s) and D(sJ)(2460)- Branching Fractions.”
Phys. Rev. D 74:031103, 2006.
doi:10.1103/PhysRevD.74.031103
467. B.Aubert, ..., N.Cavallo, et al.:
“Search for $B^+ \rightarrow \phi \pi^+$ and $B^0 \rightarrow \phi \pi^0$ Decays.”
Phys. Rev. D 74:011102, 2006.
doi:10.1103/PhysRevD.74.011102
468. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of the $D^+ \rightarrow \pi^+ \pi^0$ and $D^+ \rightarrow K^+ \pi^0$ branching fractions.”
Phys. Rev. D 74:011107, 2006.
doi:10.1103/PhysRevD.74.011107
469. B.Aubert, ..., N.Cavallo, et al.:
“Search for doubly charmed baryons $Xi(cc)^+$ and $Xi(cc)^{++}$ in BABAR.”
Phys. Rev. D 74:011103, 2006.
doi:10.1103/PhysRevD.74.011103

470. B.Aubert, ..., N.Cavallo, et al.:
“Search for the decay $B^0 \rightarrow K^0(s) K^0(s) K^0(L)$.”
Phys. Rev. D 74:032005, 2006.
[doi:10.1103/PhysRevD.74.032005](https://doi.org/10.1103/PhysRevD.74.032005)
471. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of the spin of the Omega- hyperon at BABAR.”
Phys. Rev. Lett. 97:112001, 2006.
[doi:10.1103/PhysRevLett.97.112001](https://doi.org/10.1103/PhysRevLett.97.112001)
472. B.Aubert, ..., N.Cavallo, et al.:
“Search for the decay of a B^0 or anti- B^0 meson to anti- K^*0 K^0 or K^*0 anti- K^0 .”
Phys. Rev. D 74:072008, 2006.
[doi:10.1103/PhysRevD.74.072008](https://doi.org/10.1103/PhysRevD.74.072008)
473. B.Aubert, ..., N.Cavallo, et al.:
“Observation of e^+e^- Annihilations into the $C = +1$ Hadronic Final States $\rho^0 \rho^0$ and $\phi \rho^0$.”
Phys. Rev. Lett. 97:112002, 2006.
[doi:10.1103/PhysRevLett.97.112002](https://doi.org/10.1103/PhysRevLett.97.112002)
474. B.Aubert, ..., N.Cavallo, et al.:
“Measurements of the Decays $B^0 \rightarrow \bar{D}^0 p \bar{\pi}^0$, $B^0 \rightarrow \bar{D}^{*0} p \bar{\pi}^0$, $B^0 \rightarrow D^- p \bar{\pi}^+$, and $B^0 \rightarrow D^{*-} p \bar{\pi}^+$.”
Phys. Rev. D 74:051101, 2006.
[doi:10.1103/PhysRevD.74.051101](https://doi.org/10.1103/PhysRevD.74.051101)
475. B.Aubert, ..., N.Cavallo, et al.:
“Search for the reactions $e^+ e^- \rightarrow \mu^+ \tau^-$ and $e^+ e^- \rightarrow e^+ \tau^-$.”
Phys. Rev. D 75 (2007) 031103
DOI: [10.1103/PhysRevD.75.031103](https://doi.org/10.1103/PhysRevD.75.031103)
476. B.Aubert, ..., N.Cavallo, et al.:
“Search for $B^+ \rightarrow X(3872)^+ K^+$, $X(3872)^+ \rightarrow J/\psi \gamma$.”
Phys. Rev. D 74:071101, 2006.
[doi:10.1103/PhysRevD.74.071101](https://doi.org/10.1103/PhysRevD.74.071101)
477. B.Aubert, ..., N.Cavallo, et al.:
“Measurements of branching fractions, polarizations, and direct CP-violation asymmetries in $B \rightarrow \rho^0 K^*$ and $B \rightarrow f_0(980) K^*$ decays.”
Phys. Rev. Lett. 97:201801, 2006.
[doi:10.1103/PhysRevLett.97.201801](https://doi.org/10.1103/PhysRevLett.97.201801)
478. B.Aubert, ..., N.Cavallo, et al.:
“Searches for B^0 decays to ηK^0 , $\eta \eta$, $\eta' \eta'$, $\eta \phi$, and $\eta' \phi$.”
Phys. Rev. D 74:051106, 2006.
[doi:10.1103/PhysRevD.74.051106](https://doi.org/10.1103/PhysRevD.74.051106)
479. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of the branching fraction and photon energy moments of $B \rightarrow X(s) \gamma$ and $A(CP)(B \rightarrow X(s+d) \gamma)$.”
Phys. Rev. Lett. 97:171803, 2006.
[doi:10.1103/PhysRevLett.97.171803](https://doi.org/10.1103/PhysRevLett.97.171803)
480. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of the $B \rightarrow \pi^- l^+ \nu$ Branching Fraction and Determination of $V(ub)$ with Tagged B Mesons.”
Phys. Rev. Lett. 97 (2006) 211801
[doi:10.1103/PhysRevLett.97.211801](https://doi.org/10.1103/PhysRevLett.97.211801)
481. B.Aubert, ..., N.Cavallo, et al.:

- “Measurements of branching fraction, polarization, and charge asymmetry of $B^+ \rightarrow \rho^+ \rho^0$ and a search for $B^+ \rightarrow \rho^+ f_0(980)$.”
Phys. Rev. Lett. 97:261801, 2006.
doi:10.1103/PhysRevLett. 97.261801
482. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of the Pseudoscalar Decay Constant $f(D(s))$ Using Charm-Tagged Events in $e^+ e^-$ Collisions at $s^{**}(1/2) = 10.58\text{-GeV}$.”
Phys. Rev. Lett. 98 (2007) 141801
DOI: 10.1103/PhysRevLett. 98.141801
483. B.Aubert, ..., N.Cavallo, et al.:
“Evidence for the $B^0 \rightarrow \rho^0 \rho^0$ decay and implications for the CKM angle alpha.”
Phys. Rev. Lett. 98 (2007) 111801
DOI: 10.1103/PhysRevLett. 98.111801
484. B.Aubert, ..., N.Cavallo, et al.:
“Observation of $B \rightarrow \eta'\pi^+$ and evidence for $B^+ \rightarrow \eta'\rho^+$.”
Phys. Rev. Lett. 98 (2007) 051802
DOI: 10.1103/PhysRevLett. 98.051802
485. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of the ratio $B(B^+ \rightarrow X e \nu) / B(B^0 \rightarrow X e \nu)$.”
Phys. Rev. D 74:091105, 2006.
doi:10.1103/PhysRevD.74.091105
486. B.Aubert, ..., N.Cavallo, et al.:
“Branching fraction measurements of charged B decays to $K^+ K^-$, $K^+ \pi^-$, $K^+ \pi^-$ and $K^+ \pi^+$ final states.”
Phys. Rev. D 74 (2006) 051104
doi:10.1103/PhysRevD.74.
487. P. Achard, ..., N.Cavallo, et al.:
“Study of inclusive strange-baryon production and search for pentaquarks in two-photon collisions at LEP.”
Eur.Phys. J.C 49 (2007) 395-410
DOI: 10.1140/epjc/s10052-006-0140-3
488. B.Aubert, ..., N.Cavallo, et al.:
“Improved Measurements of the Branching Fractions for $B^0 \rightarrow \pi^+ \pi^-$ and $B^0 \rightarrow K^+ \pi^-$, and a Search for $B^0 \rightarrow K^+ K^-$.”
Phys. Rev. D 75 (2007) 012008
DOI: 10.1103/PhysRevD.75.012008
489. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of branching fractions and charge asymmetries in B decays to an eta meson and a K^* meson.”
Phys. Rev. Lett. 97 (2006) 201802
doi:10.1103/PhysRevLett. 97.201802
490. B.Aubert, ..., N.Cavallo, et al.:
“Search for D0-anti-D0 Mixing and Branching-Ratio Measurement in the Decay $D^0 \rightarrow K^+ \pi^- \pi^0$.”
Phys. Rev. Lett. 97 (2006) 221803
doi:10.1103/PhysRevLett. 97.221803
491. B.Aubert, ..., N.Cavallo, et al.:
“Precise Branching Ratio Measurements of the Decays $D^0 \rightarrow \pi^- \pi^+ \pi^0$ and $D^0 \rightarrow K^- K^+ \pi^0$.”
Phys. Rev. D 74 (2006) 091102
doi:10.1103/PhysRevD.74.091102
492. B.Aubert, ..., N.Cavallo, et al.:

- “Measurement of the Branching Fraction and Time-Dependent CP Asymmetry in the Decay $B^0 \rightarrow D^{*+} D^{*-} K^0(s)$.”
Phys. Rev. D 74 (2006) 091101
DOI: 10.1103/PhysRevD.74.091101
493. B.Aubert, ..., N.Cavallo, et al.:
“Observation of $B^+ \rightarrow \bar{K}^0 K^+$ and $B^0 \rightarrow K^0 \bar{K}^0$.”
Phys. Rev. Lett. 97 (2006) 171805
DOI: 10.1103/PhysRevLett. 97.171805
494. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of the CP asymmetry and branching fraction of $B^0 \rightarrow \rho^0 K^0$.”
Phys. Rev. Lett. 98 (2007) 051803
DOI: 10.1103/PhysRevLett. 98.051803
495. B.Aubert, ..., N.Cavallo, et al.:
“Observation of an excited charm baryon $\Omega_c^*(C)^*$ decaying to $\Omega_c(C)0 \gamma$.”
Phys. Rev. Lett. 97 (2006) 232001
DOI: 10.1103/PhysRevLett. 97.232001
496. B.Aubert, ..., N.Cavallo, et al.:
“Inclusive $\Lambda_c^+(c)$ Production in $e^+ e^-$ Annihilations at $s^{**}(1/2) = 10.54\text{-GeV}$ and in $\Upsilon(4S)$ Decays.”
Phys. Rev. D 75 (2007) 012003
DOI: 10.1103/PhysRevD.75.012003
497. B.Aubert, ..., N.Cavallo, et al.:
“Observation of $B^+ \rightarrow \phi \phi K^+$ and evidence for $B^0 \rightarrow \phi \phi K^0$ below $\eta_c(c)$ threshold.”
Phys. Rev. Lett. 97 (2006) 261803
DOI: 10.1103/PhysRevLett. 97.261803
498. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of the absolute branching fractions B to $D^0 \pi^0$, $D^0 \pi^0$, $D^0 \pi^0$ with a missing mass method.”
Phys. Rev. D 74 (2006) 111102
DOI: 10.1103/PhysRevD.74.111102
499. B.Aubert, ..., N.Cavallo, et al.:
“Observation of CP violation in $B^0 \rightarrow \eta' K^0$ decays.”
Phys. Rev. Lett. 98 (2007) 031801
DOI: 10.1103/PhysRevLett. 98.031801
500. B.Aubert, ..., N.Cavallo, et al.:
“A Structure at 2175-MeV in $e^+ e^- \rightarrow \phi f_0(980)$ Observed via Initial-State Radiation.”
Phys. Rev. D 74 (2006) 091103
DOI: 10.1103/PhysRevD.74.091103
501. B.Aubert, ..., N.Cavallo, et al.:
“Branching fraction measurement of $B^0 \rightarrow D^{(*)+} \pi^-$, $B^- \rightarrow D^{(*)0} \pi^-$ and isospin analysis of $\bar{B} \rightarrow D^{(*)} \pi^-$ decays.”
Phys. Rev. D 75 (2007) 031101
DOI: 10.1103/PhysRevD.75.031101
502. B.Aubert, ..., N.Cavallo, et al.:
“Search for Lepton Flavor Violating Decays $\tau^{\pm} \rightarrow l^{\pm} \pi^0$, $l^{\pm} \eta$, $l^{\pm} \eta'$.”
Phys. Rev. Lett. 98 (2007) 061803
DOI: 10.1103/PhysRevLett. 98.061803
503. B.Aubert, ..., N.Cavallo, et al.:
“Vector-tensor and vector-vector decay amplitude analysis of $B^0 \rightarrow \phi K^*0$.”
Phys. Rev. Lett. 98 (2007) 051801

DOI: 10.1103/PhysRevLett. 98.051801

504. B.Aubert, ..., N.Cavallo, et al.:
“Observation of the Exclusive Reaction $e^+ e^- \rightarrow \phi \eta$ at $s^{**}(1/2) = 10.58\text{-GeV}.$ ”
Phys. Rev. D 74 (2006) 111103
DOI: 10.1103/PhysRevD.74.111103
505. B.Aubert, ..., N.Cavallo, et al.:
“Evidence for the Rare Decay $B^+ \rightarrow D^+(s) \pi^0.$ ”
Phys. Rev. Lett. 98 (2007) 171801
DOI: 10.1103/PhysRevLett. 98.171801
506. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of B Decays to $\phi K \gamma.$ ”
Phys. Rev. D 75 (2007) 051102
DOI: 10.1103/PhysRevD.75.051102
507. B.Aubert, ..., N.Cavallo, et al.:
“Branching fraction measurements of $B^+ \rightarrow \rho^+ \gamma$, $B^0 \rightarrow \rho^0 \gamma$, and $B^0 \rightarrow \omega \gamma.$ ”
Phys. Rev. Lett. 98 (2007) 151802
DOI: 10.1103/PhysRevLett. 98.151802
508. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of the $B^0 \rightarrow \pi^- l^+ \bar{\nu}$ form-factor shape and branching fraction, and determination of $V(ub)$ with a loose neutrino reconstruction technique.”
Phys. Rev. Lett. 98 (2007) 091801
DOI: 10.1103/PhysRevLett. 98.091801
509. B.Aubert, ..., N.Cavallo, et al.:
“Evidence for $B^0 \rightarrow \rho^0 \rho^0$ decay and implications for the CKM angle $\alpha.$ ”
Phys. Rev. Lett. 98 (2007) 111801
DOI: 10.1103/PhysRevLett. 98.111801
510. B.Aubert, ..., N.Cavallo, et al.:
“Measurements of CP-Violating Asymmetries in $B^0 \rightarrow a^{+-}(1)(1260) \pi^+$ decays.”
Phys. Rev. Lett. 98 (2007) 181803
DOI: 10.1103/PhysRevLett. 98.181803
511. P. Achard, ..., N.Cavallo, et al.:
“Study of resonance formation in the mass region 1400-MeV to 1500-MeV through the reaction $\gamma \rightarrow K_0(S) K^{+-} \pi^{+-}$ ”
J. High Energy Phys. 03 (2007) 018
DOI: 10.1088/1126-6708/2007/03/018
512. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of the $B^{+-} \rightarrow \rho^{+-} \pi^0$ Branching Fraction and Direct CP Asymmetry.”
Phys. Rev. D 75 (2007) 091103
DOI: 10.1103/PhysRevD.75.091103
513. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of CP Asymmetry in $B^0 \rightarrow K(s) \pi^0 \pi^0$ Decays.”
Phys. Rev. D 76 (2007) 071101
DOI: 10.1103/PhysRevD.76.071101
514. B.Aubert, ..., N.Cavallo, et al.:
“Measurement of CP Violation Parameters with a Dalitz Plot Analysis of $B^{+-} \rightarrow D(\pi^+ \pi^- \pi^0) K^{+-}$ ”
Phys. Rev. Lett. 99 (2007) 251801
DOI: 10.1103/PhysRevLett. 99.251801

515. B.Aubert, ..., N.Cavallo, et al.:
“Evidence of a broad structure at an invariant mass of 4.32- GeV/c**2 in the reaction e+ e- ---> pi+ pi- psi(2S) measured at BaBar”
Phys. Rev. Lett. 98 (2007) 212001
DOI:10.1103/PhysRevLett. 98.212001

2008

516. B.Aubert, ..., N.Cavallo, et al.:
“Exclusive branching fraction measurements of semileptonic tau decays into three charged hadrons, tau- ---> phi pi- nu(tau) and tau- ---> phi K- nu(tau) “
Phys. Rev. Lett. 100 (2008) 011801
DOI: 10.1103/PhysRevLett. 100.011801
517. M. Abbrescia, A. Colaleo, R. Guida, G. Iaselli, F. Loddo, M. Maggi, B. Marangelli, S. Natali, S. Nuzzo, G. Pugliese, A. Ranieri, F. Romano, G. Roselli, R. Trentadue, S. Tupputi, N. Cavallo, F. Fabozzi, P. Paolucci, D. Piccolo, G. Polese, C. Sciacca, G. Belli, M. Necchi, S. Ratti, C. Riccardi, P. Torre, P. Vitulo, T. Anguelov, V. Genchev, B. Panev, Stefan Piperov, G. Sultanov, P. Vankov, A. Dimitrov, L. Litov, B. Pavlov, P. Petkov:
“Results about HF production and bakelite analysis for the CMS Resistive Plate Chambers”
Nucl. Instrum. Meth. A 594 (2008) 140-147
doi:10.1016/j.nima.2008.06.009
518. P. Achard, ..., N.Cavallo, et al.:
“Study of the solar anisotropy for cosmic ray primaries of about 200- GeV energy with the L3 + C muon detector”
Astron. AstroPhys. 488 (2008) 1093-1100
doi:10.1051/0004-6361:20065252
519. P. Achard, ..., N.Cavallo, et al.:
“Study of hadronic event shape in flavour tagged events in e+ e- annihilation at s= 197 GeV”
PMC Phys. A 2 (2008) 6
DOI: 10.1186/1754-0410-2-6

2009

520. L. Benussi, S. Bianco, S. Colafranceschi, D. Colonna, L. Daniello, F.L. Fabbri, M. Giardoni, B. Ortenzi, A. Paolozzi, L. Passamonti, D. Pierluigi, B. Ponzio, C. Pucci, A. Russo, G. Roselli, A. Colaleo, F. Loddo, M. Maggi, A. Ranieri, M. Abbrescia, G. Iaselli, B. Marangelli, S. Natali, S. Nuzzo, G. Pugliese, F. Romano, R. Trentadue, S. Tupputi, R. Guida, G. Polese, N. Cavallo, A. Cimmino, D. Lomidze, P. Noli, D. Paolucci, P. Piccolo, C. Sciacca, P. Baesso, M. Necchi, D. Pagano, S.P. Ratti, P. Vitulo, C. Viviani:
“The CMS RPC gas gain monitoring system: An Overview and preliminary results”
Nucl.Instrum. Meth. A 602 (2009) 805-808
10.1016/j.nima.2008.12.175
521. R.T. Rajan, A. Colaleo, F. Loddo, M. Maggi, A. Ranieri, M. Abbrescia, R. Guida, G. Iaselli, S. Nuzzo, G. Pugliese, G. Roselli, R. Trentadue, S. Tupputi, L. Benussi, M. Bertani, S. Bianco, F. Fabbri, N. Cavallo, A. Cimmino, D. Lomidze, P. Noli, P. Paolucci, D. Piccolo, G. Polese, C. Sciacca, P. Baesso, G. Belli, M. Necchi, S.P. Ratti, D. Pagano, P. Vitulo, C. Viviani, A. Dimitrov, L. Litov, B. Pavlov, P. Petkov, V. Genchev, P. Iaydjiev, K. Bunkowski, K. Kierzkowski, M. Konecki, I. Kudla, M. Pietrusinski, K. Pozniak:
“A configurable tracking algorithm to detect cosmic muon tracks for the CMS-RPC based technical trigger”
Nucl.Instrum. Meth. A 602 (2009) 792-795
10.1016/j.nima.2008.12.226
522. G. Roselli , M. Abbrescia, G. Iaselli, B. Marangelli, S. Natali, S. Nuzzo, G. Pugliese, F. Romano, R. Trentadue, S. Tupputi, R.T. Rajan, Y. Shinde, A. Colaleo, F. Loddo, M. Maggi, A. Ranieri, D. Lomidze, P.

Paolucci, D. Piccolo, A. Cimmino, P. Noli, N. Cavallo, C. Sciacca, P. Baesso, M. Necchi, D. Pagano, S.P. Ratti, P. Vitulo, C. Viviani, L. Benussi, M. Bertani, S. Bianco, F.L. Fabbri, A. Dimitrov, L. Litov, B. Pavlov, P. Petkov, V. Genchev, P. Iaydjiev, B. Panev, S. Stoykova, G. Sultanov, R. Trayanov, R. Guida, C.A. Carrillo Montoya, A.A. Ocampo Rios, G. Polese, T. Tuuva, K. Bunkowski, K. Doroba, A. Kalinowski, M. Konecki, J. Krolikowski, I.M. Kudla, M. Pietrusinski, M. Bluj, T. Fruboes, M. Gorski, M. Szleper, G. Wrochna, K.T. Pozniak, W. Zabolotny and William Whitakera:

“Resistive plate chamber commissioning and performance in CMS”

Nucl. Instrum. Meth. A 602 (2009) 696-699

DOI: [10.1016/j.nima.2008.12.092](https://doi.org/10.1016/j.nima.2008.12.092)

523. A. Colaleo, F. Loddo, M. Maggi, A. Ranieri, M. Abbrescia, R. Guida, G. Iaselli, B. Marangelli, S. Natali, S. Nuzzo, G. Pugliese, F. Romano, G. Roselli, R. Trentadue, S. Tupputi, N. Lacalamita, F. Chiumarulo, C. Pinto, M. Franco, A.K. Abadjiev, M. Papagni, A. Clemente, L. Benussi, S. Bianco, D. Colonna, F.L. Fabbri, M. Giardoni, B. Ortenzi, C. Paris, L. Passamonti, D. Pierluigi, B. Ponzio, C. Pucci, A. Russo, F. Cassese, N. Cavallo, A. Cimmino, D. Lomidze, P. Noli, P. Paolucci, G. Passeggio, D. Piccolo, G. Polese, L. Roscilli, C. Sciacca, A. Vanzanella, P. Baesso, G. Belli, S. Bricola, A. Grelli, E. Imbres, G. Musitelli, R. Nardo, M. Necchi, S.P. Ratti, C. Riccardi, D. Pagano, P. Torre, A. Vicini, P. Vitulo, C. Viviani, A. Dimitrov, L. Litov, B. Pavlov, P. Petkov, T. Anguelov, V. Genchev, P. Iaydjiev, B. Panev, S. Stoykova, G. Sultanov, R. Trayanov:
“The compact muon solenoid RPC barrel detector”
Nucl. Instrum. Meth. A 602 (2009) 674-678
DOI: [10.1016/j.nima.2008.12.234](https://doi.org/10.1016/j.nima.2008.12.234)

2010

524. S. Chatrchyan, ..., N.Cavallo, et al.:
“Commissioning of the CMS Experiment and the Cosmic Run at Four Tesla”
J. Instrum. 5 (2010) T03001
doi:[10.1088/1748-0221/5/03/T03001](https://doi.org/10.1088/1748-0221/5/03/T03001)
525. S. Chatrchyan, ..., N.Cavallo, et al.:
“Performance of the CMS Level-1 Trigger during Commissioning with Cosmic Ray Muons and LHC beams”
J. Instrum. 5 (2010) T03002
doi:[10.1088/1748-0221/5/03/T03002](https://doi.org/10.1088/1748-0221/5/03/T03002)
526. S. Chatrchyan, ..., N.Cavallo, et al.:
“Performance of the CMS drift-tube chamber local trigger with cosmic rays”
J. Instrum. 5 (2010) T03003
doi:[10.1088/1748-0221/5/03/T03003](https://doi.org/10.1088/1748-0221/5/03/T03003)
527. S. Chatrchyan, ..., N.Cavallo, et al.:
“Fine Synchronization of the CMS Muon Drift-Tube Local Trigger using Cosmic Rays”
J. Instrum. 5 (2010) T03004
doi:[10.1088/1748-0221/5/03/T03004](https://doi.org/10.1088/1748-0221/5/03/T03004)
528. S. Chatrchyan, ..., N.Cavallo, et al.:
“Commissioning of the CMS High-Level Trigger with Cosmic Rays”
J. Instrum. 5 (2010) T03005
doi:[10.1088/1748-0221/5/03/T03005](https://doi.org/10.1088/1748-0221/5/03/T03005)
529. S. Chatrchyan, ..., N.Cavallo, et al.:
“CMS Data Processing Workflows during an Extended Cosmic Ray Run”
J. Instrum. 5 (2010) T03006
doi:[10.1088/1748-0221/5/03/T03006](https://doi.org/10.1088/1748-0221/5/03/T03006)
530. S. Chatrchyan, ..., N.Cavallo, et al.:
“Commissioning and Performance of the CMS Pixel Tracker with Cosmic Ray Muons”
J. Instrum. 5 (2010) T03007

doi:10.1088/1748-0221/5/03/T03007

531. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the Muon Stopping Power in Lead Tungstate”
J. Instrum. 5 (2010) P03007
doi:10.1088/1748-0221/5/03/P03007
532. S. Chatrchyan, ..., N.Cavallo, et al.:
“Commissioning and Performance of the CMS Silicon Strip Tracker with Cosmic Ray Muons”
J. Instrum. 5 (2010) T03008
doi:10.1088/1748-0221/5/03/T03008
533. S. Chatrchyan, ..., N.Cavallo, et al.:
“Alignment of the CMS Silicon Tracker during Commissioning with Cosmic Rays”
J. Instrum. 5 (2010) T03009
doi:10.1088/1748-0221/5/03/T03009
534. S. Chatrchyan, ..., N.Cavallo, et al.:
“Performance and Operation of the CMS Electromagnetic Calorimeter”
J. Instrum. 5 (2010) T03010
doi:10.1088/1748-0221/5/03/T03010
535. S. Chatrchyan, ..., N.Cavallo, et al.:
“Time Reconstruction and Performance of the CMS Electromagnetic Calorimeter”
J. Instrum. 5 (2010) T03011
doi:10.1088/1748-0221/5/03/T03011
536. S. Chatrchyan, ..., N.Cavallo, et al.:
“Performance of the CMS Hadron Calorimeter with Cosmic Ray Muons and LHC Beam Data”
J. Instrum. 5 (2010) T03012
doi:10.1088/1748-0221/5/03/T03012
537. S. Chatrchyan, ..., N.Cavallo, et al.:
“Performance of CMS hadron calorimeter timing and synchronization using test beam, cosmic ray, and LHC beam data”
J. Instrum. 5 (2010) T03013
doi:10.1088/1748-0221/5/03/T03013
538. S. Chatrchyan, ..., N.Cavallo, et al.:
“Identification and Filtering of Uncharacteristic Noise in the CMS Hadron Calorimeter”
J. Instrum. 5 (2010) T03014
doi:10.1088/1748-0221/5/03/T03014
539. S. Chatrchyan, ..., N.Cavallo, et al.:
“Performance of the CMS Drift Tube Chambers with Cosmic Rays”
J. Instrum. 5 (2010) T03015
doi:10.1088/1748-0221/5/03/T03015
540. S. Chatrchyan, ..., N.Cavallo, et al.:
“Calibration of the CMS Drift Tube Chambers and Measurement of the Drift Velocity with Cosmic Rays”
J. Instrum. 5 (2010) T03016
doi:10.1088/1748-0221/5/03/T03016
541. S. Chatrchyan, ..., N.Cavallo, et al.:
“Performance Study of the CMS Barrel Resistive Plate Chambers with Cosmic Rays”
J. Instrum. 5 (2010) T03017
doi:10.1088/1748-0221/5/03/T03017
542. S. Chatrchyan, ..., N.Cavallo, et al.:
“Performance of the CMS Cathode Strip Chambers with Cosmic Rays”

J. Instrum. 5 (2010) T03018
doi:10.1088/1748-0221/5/03/T03018

543. S. Chatrchyan, ..., N.Cavallo, et al.:
“Aligning the CMS Muon Chambers with the Muon Alignment System during an Extended Cosmic Ray Run”
J. Instrum. 5 (2010) T03019
doi:10.1088/1748-0221/5/03/T03019
544. S. Chatrchyan, ..., N.Cavallo, et al.:
“Alignment of the CMS Muon System with Cosmic-Ray and Beam-Halo Muons”
J. Instrum. 5 (2010) T03020
doi:10.1088/1748-0221/5/03/T03020
545. S. Chatrchyan, ..., N.Cavallo, et al.:
“Precise Mapping of the Magnetic Field in the CMS Barrel Yoke using Cosmic Rays”
J. Instrum. 5 (2010) T03021
doi:10.1088/1748-0221/5/03/T03021
546. S. Chatrchyan, ..., N.Cavallo, et al.:
“Performance of CMS Muon Reconstruction in Cosmic-Ray Events”
J. Instrum. 5 (2010) T03022
DOI:10.1088/1748-0221/5/03/T03022
547. D. Piccolo, ..., N.Cavallo, et al.:
“Resistive plate chambers performance with cosmic rays in the CMS experiment”
Nucl. Instrum. Meth. A 617 (2010) 180-182

2011

548. S. Chatrchyan, ..., N.Cavallo, et al.:
“Observation and studies of jet quenching in PbPb collisions at $\text{Sqrt}(s_{\text{NN}}) = 2.76 \text{ TeV}$ ”
Phys. Rev. C 84 (2011) 024906
DOI: 10.1103/PhysRevC.84.024906
UGOV: 27232
549. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for a Heavy Bottom-like Quark in pp Collisions at $\text{Sqrt}(s) = 7 \text{ TeV}$ ”
Phys. Lett. B 701 (2011) 204–223
DOI: 10.1016/j.physletb.2011.05.074
UGOV: 27233
550. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of W+W- Production and Search for the Higgs Boson in pp Collisions at $\text{Sqrt}(s) = 7 \text{ TeV}$ ”
Phys. Lett. B 699 (2011) 25–47
DOI: 10.1016/j.physletb.2011.03.056
UGOV: 27234
551. S. Chatrchyan, ..., N.Cavallo, et al.:
“Study of Z boson production in PbPb collisions at $\text{Sqrt}(s_{\text{NN}}) = 2.76 \text{ TeV}$ ”
Phys. Rev. Lett. 106 (2011) 212301
DOI: 10.1103/PhysRevLett.106.212301
UGOV: 27235
552. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for a W' boson decaying to a muon and a neutrino in pp collisions at $\text{Sqrt}(s) = 7 \text{ TeV}$ ”
Phys. Lett. B 701 (2011) 160–179
DOI: 10.1016/j.physletb.2011.05.048
UGOV: 27236

553. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for Supersymmetry in pp Collisions at $\sqrt{s} = 7$ TeV in Events with Two Photons and Missing Transverse Energy”
Phys. Rev. Lett. **106** (2011) 211802
DOI: [10.1103/PhysRevLett.106.211802](https://doi.org/10.1103/PhysRevLett.106.211802)
UGOV: 27237
554. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for Resonances in the Dilepton Mass Distribution in pp Collisions at $\sqrt{s} = 7$ TeV”
J. High Energy Phys. **05** (2011) 093
DOI: [10.1007/JHEP05\(2011\)093](https://doi.org/10.1007/JHEP05(2011)093)
UGOV: 27238
555. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for Physics Beyond the Standard Model in Opposite-Sign Dilepton Events at $\sqrt{s} = 7$ TeV”
J. High Energy Phys. **06** (2011) 026
DOI: [10.1007/JHEP06\(2011\)026](https://doi.org/10.1007/JHEP06(2011)026)
UGOV: 27239
556. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the lepton charge asymmetry in inclusive W production in pp collisions at $\sqrt{s} = 7$ TeV”
J. High Energy Phys. **04** (2011) 050
DOI: [10.1007/JHEP04\(2011\)050](https://doi.org/10.1007/JHEP04(2011)050)
UGOV: 27240
557. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for Large Extra Dimensions in the Diphoton Final State at the Large Hadron Collider”
J. High Energy Phys. **05** (2011) 085
DOI: [10.1007/JHEP05\(2011\)085](https://doi.org/10.1007/JHEP05(2011)085)
UGOV: 27241
558. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the Inclusive Z Cross Section via Decays to Tau Pairs in pp Collisions at $\sqrt{s} = 7$ TeV”
J. High Energy Phys. **08** (2011) 117
DOI: [10.1007/JHEP08\(2011\)117](https://doi.org/10.1007/JHEP08(2011)117)
UGOV: 27242
559. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for Neutral MSSM Higgs Bosons Decaying to Tau Pairs in pp Collisions at $\sqrt{s} = 7$ TeV”
Phys. Rev. Lett. **106**:231801,2011.
DOI: [10.1103/PhysRevLett.106.231801](https://doi.org/10.1103/PhysRevLett.106.231801)
UGOV: 27243
560. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the differential dijet production cross section in proton-proton collisions at $\sqrt{s} = 7$ TeV”
Phys. Lett. B **700** (2011) 187–206
DOI: [10.1016/j.physletb.2011.05.027](https://doi.org/10.1016/j.physletb.2011.05.027)
UGOV: 27244
561. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the B0 Production Cross Section in pp Collisions at $\sqrt{s} = 7$ TeV”
Phys. Rev. Lett. **106** (2011) 252001
DOI: [10.1103/PhysRevLett.106.252001](https://doi.org/10.1103/PhysRevLett.106.252001)
UGOV: 27245
562. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for new physics with same-sign isolated dilepton events with jets and missing transverse energy at the LHC”

- J. High Energy Phys. 06 (2011) 077
DOI: 10.1007/JHEP06(2011)077
UGOV: 27246
563. S. Chatrchyan, ..., N.Cavallo, et al.:
“Charged particle transverse momentum spectra in pp collisions at $\text{Sqrt}(s) = 0.9$ and 7 TeV ”
J. High Energy Phys. 08 (2011) 086
DOI: 10.1007/JHEP08(2011)086
UGOV: 27247
564. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the Polarization of W Bosons with Large Transverse Momenta in W+Jets Events at the LHC”
Phys. Rev. Lett. 107 (2011) 021802
DOI: 10.1103/PhysRevLett.107.021802
UGOV: 27248
565. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for Supersymmetry in events with a lepton, photon and large missing transverse energy in pp collisions at $\text{sqrt}(s) = 7 \text{ TeV}$ ”
J. High Energy Phys 06 (2011) 093
DOI: 10.1007/JHEP06(2011)093
UGOV: 27249
566. S. Chatrchyan, ..., N.Cavallo, et al.:
“Long-range and short-range dihadron angular correlations in central PbPb collisions at $\text{sqrt}(s_{\text{NN}}) = 2.76 \text{ TeV}$ ”
J. High Energy Phys 07 (2011) 76
DOI: 10.1007/JHEP07(2011)076
UGOV: 27250
567. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of $W\gamma$ and $Z\gamma$ production in pp collisions at $\text{sqrt}(s) = 7 \text{ TeV}$ ”
Physics Letters B 701 (2011) 535–555
DOI:10.1016/j.physletb.2011.06.034
UGOV: 27251
568. S. Chatrchyan, ..., N.Cavallo, et al.:
“Indications of Suppression of excited Upsilon states in PbPb collisions at $\text{sqrt}(s_{\text{NN}}) = 2.76 \text{ TeV}$ ”
Phys. Rev. Lett. 107 (2011) 052302
DOI: 10.1103/PhysRevLett.107.052302
UGOV: 27252
569. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for First Generation Scalar Leptoquarks in the pp to evjj Channel at $\text{sqrt}(s) = 7 \text{ TeV}$ ”
Phys. Lett. B 703 (2011) 246-266
DOI: 10.1016/j.physletb.2011.07.089
UGOV: 27253
570. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the ttbar production cross section and the top quark mass in the dilepton channel in pp collisions at $\text{sqrt}(s) = 7 \text{ TeV}$ ”
J. High Energy Phys 07 (2011) 049
DOI: 10.1007/JHEP07(2011)049
UGOV: 27254
571. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the Inclusive Jet Cross Section in pp Collisions at $\text{Sqrt}(s) = 7 \text{ TeV}$ ”
Phys. Rev. Lett. 107 (2011) 132001
DOI: 10.1103/PhysRevLett.107.132001

UGOV: 27255

572. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the Ratio of the 3-jet to 2-jet Cross Sections in pp Collisions at $\sqrt{s} = 7$ TeV”
Phys. Lett. B 702 (2011) 336-354
DOI: 10.1016/j.physletb.2011.07.067
UGOV: 27256
573. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the Top-antitop Production Cross Section in pp Collisions at $\sqrt{s} = 7$ TeV using the Kinematic Properties of Events with Leptons and Jets”
Eur. Phys. J. C 71 (2011) 1721
DOI: 10.1140/epjc/s10052-011-1721-3
UGOV: 27257
574. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for Physics Beyond the Standard Model Using Multilepton Signatures in pp Collisions at $\sqrt{s} = 7$ TeV ”
Phys. Lett. B 704 (2011) 411-433
DOI: 10.1016/j.physletb.2011.09.047
UGOV: 27258
575. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for Same-Sign Top-Quark Pair Production at $\sqrt{s} = 7$ TeV and Limits on Flavour Changing Neutral Currents in the Top Sector”
J. High Energy Phys. 08 (2011) 005
DOI: 10.1007/JHEP08(2011)005
UGOV: 27259
576. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for Light Resonances Decaying to Pairs of Muons as a Signal of New Physics”
CERN-PH-EP-2011-064 ; CMS-EXO-11-013-003. – 2011
J. High Energy Phys. 07 (2011) 098
DOI: 10.1007/JHEP07(2011)098
UGOV: 27260
577. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the t-channel single top quark production cross section in pp collisions at $\sqrt{s} = 7$ TeV”
Phys. Rev. Lett. 107 (2011) 091802
DOI: 10.1103/PhysRevLett.107.091802
UGOV: 27261
578. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for Supersymmetry in Events with b Jets and Missing Transverse Momentum at the LHC”
J. High Energy Phys. 07 (2011) 113
DOI: 10.1007/JHEP07(2011)113
UGOV: 27262
579. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the B^0s Production Cross Section with $B^0s \rightarrow J/\psi\phi$ Decays in pp Collisions at $\sqrt{s} = 7$ TeV”
Phys. Rev. D 84 (2011) 052008
DOI: 10.1103/PhysRevD.84.052008
UGOV: 27263
580. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for New Physics with Jets and Missing Transverse Momentum in pp collisions at $\sqrt{s} = 7$ TeV”
J. High Energy Phys. 08 (2011) 155
DOI: 10.1007/JHEP08(2011)155
UGOV: 27264

581. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for New Physics with a Mono-Jet and Missing Transverse Energy in pp Collisions at $\sqrt{s} = 7$ TeV”
Phys. Rev. Lett. 107 (2011) 201804
DOI: 10.1103/PhysRevLett.107.201804
UGOV: 27265
582. S. Chatrchyan, ..., N.Cavallo, et al.:
“Missing transverse energy performance of the CMS detector”
J. Instrum. 6 (2011) P09001
DOI: 10.1088/1748-0221/6/09/P09001
UGOV: 27266
583. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the Underlying Event Activity at the LHC with $\sqrt{s} = 7$ TeV and Comparison with $\sqrt{s} = 0.9$ TeV”
J. High Energy Phys. 09 (2011) 109
DOI: 10.1007/JHEP09(2011)109
UGOV: 27267
584. S. Chatrchyan, ..., N.Cavallo, et al.:
“Inclusive search for squarks and gluinos in pp collisions at $\sqrt{s} = 7$ TeV”
Phys. Rev. D 85 (2012) 012004
DOI: 10.1103/PhysRevD.85.012004
UGOV: 27268
585. S. Chatrchyan, ..., N.Cavallo, et al.:
“A search for excited leptons in pp Collisions at $\sqrt{s} = 7$ TeV”
Phys. Lett. B 704 (2011) 143-162
DOI: 10.1016/j.physletb.2011.09.021
UGOV: 27269
586. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for supersymmetry in proton-proton collisions at $\sqrt{s} = 7$ TeV in events with a single lepton, jets, and missing transverse momentum”
J. High Energy Phys. 08 (2011) 156
DOI: 10.1007/JHEP08(2011)156
UGOV: 27270
587. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for Three-Jet Resonances in pp Collisions at $\sqrt{s} = 7$ TeV”
Phys. Rev. Lett. 107 (2011) 101801
DOI: 10.1103/PhysRevLett.107.101801
UGOV: 27271
588. S. Chatrchyan, ..., N.Cavallo, et al.:
“Determination of Jet Energy Calibration and Transverse Momentum Resolution in CMS”
J. Instrum. 6 (2011) P11002
DOI: 10.1088/1748-0221/6/11/P11002
UGOV: 27272
589. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the Inclusive W and Z Production Cross Sections in pp Collisions at $\sqrt{s} = 7$ TeV with the CMS experiment”
J. High Energy Phys. 10 (2011) 132
DOI: 10.1007/JHEP10(2011)132
UGOV: 27274
590. S. Chatrchyan, ..., N.Cavallo, et al.:

“Search for Resonances in the Dijet Mass Spectrum from 7 TeV pp Collisions at CMS”

Phys. Lett. B 704 (2011) 123-142

DOI: 10.1016/j.physletb.2011.09.015

UGOV: 27275

591. S. Chatrchyan, ..., N.Cavallo, et al.:
“Dependence on pseudorapidity and on centrality of charged hadron production in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV”
J. High Energy Phys. 08 (2011) 141
DOI: 10.1007/JHEP08(2011)141
UGOV: 27276
592. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for B^0s into $\mu^+ \mu^-$ and B^0 into $\mu^+ \mu^-$ decays in pp collisions at $s \sqrt{=} 7$ TeV”
Phys. Rev. Lett. 107 (2011) 191802
DOI: 10.1103/PhysRevLett.107.191802
UGOV: 27278
593. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the Drell-Yan Cross Section in pp Collisions at $\sqrt{s} = 7$ TeV”
J. High Energy Phys. 10 (2011) 007
DOI: 10.1007/JHEP10(2011)007
UGOV: 27279
594. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the Differential Cross Section for Isolated Prompt Photon Production in pp Collisions at 7 TeV”
Phys. Rev. D 84 (2011) 052011
DOI: 10.1103/PhysRevD.84.052011
UGOV: 27280
595. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the $t\bar{t}$ Production Cross Section in pp Collisions at 7 TeV in Lepton + Jets Events Using b-quark Jet Identification”
Phys. Rev. D 84 (2011) 092004
DOI: 10.1103/PhysRevD.84.092004
UGOV: 27281
596. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for Supersymmetry at the LHC in Events with Jets and Missing Transverse Energy”
Phys. Rev. Lett. 107 (2011) 221804
DOI: 10.1103/PhysRevLett.107.221804
UGOV: 27282
597. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for a Vector-like Quark with Charge 2/3 in $t + Z$ Events from pp Collisions at $s \sqrt{=} 7$ TeV ”
Phys. Rev. Lett. 107 (2011) 271802
DOI: 10.1103/PhysRevLett.107.271802
UGOV: 27283
598. S. Chatrchyan, ..., N.Cavallo, et al.:
“Performance of τ -lepton reconstruction and identification in CMS ”
J. Instrum. 7 (2012) P01001
doi:10.1088/1748-0221/7/01/P01001
UGOV: 27284
599. S. Chatrchyan, ..., N.Cavallo, et al.:
“Forward Energy Flow, Central Charged-Particle Multiplicities, and Pseudorapidity Gaps in W and Z Boson Events from pp Collisions at $s \sqrt{=} 7$ TeV ”
European Physical Journal C 72 (2012) 1839

DOI: 10.1140/epjc/s10052-011-1839-3
UGOV:27285

600. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of energy flow at large pseudorapidities in pp collisions at $s\sqrt{s} = 0.9$ and 7 TeV”
J. High Energy Phys. 11 (2011) 148
DOI: 10.1007/JHEP11(2011)148
UGOV: 27286
601. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the weak mixing angle with the Drell-Yan process in proton-proton collisions at the LHC”
Phys. Rev. D 84 (2011) 112002
DOI: 10.1103/PhysRevD.84.112002
UGOV:27287
602. S. Chatrchyan, ..., N.Cavallo, et al.:
“Jet Production Rates in Association with W and Z Bosons in pp Collisions at $s\sqrt{s} = 7$ TeV”
J. High Energy Phys. 01 (2012) 010
DOI: 10.1007/JHEP01(2012)010
UGOV: 27288
603. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the Rapidity and Transverse Momentum Distributions of Z Bosons in pp Collisions at $s\sqrt{s} = 7$ TeV”
Phys. Rev. D 85, 032002 (2012)
DOI: 10.1103/PhysRevD.85.032002
UGOV: 27289
604. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the Production Cross Section for Pairs of Isolated Photons in pp collisions at $s\sqrt{s} = 7$ TeV”
J. High Energy Phys. 01 (2012) 133
DOI: 10.1007/JHEP01(2012)133
UGOV: 27290
605. S. Chatrchyan, ..., N.Cavallo, et al.:
“ J/ψ and ψ (2S) production in pp collisions at $\sqrt{s} = 7$ TeV”
J. High Energy Phys. 02 (2012) 011
DOI: 10.1007/JHEP02(2012)011
UGOV: 27291
606. S. Chatrchyan, ..., N.Cavallo, et al.:
“Exclusive diphoton production of dimuon pairs in proton-proton collisions at $\sqrt{s} = 7$ TeV”
J. High Energy Phys. 01 (2012) 052
DOI: 10.1007/JHEP01(2012)052
UGOV: 27292
607. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for signatures of extra dimensions in the diphoton mass spectrum at the Large Hadron Collider”
Phys. Rev. Lett. 108 (2012) 111801
DOI: 10.1103/PhysRevLett.108.111801
UGOV:27293
608. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the charge asymmetry in top-quark pair production in proton-proton collisions at $\sqrt{s} = 7$ TeV”
Phys. Lett. B 709 (2012) 28-49
DOI: 10.1016/j.physletb.2012.01.078
UGOV:27294
609. P. Achard, ..., N.Cavallo, et al.:

“Generalized event shape and energy flow studies in e+e- annihilation at $\sqrt{s} = 91.2\text{-}208.0 \text{ GeV}$ ”
J. High Energy Physics 10 (2011) 143
DOI: 10.1007/JHEP10(2011)143
UGOV: 28768

610. P. Achard, ..., N.Cavallo, et al.:
“Test of the tau-Model of Bose-Einstein Correlations and Reconstruction of the Source Function in Hadronic Z-boson Decay at LEP”
Eur. Phys. J. C 71 (2011) 1648
DOI: 10.1140/epjc/s10052-011-1648-8
UGOV: 27359

2012

611. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of isolated photon production in pp and PbPb collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ ”
Phys. Lett. B 710 (2012) 256-277
612. S. Chatrchyan, ..., N.Cavallo, et al.:
“Centrality dependence of dihadron correlations and azimuthal anisotropy harmonics in PbPb collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ ”
Eur. Phys. J. C 72 (2012) 2012
613. S. Chatrchyan, ..., N.Cavallo, et al.:
“Suppression of non-prompt J/psi, prompt J/psi, and Y(1S) in PbPb collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ ”
J. High Energy Phys. 05 (2011) 063
614. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the inclusive production cross sections for forward jets and for dijet events with one forward and one central jet in pp collisions at $s^{\frac{1}{2}} = 7 \text{ TeV}$ ”
J. High Energy Phys. 06 (2012) 036
615. S. Chatrchyan, ..., N.Cavallo, et al.:
“Combined results of searches for the standard model Higgs boson in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ ”
Phys. Lett. B 710 (2012) 26-48
616. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for a Higgs boson in the decay channel $H \rightarrow ZZ (*) \rightarrow q\bar{q}b\bar{b}l^-l^+$ in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ ”
J. High Energy Phys. 04 (2012) 036
617. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for the standard model Higgs boson decaying to a W pair in the fully leptonic final state in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ ”
Phys. Lett. B 710 (2012) 91-113
618. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for the standard model Higgs boson decaying into two photons in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ ”
Phys. Lett. B 710 (2012) 403-425
619. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for the standard model Higgs boson in the decay channel $H \rightarrow ZZ \rightarrow 4l$ in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ ”
Phys. Rev. Lett. 108 (2012) 111804
620. S. Chatrchyan, ..., N.Cavallo, et al.:
“Study of high-pT charged particle suppression in PbPb compared to pp collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ ”
Eur. Phys. J. C 72 (2012) 1945
621. S. Chatrchyan, ..., N.Cavallo, et al.:

- “Search for the standard model Higgs boson in the H to ZZ to 2l 2nu channel in pp collisions at sqrt(s) = 7 TeV”
J. High Energy Phys. 03 (2012) 040
622. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for the standard model Higgs boson in the H to ZZ to l+l- tau+ tau- decay channel in pp collisions at sqrt(s)=7 TeV”
J. High Energy Phys. 03 (2012) 081
623. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for large extra dimensions in dimuon and dielectron events in pp collisions at sqrt(s) = 7 TeV”
Phys. Lett. B 711 (2012) 15-34
624. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for neutral Higgs bosons decaying to tau pairs in pp collisions at sqrt(s)=7 TeV”
Phys. Lett. B 713 (2012) 68-90
625. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for the standard model Higgs boson decaying to bottom quarks in pp collisions at sqrt(s)=7 TeV”
Phys. Lett. B 710 (2012) 284-306
626. S. Chatrchyan, ..., N.Cavallo, et al.:
“Inclusive b-jet production in pp collisions at sqrt(s) = 7 TeV”
J. High Energy Phys. 04 (2012) 084
627. S. Chatrchyan, ..., N.Cavallo, et al.:
“Jet momentum dependence of jet quenching in PbPb collisions at sqrt(sNN) =2.76 TeV”
Phys. Lett. B 712 (2012) 176-197
628. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for quark compositeness in dijet angular distributions from pp collisions at sqrt(s) = 7 TeV”
J. High Energy Phys. 05 (2012) 055
629. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for microscopic black holes in pp collisions at sqrt(s) = 7 TeV”
J. High Energy Phys. 04 (2012) 061
630. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the cross section for production of b b-bar X, decaying to muons in pp collisions at sqrt(s) =7 TeV”
J. High Energy Phys. 06 (2012) 110
631. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for Bs to mu+ mu- and B0 to mu+ mu- decays”
J. High Energy Phys. 04 (2012) 033
632. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for heavy, top-like quark pair production in the dilepton final state in pp collisions at sqrt(s) = 7 TeV”
Phys. Lett. B 716 (2012) 103-121
633. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the top quark pair production cross section in pp collisions at sqrt(s) = 7 TeV in dilepton final states containing a τ ”
Phys. Rev. D 85 (2012) 112007
634. S. Chatrchyan, ..., N.Cavallo, et al.:
“Ratios of dijet production cross sections as a function of the absolute difference in rapidity between jets in proton-proton collisions at sqrt(s) = 7 TeV”
Eur. Phys. J. C 72 (2012) 2216

635. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for Dark Matter and Large Extra Dimensions in pp Collisions Yielding a Photon and Missing Transverse Energy”
Phys. Rev. Lett. **108** (2012) 261803
636. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for heavy bottom-like quarks in 4.9 inverse femtobarns of pp collisions at $\sqrt{s} = 7$ TeV”
J. High Energy Phys. **05** (2012) 123
637. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the elliptic anisotropy of charged particles produced in PbPb collisions at $\sqrt{s_{\text{NN}}} = 2.76$ TeV”
Phys. Rev. C **87** (2013) 014902
638. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the underlying event in the Drell-Yan process in proton-proton collisions at $\sqrt{s} = 7$ TeV”
Eur. Phys. J. C **72** (2012) 2080
639. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the $Z/\gamma^* + b$ -jet cross section in pp collisions at $\sqrt{s} = 7$ TeV”
JHEP **1206** (2012) 126
640. S. Chatrchyan, ..., N.Cavallo, et al.:
“Azimuthal anisotropy of charged particles at high transverse momenta in PbPb collisions at $\sqrt{s_{\text{NN}}} = 2.76$ TeV”
Phys. Rev. Lett. **109** (2012) 022301
641. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for anomalous ttbar production in the highly-boosted all-hadronic final state”
JHEP **09** (2012) 029
642. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the mass difference between top and antitop quarks”
JHEP **1206** (2012) 109
643. S. Chatrchyan, ..., N.Cavallo, et al.:
“Shape, transverse size, and charged hadron multiplicity of jets in pp collisions at $\sqrt{s} = 7$ TeV”
JHEP **1206** (2012) 160
644. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for physics beyond the standard model in events with a Z boson, jets, and missing transverse energy in pp collisions at $\sqrt{s} = 7$ TeV”
Phys. Lett. B **716** (2012) 260-284
645. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for leptonic decays of W' bosons in pp collisions at $\sqrt{s} = 7$ TeV”
J. High Energy Phys. **08** (2012) 023
646. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for anomalous production of multilepton events in pp collisions at $\sqrt{s} = 7$ TeV”
J. High Energy Phys. **06** (2012) 169
647. S. Chatrchyan, ..., N.Cavallo, et al.:
“Observation of a new Xi(b) baryon”
Phys. Rev. Lett. **108** (2012) 252002
648. S. Chatrchyan, ..., N.Cavallo, et al.:

- “Studies of jet quenching using isolated-photon+jet correlations in PbPb and pp collisions at $\text{sqrt}(s_{\text{NN}}) = 2.76 \text{ TeV}$ ”
[Phys. Lett. B 718 \(2013\) 773](#)
649. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for heavy long-lived charged particles in pp collisions at $\text{sqrt}(s)=7 \text{ TeV}$ ”
[Phys. Lett. B 713 \(2012\) 408-433](#)
650. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the Lambda(b) cross section and the anti-Lambda(b) to Lambda(b) ratio with Lambda(b) to J/Psi Lambda decays in pp collisions at $\text{sqrt}(s) = 7 \text{ TeV}$ ”
[Phys. Lett. B 714 \(2012\) 136-157](#)
651. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the pseudorapidity and centrality dependence of the transverse energy density in PbPb collisions at $\text{sqrt}(s_{\text{NN}}) = 2.76 \text{ TeV}$ ”
[Phys. Rev. Lett. 109 \(2012\) 152303](#)
652. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for a light charged Higgs boson in top quark decays in pp collisions at $\text{sqrt}(s) = 7 \text{ TeV} / \text{CMS Collaboration}$ ”
[JHEP 07 \(2012\) 143](#)
653. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of jet fragmentation into charged particles in pp and PbPb collisions at $\text{sqrt}(s_{\text{NN}}) = 2.76 \text{ TeV}$ ”
[J. High Energy Phys. 10 \(2012\) 087](#)
654. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for new physics with same-sign isolated dilepton events with jets and missing transverse energy”
[Phys. Rev. Lett. 109 \(2012\) 071803](#)
655. S. Chatrchyan, ..., N.Cavallo, et al.:
“Study of W boson production in PbPb and pp collisions at $\text{sqrt}(s_{\text{NN}}) = 2.76 \text{ TeV}$ ”
[Phys. Lett. B 715 \(2012\) 66-87](#)
656. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for a W' or Techni-ρ Decaying into WZ in pp Collisions at $\text{sqrt}(s) = 7 \text{ TeV}$ ”
[Phys. Rev. Lett. 109 \(2012\) 141801](#)
657. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for narrow resonances in dilepton mass spectra in pp collisions at $\text{sqrt}(s) = 7 \text{ TeV}$ ”
[Phys. Lett. B 714 \(2012\) 158-179](#)
658. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for high mass resonances decaying into τ -lepton pairs in pp collisions at $\text{sqrt}(s) = 7 \text{ TeV}$ ”
[Phys. Lett. B 716 \(2012\) 82-102](#)
659. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the electron charge asymmetry in inclusive W production in pp collisions at $\text{sqrt}(s) = 7 \text{ TeV}$ ”
[Phys. Rev. Lett. 109 \(2012\) 111806](#)
660. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for charge-asymmetric production of W' bosons in top pair + Jet events from pp collisions at $\text{sqrt}(s) = 7 \text{ TeV}$ ”
[Phys. Lett. B 717 \(2012\) 351–370](#)
661. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for new physics in events with opposite-sign leptons, jets and missing transverse energy in pp collisions at $\text{sqrt}(s) = 7 \text{ TeV}$ ”

Phys. Lett. B 718 (2013) 815

662. S. Chatrchyan, ..., N.Cavallo, et al.:
“Performance of CMS muon reconstruction in pp collision events at $\sqrt{s} = 7 \text{ TeV}$ ”
JINST 7 (2012) P10002
663. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for new physics in events with same-sign dileptons and b-tagged jets in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ ”
J. High Energy Phys. 08 (2012) 110
664. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for dark matter and large extra dimensions in monojet events in pp collisions at $\sqrt{s}= 7 \text{ TeV}$ ”
JHEP 09 (2012) 094
665. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for a light pseudoscalar Higgs boson in the dimuon decay channel in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ ”
Phys. Rev. Lett. 109 (2012) 121801
666. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for stopped long-lived particles produced in pp collisions at $\sqrt{s}=7 \text{ TeV}$ ”
J. High Energy Phys. 08 (2012) 026
667. S. Chatrchyan, ..., N.Cavallo, et al.:
“Inclusive and differential measurements of the t t-bar charge asymmetry in proton-proton collisions at 7 TeV”
Phys. Lett. B 717 (2012) 129-150
668. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for new physics with long-lived particles decaying to photons and missing energy in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ ”
JHEP 11 (2012) 172
669. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for a fermiophobic Higgs boson in pp collisions at $\sqrt{s}=7 \text{ TeV}.$ ”
J. High Energy Phys. 09 (2012) 111
670. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ ”
Phys. Rev. Lett. 109 (2012) 171803
671. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for supersymmetry in hadronic final states using MT2 in pp collisions at $\sqrt{s} = 7 \text{ TeV}”$
J. High Energy Phys. 10 (2012) 018
672. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the underlying event activity in pp collisions at $\sqrt{s} = 0.9 \text{ and } 7 \text{ TeV}$ with the novel jet-area/median approach”
J. High Energy Phys. 08 (2012) 130
673. S. Chatrchyan, ..., N.Cavallo, et al.:
“A search for a doubly-charged Higgs boson in pp collisions at $\sqrt{s} = 7 \text{ TeV}”$
Eur. Phys. J. C 72 (2012) 2189
674. S. Chatrchyan, ..., N.Cavallo, et al.:
“Forward-backward asymmetry of Drell-Yan lepton pairs in pp collisions at $\sqrt{s} = 7 \text{ TeV}”$
Phys. Lett. B 718 (2013) 752
675. S. Chatrchyan, ..., N.Cavallo, et al.:

- “Study of the inclusive production of charged pions, kaons, and protons in pp collisions at $\text{sqrt}(s) = 0.9, 2.76,$ and 7 TeV ”
[Eur. Phys. J. C 72 \(2012\) 2164](#)
676. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for heavy Majorana neutrinos in $\mu+\mu+[\mu-\mu-]$ and $e+e+[e-e-]$ events in pp collisions at $\text{sqrt}(s) = 7 \text{ TeV}$ ”
[Phys. Lett. B 717 \(2012\) 109-128](#)
677. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for pair production of first- and second-generation scalar leptoquarks in pp collisions at $\text{sqrt}(s) = 7 \text{ TeV}$ ”
[Phys. Rev. D 86 \(2012\) 052013](#)
678. S. Chatrchyan, ..., N.Cavallo, et al.:
“Observation of a new boson at a mass of 125 GeV with the CMS experiment at the LHC”
[Phys. Lett. B 716 \(2012\) 30-61](#)
679. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for a W' boson decaying to a bottom quark and a top quark in pp collisions at $\text{sqrt}(s) = 7 \text{ TeV}$ ”
[Phys. Lett. B 718 \(2013\) 1229](#)
680. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for flavor changing neutral currents in top quark decays in pp collisions at 7 TeV”
[Phys. Lett. B 718 \(2013\) 1252](#)
681. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the $t\bar{t}$ production cross section in the dilepton channel in pp collisions at $\text{sqrt}(s)=7 \text{ TeV}$ ”
[J. High Energy Phys. 11 \(2012\) 067](#)
682. S. Chatrchyan, ..., N.Cavallo, et al.:
“Observation of sequential Upsilon suppression in PbPb collisions”
[Phys. Rev. Lett. 109 \(2012\) 222301](#)
683. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for three-jet resonances in pp collisions at $\text{sqrt}(s) = 7 \text{ TeV}$ ”
[Phys. Lett. B 718 \(2012\) 329](#)
684. S. Chatrchyan, ..., N.Cavallo, et al.:
“Study of the dijet mass spectrum in pp to $W + \text{jets}$ events at $\text{sqrt}(s)=7 \text{ TeV}$ ”
[Phys. Rev. Lett. 109 \(2012\) 251801](#)
685. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for supersymmetry in events with b-quark jets and missing transverse energy in pp collisions at 7 TeV”
[Phys. Rev. D 86 \(2012\) 072010](#)
686. S. Chatrchyan, ..., N.Cavallo, et al.:
“Combined search for the quarks of a sequential fourth generation”
[Phys. Rev. D 86 \(2012\) 112003](#)
687. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for exclusive or semi-exclusive photon pair production and observation of exclusive and semi-exclusive electron pair production in pp collisions at $\text{sqrt}(s) = 7 \text{ TeV}$ ”
[J. High Energy Phys. 11 \(2012\) 080](#)
688. S. Chatrchyan, ..., N.Cavallo, et al.:
“Observation of a diffractive contribution to dijet production in proton-proton collisions at $\text{sqrt}(s)=7 \text{ TeV}$ ”
[Phys. Rev. D 87 \(2013\) 012006](#)

689. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the top-quark mass in t tbar events with lepton+jets final states in pp collisions at sqrt(s)=7 TeV”
[J. High Energy Phys. 12 \(2012\) 105](#)
690. S. Chatrchyan, ..., N sqrt(s)=7 TeV.Cavallo, et al.:
“Measurement of the top-quark mass in ttbar events with dilepton final states in pp collisions at sqrt(s)=7 TeV”
[Eur. Phys. J. C 72 \(2012\) 2202](#)
691. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the Y(1S), Y(2S) and Y(3S) polarizations in pp collisions at sqrt(s) = 7 TeV”
[Phys. Lett. B 718 \(2013\) 1208](#)
692. S. Chatrchyan, ..., N.Cavallo, et al.:
“Evidence for associated production of a single top quark and W boson in pp collisions at 7 TeV.”
[Phys. Rev. Lett. 110 \(2013\) 022003](#)
693. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for a narrow spin-2 resonance decaying to a pair of Z vector bosons in the semileptonic final state ”
[Phys. Lett. B 718 \(2013\) 1208](#)
694. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for the standard model Higgs boson produced in association with W and Z bosons in pp collisions at sqrt(s) =7 TeV”
[J. High Energy Phys. 11 \(2012\) 088](#)
695. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for resonant t t-bar production in lepton+jets events in pp collisions at sqrt(s)=7 TeV”
[J. High Energy Phys. 12 \(2012\) 015](#)
696. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the single-top-quark t-channel cross section in pp collisions at sqrt(s) = 7 TeV”
[J. High Energy Phys. 12 \(2012\) 035](#)
697. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for electroweak production of charginos and neutralinos using leptonic final states in pp collisions at sqrt(s) = 7 TeV”
[J. High Energy Phys. 11 \(2012\) 147](#)
698. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for anomalous production of highly boosted Z bosons decaying to dimuons in pp collisions at sqrt(s) = 7 TeV”
[Phys. Lett. B 722 \(2013\) 28-47](#)
699. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the relative prompt production rate of chi(c2) and chi(c1) in pp collisions at sqrt(s) = 7 TeV”
[Eur. Phys. J. C 72 \(2012\) 2251](#)
700. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for supersymmetry in events with photons and low missing transverse energy in pp collisions at sqrt(s) = 7 TeV”
[Phys. Lett. B 719 \(2013\) 42-61](#)
701. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for excited leptons in pp collisions at sqrt(s) = 7 TeV”
[Phys. Lett. B 720 \(2013\) 309-329](#)

702. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for narrow resonances and quantum black holes in inclusive and b-tagged dijet mass spectra from pp collisions at $\text{sqrt}(s)=7 \text{ TeV}$ ”
[J. High Energy Phys. 01 \(2013\) 013](#)
703. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for heavy neutrinos and W bosons with right-handed couplings in a left-right symmetric model in pp collisions at 7 TeV”
[Phys. Rev. Lett. 109 \(2012\) 261802](#)
704. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for fractionally charged particles in pp collisions at $\text{sqrt}(s) = 7 \text{ TeV}$ ”
[Phys. Rev. D 87 \(2013\) 092008](#)
705. S. Chatrchyan, ..., N.Cavallo, et al.:
“Observation of Z decays to four leptons with the CMS detector at the LHC”
[J. High Energy Phys. 12 \(2012\) 034](#)
706. S. Chatrchyan, ..., N.Cavallo, et al.:
“Observation of long-range near-side angular correlations in proton-lead collisions at the LHC”
[Phys. Lett. B 718 \(2013\) 795-814](#)
707. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for third-generation leptoquarks and scalar bottom quarks in pp collisions at $\text{sqrt}(s) = 7 \text{ TeV}$ ”
[J. High Energy Phys. 12 \(2012\) 055](#)
708. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for pair production of third-generation leptoquarks and top squarks in pp collisions at $\text{sqrt}(s) = 7 \text{ TeV}$ ”
[Phys. Rev. Lett. 110 \(2013\) 081801](#)
709. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the inelastic proton-proton cross section at $\text{sqrt}(s) = 7 \text{ TeV}$ ”
[Phys. Lett. B 722 \(2013\) 5-27](#)
710. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for a non-standard-model Higgs boson decaying to a pair of new light bosons in four-muon final states”
[Phys. Lett. B 726 \(2013\) 564](#)
711. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for heavy quarks decaying into a top quark and a W or Z boson using lepton + jets events in pp collisions at $\text{sqrt}(s) = 7 \text{ TeV}$ ”
[J. High Energy Phys. 01 \(2013\) 154](#)
712. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the sum of WW and WZ production with W+dijet events in pp collisions at $\text{sqrt}(s) = 7 \text{ TeV}$ ”
[Eur. Phys. J. C 73 \(2013\) 2283](#)
713. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for supersymmetry in final states with missing transverse energy and 0, 1, 2, or at least 3 b-quark jets in 7 TeV pp collisions using the variable alphaT”
[Physics J. High Energy Phys. 01 \(2013\) 077](#)
714. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of differential top-quark pair production cross sections in pp collisions at $\text{sqrt}(s) = 7 \text{ TeV}$ ”
[EPJC 73 \(2013\) 2339](#)
715. S. Chatrchyan, ..., N.Cavallo, et al.:

- “Search in leptonic channels for heavy resonances decaying to long-lived neutral particles”
J. High Energy Phys. 02 (2013) 085
716. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for supersymmetry in final states with a single lepton, b-quark jets, and missing transverse energy in proton-proton collisions at $s \sqrt{= 7 \text{ TeV}}$ ”
Phys. Rev. D 87 (2013) 052006
717. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for Z' resonances decaying to $t\bar{t}$ in dilepton+jets final states in pp collisions at $\text{sqrt}(s) = 7 \text{ TeV}$ ”
Phys. Rev. D 87 (2013) 072002
718. S. Chatrchyan, ..., N.Cavallo, et al.:
“Identification of b-quark jets with the CMS experiment ”
J. Instrum. 8 P04013 (2013) P04013
719. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for new physics in events with photons, jets, and missing transverse energy in pp collisions at $s \sqrt{= 7 \text{ TeV}}$ ”
J. High Energy Phys. 03 (2013) 111
720. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the ZZ production cross section and search for anomalous couplings in 2l2l' final states in pp collisions at $s \sqrt{= 7 \text{ TeV}}$ ”
J. High Energy Phys. 01 (2013) 063
721. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for exotic resonances decaying into WZ/ZZ in pp collisions at $\text{sqrt}(s) = 7 \text{ TeV}$ ”
J. High Energy Phys. 02 (2013) 036
722. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for long-lived particles decaying to photons and missing energy in proton-proton collisions at $\text{sqrt}(s) = 7 \text{ TeV}$ ”
Phys. Lett. 722 (2013) 273
723. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for heavy resonances in the W/Z-tagged dijet mass spectrum in pp collisions at 7 TeV ”
Phys. Lett. B 723 (2013) 280
724. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for contact interactions in opposite-sign dimuon events in pp collisions at $\text{sqrt}(s) = 7 \text{ TeV}$ ”
Phys. Rev. D 87 (2013) 032001
725. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for heavy narrow dilepton resonances in pp collisions at $\text{sqrt}(s) = 7 \text{ TeV}$ and $\text{sqrt}(s) = 8 \text{ TeV}$ ”
Phys. Lett. B 720 (2013) 63-82
726. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for new physics in events with same-sign dileptons and b jets in pp collisions at $\text{sqrt}(s) = 8 \text{ TeV}$ ”
JHEP 03 (2013) 037
727. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for supersymmetry in pp collisions at $\text{sqrt}(s) = 7 \text{ TeV}$ in events with a single lepton, jets, and missing transverse momentum ”
Eur. Phys. J. C 73 (2013) 2404
728. S. Chatrchyan, ..., N.Cavallo, et al.:
“Study of the mass and spin-parity of the Higgs boson candidate via its decays to Z boson pairs”
Phys. Rev. Lett. 110 (2013) 081803

729. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurements of differential jet cross sections in proton-proton collisions at $s \sqrt{=7}$ TeV with the CMS detector ”
Phys. Rev. D 87 (2013) 112002
730. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the ttbar production cross section in pp collisions at $\text{sqrt}(s) = 7$ TeV with lepton + jets final states ”
Phys. Lett. B 720 (2013) 83-104
731. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the azimuthal anisotropy of neutral pions in PbPb collisions at $\text{sqrt}(s_{\text{NN}}) = 2.76$ TeV ”
Phys. Rev. Lett. 110 (2013) 042301
732. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for pair produced fourth-generation up-type quarks in pp collisions at $\text{sqrt}(s) = 7$ TeV with a lepton in the final state ”
Phys. Lett. B 718 (2012) 307
733. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for heavy lepton partners of neutrinos in proton-proton collisions in the context of the type III seesaw mechanism ”
Phys. Lett. B 718 (2012) 348

2013

734. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for supersymmetry in events with opposite-sign dileptons and missing transverse energy using an artificial neural network ”
Phys. Rev. D 87 (2013) 072001
DOI: 10.1103/PhysRevD.87.072001
UGOV: 58759
735. S. Chatrchyan, ..., N.Cavallo, et al.:
“Event shapes and azimuthal correlations in Z + jets events in pp collisions at $\text{sqrt}(s) = 7$ TeV”
Phys. Lett. B 722 (2013) 238
DOI: 10.1016/j.physletb.2013.04.025
UGOV: 58756
736. S. Chatrchyan, ..., N.Cavallo, et al.:
“Inclusive search for supersymmetry using the razor variables in pp collisions at $\text{sqrt}(s) = 7$ TeV ”
Phys. Rev. Lett. 111, 081802 (2013)
DOI: 10.1103/PhysRevLett.111.081802
UGOV: 58738
737. S. Chatrchyan, ..., N.Cavallo, et al.:
“Interpretation of searches for supersymmetry with simplified models”
Phys. Rev. D 88 (2013) 052017
DOI: 10.1103/PhysRevD.88.052017
UGOV: 62235
738. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for physics beyond the standard model in events with tau leptons, jets, and large transverse momentum imbalance in pp collisions at $\text{sqrt}(s)= 7$ TeV”
Eur. Phys. J. C 73 (2013) 2493
DOI: 10.1140/epjc/s10052-013-2493-8
UGOV: 58758
739. S. Chatrchyan, ..., N.Cavallo, et al.:

- “Measurement of W+ W– and ZZ production cross sections in pp collisions at $\text{sqrt}(s)=8 \text{ TeV}$ ”
Phys. Lett. B 721 (2013) 190-211
DOI: 10.1016/j.physletb.2013.03.027
UGOV: 58750
740. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for contact interactions using the inclusive jet pT spectrum in pp collisions at $\text{sqrt}(s)=7 \text{ TeV}$ ”
Phys.Rev. D87 (2013) 052017
DOI: 10.1103/PhysRevD.87.052017
UGOV: 58751
741. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the top-antitop production cross section in the tau+jets channel in pp collisions at $\text{sqrt}(s)=7 \text{ TeV}$ ”
Eur. Phys. J. C 73 (2013) 2386
DOI: 10.1140/epjc/s10052-013-2386-x
UGOV: 58752
742. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for pair-produced dijet resonances in four-jet final states in pp collisions at $\text{sqrt}(s) = 7 \text{ TeV}$ ”
Phys.Rev.Lett. 110 (2013) 141802
DOI: 10.1103/PhysRevLett.110.141802
UGOV: 58766
743. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the ttbar production cross section in the all-jet final state in pp collisions at $\text{sqrt}(s) = 7 \text{ TeV}$ ”
JHEP 05 (2013) 065
DOI: 10.1007/JHEP05(2013)065
UGOV: 58765
744. S. Chatrchyan, ..., N.Cavallo, et al.:
“Searches for Higgs bosons in pp collisions at $\text{sqrt}(s) = 7$ and 8 TeV in the context of four-generation and fermiophobic models ”
Phys. Lett. B 725 (2013) 36-59
DOI: 10.1016/j.physletb.2013.06.043
745. S. Chatrchyan, ..., N.Cavallo, et al.:
“Study of the underlying event at forward rapidity in pp collisions at $\text{sqrt}(s) = 0.9, 2.76$, and 7 TeV ”
J. High Energy Phys. 04 (2013) 072
DOI: 10.1007/JHEP04(2013)072
746. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for new physics in final states with a lepton and missing transverse energy in pp collisions at the LHC”
Phys.Rev. D87 (2013) 072005
DOI: 10.1103/PhysRevD.87.072005
747. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for a Higgs boson decaying into a b-quark pair and produced in association with b quarks in proton-proton collisions at 7 TeV ”
Phys.Lett. B722 (2013) 207-232
DOI: 10.1016/j.physletb.2013.04.017
748. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the X(3872) production cross section via decays to J/psi pi pi in pp collisions at $\text{sqrt}(s) = 7 \text{ TeV}$ ”
JHEP 1304 (2013) 154
DOI: 10.1007/JHEP04(2013)154

749. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for narrow resonances using the dijet mass spectrum in pp collisions at $s\sqrt{= 8 \text{ TeV}}$ ”
Phys. Rev. D 87 (2013) 114015
DOI: 10.1103/PhysRevD.87.114015
750. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for the standard model Higgs boson produced in association with a top-quark pair in pp collisions at the LHC”
JHEP 1305 (2013) 145
DOI: 10.1007/JHEP05(2013)145
751. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for supersymmetry in hadronic final states with missing transverse energy using the variables alphaT and b-quark multiplicity in pp collisions at $\text{sqrt}(s) = 8 \text{ TeV}$ ”
Eur. Phys. J. C 73 (2013) 2568
DOI: 10.1140/epjc/s10052-013-2568-6
752. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of associated production of vector bosons and ttbar at $\text{sqrt}(s) = 7 \text{ TeV}$ ”
Phys.Rev.Lett. 110 (2013) 172002
DOI: 10.1103/PhysRevLett.110.172002
753. S. Chatrchyan, ..., N.Cavallo, et al.:
“Observation of a new boson with mass near 125 GeV in pp collisions at $\text{sqrt}(s) = 7 \text{ and } 8 \text{ TeV}$ ”
JHEP 06 (2013) 081
DOI: 10.1007/JHEP06(2013)081
754. S. Chatrchyan, ..., N.Cavallo, et al.:
“Studies of jet mass in dijet and W/Z+jet events”
JHEP 05 (2013) 090
DOI: 10.1007/JHEP05(2013)090
755. S. Chatrchyan, ..., N.Cavallo, et al.:
“A New Boson with a Mass of 125 GeV Observed with the CMS Experiment at the Large Hadron Collider”
Science 338 (2012) 1569-1575
DOI: 10.1126/science.1230816
756. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for microscopic black holes in pp collisions at $\text{sqrt}(s) = 8 \text{ TeV}$ ”
JHEP 07 (2013) 178
DOI: 10.1007/JHEP07(2013)178
757. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the Y(1S), Y(2S), and Y(3S) cross sections in pp collisions at $\text{sqrt}(s) = 7 \text{ TeV}$ ”
Phys. Lett. B 727 (2013) 101
DOI: 10.1016/j.physletb.2013.10.033
758. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for a standard-model-like Higgs boson with a mass of up to 1 TeV at the LHC”
Eur. Phys. J. C 73 (2013) 2469
DOI: 10.1140/epjc/s10052-013-2469-8
759. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of masses in the $t\bar{t}$ system by kinematic endpoints in pp collisions at $\text{sqrt}(s)=7 \text{ TeV}$ ”
Eur. Phys. J. C 73 (2013) 2494
DOI: 10.1140/epjc/s10052-013-2494-7
760. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the Lambda 0 b lifetime in pp collisions at $\text{sqrt}(s) = 7 \text{ TeV}$ ”
J. High Energy Phys. 07 (2013) 163

DOI: 10.1007/JHEP07(2013)163

761. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the ratio of the inclusive 3-jet cross section to the inclusive 2-jet cross section in pp collisions at $\text{sqrt}(s) = 7 \text{ TeV}$ and first determination of the strong coupling constant in the TeV range”
Eur. Phys. J. C 73 (2013) 2604
DOI: 10.1140/epjc/s10052-013-2604-6
762. S. Chatrchyan, ..., N.Cavallo, et al.:
“Searches for long-lived charged particles in pp collisions at $\text{sqrt}(s) = 7 \text{ and } 8 \text{ TeV}$ ”
J. High Energy Phys. 07 (2013) 122
DOI: 10.1007/JHEP07(2013)122
763. S. Chatrchyan, ..., N.Cavallo, et al.:
“Multiplicity and transverse-momentum dependence of two- and four-particle correlations in pPb and PbPb collisions ”
Phys. Lett. B 724 (2013) 213-240
DOI: 10.1016/j.physletb.2013.06.028
764. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for gluino mediated bottom- and top-squark production in multijet final states in pp collisions at 8 TeV / ”
Phys. Lett. B 725 (2013) 243-270
DOI: 10.1016/j.physletb.2013.06.058
765. S. Chatrchyan, ..., N.Cavallo, et al.:
“Study of exclusive two-photon production of $W + W^-$ in pp collisions at $\text{sqrt}(s) = 7 \text{ TeV}$ and constraints on anomalous quartic gauge couplings ”
J. High Energy Phys. 07 (2013) 116
DOI: 10.1007/JHEP07(2013)116
766. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of neutral strange particle production in the underlying event in proton-proton collisions at $\text{sqrt}(s) = 7 \text{ TeV}$ ”
Phys. Rev. D 88 (2013) 052001
DOI: 10.1103/PhysRevD.88.052001
767. B. Aubert, ..., N.Cavallo, et al.:
“The BABAR Detector: Upgrades, Operation and Performance ”
Nucl.Instrum.Meth. A729 (2013) 615-701
DOI: 10.1016/j.nima.2013.05.107
768. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the hadronic activity in events with a Z and two jets and extraction of the cross section for the electroweak production of a Z with two jets in pp collisions at $\text{sqrt}(s) = 7 \text{ TeV}$ ”
JHEP 10 (2013) 101
DOI: 10.1007/JHEP10(2013)062
769. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the $W+W^-$ cross section in pp collisions at $\text{sqrt}(s) = 7 \text{ TeV}$ and limits on anomalous WW gamma and WWZ couplings ”
Eur. Phys. J. C 73 (2013) 2610
DOI: 10.1140/epjc/s10052-013-2610-8
770. S. Chatrchyan, ..., N.Cavallo, et al.:
“Energy calibration and resolution of the CMS electromagnetic calorimeter in pp collisions at $\text{sqrt}(s) = 7 \text{ TeV}$ ”
J. Instrum. 8 (2013) P09009
DOI: 10.1088/1748-0221/8/09/P09009

771. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for top squarks in R-parity-violating supersymmetry using three or more leptons and b-tagged jets ”
Phys. Rev. Lett. 111 (2013) 221801
DOI: 10.1103/PhysRevLett.111.221801
772. S. Chatrchyan, ..., N.Cavallo, et al.:
“The performance of the CMS muon detector in proton-proton collisions at $s\sqrt{ } = 7$ TeV at the LHC”
J. Instrum. 8 (2013) P11002
DOI 10.1088/1748-0221/8/11/P11002
773. S. Chatrchyan, ..., N.Cavallo, et al.:
“Determination of the top-quark pole mass and strong coupling constant from the ttbar production cross section in pp collisions at $\text{sqrt}(s) = 7$ TeV ”
Phys. Lett. B 728 (2013) 496
DOI: 10.1016/j.physletb.2013.12.009
774. S. Chatrchyan, ..., N.Cavallo, et al.:
“Study of the production of charged pions, kaons, and protons in pPb collisions at $\text{sqrt}(s_{\text{NN}}) = 5.02$ TeV ”
EPJC 74 (2014) 2847
DOI: 10.1140/epjc/s10052-014-2847-x
775. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the top-quark mass in all-jets t t-bar events in pp collisions at $\text{sqrt}(s)=7$ TeV”
Eur. Phys. J. C 74 (2014) 2758
DOI: 10.1140/epjc/s10052-014-2758-x
776. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the Bs to mu mu branching fraction and search for B0 to mu mu with the CMS Experiment”
Lett Phys. Rev. Lett. 111 (2013) 101804
DOI: 10.1103/PhysRevLett.111.101804
777. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for a Higgs boson decaying into a Z and a photon in pp collisions at $\text{sqrt}(s) = 7$ and 8 TeV”
Phys. Lett. B 726 (2013) 587-609
DOI 10.1016/j.physletb.2013.09.057
778. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the prompt J/psi and psi(2S) polarizations in pp collisions at $\text{sqrt}(s) = 7$ TeV”
Phys. Lett. B 727 (2013) 381
DOI: 10.1016/j.physletb.2013.10.055
779. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for top-squark pair production in the single-lepton final state in pp collisions at $\text{sqrt}(s) = 8$ TeV”
Eur. Phys. J. C 73 (2013) 2677
DOI: 10.1140/epjc/s10052-013-2677-2
780. S. Chatrchyan, ..., N.Cavallo, et al.:
“Angular analysis and branching fraction measurement of the decay B0 to K*0 mu+ mu-”
Phys. Lett. B 727 (2013) 77-100
DOI 10.1016/j.physletb.2013.10.017
781. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the W-boson helicity in top-quark decays from ttbar production in lepton+jets events in pp collisions at $\text{sqrt}(s)=7$ TeV”
J. High Energy Phys. 10 (2013) 167
DOI:10.1007/JHEP10(2013)167
782. S. Chatrchyan, ..., N.Cavallo, et al.:

- “Measurement of the $W\gamma$ and $Z\gamma$ inclusive cross sections in pp collisions at $\text{sqrt}(s) = 7 \text{ TeV}$ and limits on anomalous triple gauge boson couplings ”
Phys. Rev. D 89 (2014) 092005
DOI: 10.1103/PhysRevD.89.092005
783. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for a new bottomonium state decaying to Upsilon(1S) $\pi^+ \pi^-$ in pp collisions at $\text{sqrt}(s) = 8 \text{ TeV}^*$
Phys. Lett. B 727 (2013) 57
DOI: 10.1016/j.physletb.2013.10.016
784. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the production cross section for Z gamma to $\nu \bar{\nu}$ gamma in pp collisions at $\text{sqrt}(s) = 7 \text{ TeV}$ and limits on $Z Z$ gamma and Z gamma gamma triple gauge boson couplings”
J. High Energy Phys. 10 (2013) 164
DOI 10.1007/JHEP10(2013)164
785. S. Chatrchyan, ..., N.Cavallo, et al.:
“Searches for anomalous ttbar production in pp collisions at $\text{sqrt}(s)=8 \text{ TeV}^*$
Phys. Rev. Lett. 111 (2013) 211804
DOI: 10.1103/PhysRevLett.111.211804
786. S. Chatrchyan, ..., N.Cavallo, et al.:
“Observation of a peaking structure in the $J/\psi \phi$ mass spectrum from $B \pm \rightarrow J/\psi \phi K \pm$ decays ”
Phys. Lett. B 734 (2014) 261
DOI: 10.1016/j.physletb.2014.05.055
787. S. Chatrchyan, ..., N.Cavallo, et al.:
“Modification of jet shapes in PbPb collisions at $\text{sqrt}(s[\text{NN}]) = 2.76 \text{ TeV}^*$
Phys. Lett. B 730 (2014) 243
DOI: 10.1016/j.physletb.2014.01.042
788. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the cross section and angular correlations for associated production of a Z boson with b hadrons in pp collisions at $\text{sqrt}(s) = 7 \text{ TeV}^*$
J. High Energy Phys. 12 (2013) 039
DOI: 10.1007/JHEP12(2013)039
789. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of associated $W +$ charm production in pp collisions at $\text{sqrt}(s) = 7 \text{ TeV}^*$
JHEP 02 (2014) 013
DOI: 10.1007/JHEP02(2014)013
790. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for baryon number violation in top quark decays”
Phys. Lett. B 731 (2014) 173
DOI: 10.1016/j.physletb.2014.02.033
791. S. Chatrchyan, ..., N.Cavallo, et al.:
“Rapidity distributions in exclusive $Z +$ jet and photon + jet events in pp collisions at $\text{sqrt}(s)=7 \text{ TeV}^*$
Phys. Rev. D 88 (2013) 112009
DOI: 10.1103/PhysRevD.88.112009
792. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for the standard model Higgs boson produced in association with a W or a Z boson and decaying to bottom quarks”
Phys. Rev. D 89 (2014) 012003
DOI: 10.1103/PhysRevD.89.012003
793. S. Chatrchyan, ..., N.Cavallo, et al.:

“Jet and underlying event properties as a function of particle multiplicity in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ ”
Eur. Phys. J. C 73 (2013) 2674
DOI: 10.1140/epjc/s10052-013-2674-5

794. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the differential and double-differential Drell-Yan cross sections in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ ”
J. High Energy Phys. 12 (2013) 030
DOI: 10.1007/JHEP12(2013)030
795. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of higher-order harmonic azimuthal anisotropy in PbPb collisions at a nucleon-nucleon center-of-mass energy of 2.76 TeV”
Phys. Rev. C 89 (2014) 044906
DOI: 10.1103/PhysRevC.89.044906
796. S. Chatrchyan, ..., N.Cavallo, et al.:
“Searches for light- and heavy-flavour three-jet resonances in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ ”
Phys. Lett. B 730 (2014) 193
DOI: 10.1016/j.physletb.2014.01.049
797. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurements of t t-bar spin correlations and top-quark polarization using dilepton final states in pp collisions at 7 TeV”
Phys. Rev. Lett. 112 (2014) 182001
DOI: 10.1103/PhysRevLett.112.182001
798. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for supersymmetry in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ in events with a single lepton, large jet multiplicity, and multiple b jets”
Phys. Lett. B 733 (2014) 328
DOI: 10.1016/j.physletb.2014.04.023
799. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for pair production of excited top quarks in the lepton+jets final state”
J. High Energy Phys. 06 (2014) 125
DOI: 10.1007/JHEP06(2014)125
800. S. Chatrchyan, ..., N.Cavallo, et al.:
“Probing color coherence effects in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ ”
EPJC 74 (2014) 2901
DOI: 10.1140/epjc/s10052-014-2901-8
801. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the triple-differential cross section for photon+jets production in proton-proton collisions at $\sqrt{s}=7 \text{ TeV}$ ”
J. High Energy Phys. 06 (2014) 009
DOI: 10.1007/JHEP06(2014)009
802. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for new physics in events with same-sign dileptons and jets in pp collisions at $\sqrt{s}=8 \text{ TeV}$ ”
J. High Energy Phys. 01 (2014) 163
DOI: 10.1007/JHEP01(2014)163
803. S. Chatrchyan, ..., N.Cavallo, et al.:
“Inclusive search for a vector-like T quark with charge 2/3 in pp collisions at $\sqrt{s}=8 \text{ TeV}$ ”
Phys. Lett. B 729 (2014) 149-171
DOI: 10.1016/j.physletb.2014.01.006

804. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of Higgs boson production and properties in the WW decay channel with leptonic final states”
J. High Energy Phys. 01 (17 Jan 2014) 096
DOI: 10.1007/JHEP01(2014)096
805. S. Chatrchyan, ..., N.Cavallo, et al.:
“Studies of azimuthal anisotropy harmonics in ultra-central PbPb collisions at $\text{sqrt}(s_{\text{NN}}) = 2.76 \text{ TeV}$ ”
JHEP 02 (2014) 088
DOI: 10.1007/JHEP02(2014)088
806. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for top-quark partners with charge 5/3 in the same-sign dilepton final state”
Phys. Rev. Lett. 112 (2014) 171801
DOI: 10.1103/PhysRevLett.112.171801
807. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for stop and higgsino production using diphoton Higgs boson decays”
Phys. Rev. Lett. 112 (2014) 161802
DOI: 10.1103/PhysRevLett.112.161802
808. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for flavor-changing neutral currents in top-quark decays t to Zq in pp collisions at $\text{sqrt}(s)=8 \text{ TeV}$ ”
Phys. Rev. Lett. 112 (2014) 171802
DOI: 10.1103/PhysRevLett.112.171802
809. S. Chatrchyan, ..., N.Cavallo, et al.:
“Evidence of b-jet quenching in PbPb collisions at $\text{sqrt}(s_{\text{NN}}) = 2.76 \text{ TeV}$ ”
Phys. Rev. Lett. 113, 132301 (2014)
DOI: 10.1103/PhysRevLett.113.132301
810. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the properties of a Higgs boson in the four-lepton final state ”
Phys. Rev. D 89 (2014) 092007
DOI: 10.1103/PhysRevD.89.092007
811. S. Chatrchyan, ..., N.Cavallo, et al.:
“Study of double parton scattering using W + 2-jet events in proton-proton collisions at $\text{sqrt}(s) = 7 \text{ TeV}$ ”
JHEP 03 (2014) 032
DOI: 10.1007/JHEP03(2014)032
812. S. Chatrchyan, ..., N.Cavallo, et al.:
“Event activity dependence of Y(nS) production in $\text{sqrt}(s_{\text{NN}}) = 5.02 \text{ TeV}$ pPb and $\text{sqrt}(s) = 2.76 \text{ TeV}$ pp collisions ”
JHEP 04 (2014) 103
DOI: 10.1007/JHEP04(2014)103
813. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the muon charge asymmetry in inclusive $\text{pp} \rightarrow \text{W} + \text{X}$ production at $\text{sqrt}(s) = 7 \text{ TeV}$ and an improved determination of light parton ”
Phys. Rev. D 90 (2014) 032004
DOI: 10.1103/PhysRevD.90.032004
814. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of four-jet production in proton-proton collisions at $\text{sqrt}(s) = 7 \text{ TeV}$ ”
Phys. Rev. D 89 (2014) 092010
DOI: 10.1103/PhysRevD.89.092010
815. S. Chatrchyan, ..., N.Cavallo, et al.:

“Measurement of the production cross section for a W boson and two b jets in pp collisions at $\sqrt{s} = 7$ TeV ”
Phys. Lett. B 735 (2014) 204
DOI: 10.1016/j.physletb.2014.06.041

816. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the ttbar production cross section in the dilepton channel in pp collisions at $\sqrt{s} = 8$ TeV ”
J. High Energy Phys. 02 (2014) 024
DOI: 10.1007/JHEP02(2014)024
817. S. Chatrchyan, ..., N.Cavallo, et al.:
“Observation of the associated production of a single top quark and a W boson in pp collisions at $\sqrt{s} = 8$ TeV ”
Phys. Rev. Lett. 112 (2014) 231802
DOI: 10.1103/PhysRevLett.112.231802
818. S. Chatrchyan, ..., N.Cavallo, et al.:
“Studies of dijet transverse momentum balance and pseudorapidity distributions in pPb collisions at $\sqrt{s_{NN}} = 5.02$ TeV ”
Eur. Phys. J. C 74 (2014) 2951
DOI: 10.1140/epjc/s10052-014-2951-y
819. S. Chatrchyan, ..., N.Cavallo, et al.:
“Evidence for the 125 GeV Higgs boson decaying to a pair of τ leptons ”
JHEP 05 (2014) 104
DOI: 10.1007/JHEP05(2014)104
820. S. Chatrchyan, ..., N.Cavallo, et al.:
“Evidence for the direct decay of the 125 GeV Higgs boson to fermions ”
Nature Physics 10 (2014) 557
DOI: 10.1038/nphys3005
821. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of inclusive W and Z boson production cross sections in pp collisions at $\sqrt{s} = 8$ TeV ”
Phys. Rev. Lett. 112 (2014) 191802
DOI: 10.1103/PhysRevLett.112.191802
822. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the production cross sections for a Z boson and one or more b jets in pp collisions at $\sqrt{s} = 7$ TeV ”
JHEP 06 (2014) 120
DOI: 10.1007/JHEP06(2014)120
823. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for W' to tb decays in the lepton + jets final state in pp collisions at $\sqrt{s} = 8$ TeV ”
JHEP 05 (2014) 108
DOI: 10.1007/JHEP05(2014)108
824. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurements of the tt bar charge asymmetry using the dilepton decay channel in pp collisions at $\sqrt{s} = 7$ TeV ”
JHEP 04 (2014) 191
DOI: 10.1007/JHEP04(2014)191
arXiv:1402.3803
825. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at $\sqrt{s} = 8$ TeV ”
JHEP 06 (2014) 055

DOI: 10.1007/JHEP06(2014)055

826. S. Chatrchyan, ..., N.Cavallo, et al.:
“Alignment of the CMS tracker with LHC and cosmic ray data”
JINST 9 (2014) P06009
DOI: 10.1088/1748-0221/9/06/P06009
827. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of WZ and ZZ production in pp collisions at $\sqrt{s} = 8$ TeV in final states with b-tagged jets”
Eur. Phys. J. C 74 (2014) 2973
DOI: 10.1140/epjc/s10052-014-2973-5
828. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the t-channel single-top-quark production cross section and of the $\|$ CKM matrix element in pp collisions at $\sqrt{s} = 8$ TeV”
JHEP 06 (2014) 090
DOI: 10.1007/JHEP06(2014)090
829. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for invisible decays of Higgs bosons in the vector boson fusion and associated ZH production modes”
Eur. Phys. J. C 74 (2014) 2980
DOI: 10.1140/epjc/s10052-014-2980-6
830. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the ratio $B(\text{top into } Wb)/B(\text{top into } Wq)$ in pp collisions at $= 8$ TeV ”
Phys. Lett. B 736 (2014) 33
DOI: 10.1016/j.physletb.2014.06.076
831. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of jet multiplicity distributions in t t-bar production in pp collisions at $\sqrt{s} = 7$ TeV”
Eur. Phys. J. C 74 (2014) 3014
DOI: 10.1140/epjc/s10052-014-3014-0
832. S. Chatrchyan, ..., N.Cavallo, et al.:
“A search for WW gamma and WZ gamma production and constraints on anomalous quartic gauge couplings in pp collisions at $\sqrt{s} = 8$ TeV”
Phys. Rev. D 90, 032008 (2014)
DOI: 10.1103/PhysRevD.90.032008
833. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for anomalous production of events with three or more leptons in pp collisions at $\sqrt{s}=8$ TeV”
Phys. Rev. D 90, 032006 (2014)
DOI: 10.1103/PhysRevD.90.032006
834. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of pseudorapidity distributions of charged particles in proton-proton collisions at $\sqrt{s} = 8$ TeV by the CMS and TOTEM experiments”
EPJC 74 (2014) 2053
DOI: 10.1140/epjc/s10052-014-3053-6
835. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for massive resonances in dijet systems containing jets tagged as W or Z boson decays in pp collisions at $\sqrt{s}=8$ TeV”
Phys. Rev. D 90, 032006 (2014)
DOI: 10.1103/PhysRevD.90.032006
836. S. Chatrchyan, ..., N.Cavallo, et al.:
“Constraints on the Higgs boson width from off-shell production and decay to Z-boson pairs ”
Phys. Lett. B 736 (2014) 64

DOI: 10.1016/j.physletb.2014.06.077

837. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at $\text{sqrt}(s) = 8 \text{ TeV}$ ”
JHEP 08 (2014) 174
DOI: 10.1007/JHEP08(2014)174
838. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for top-squark pairs decaying into Higgs or Z bosons in pp collisions at $\text{sqrt}(s) = 8 \text{ TeV}$ ”
Phys. Lett. B 736 (2014) 371
DOI: 10.1016/j.physletb.2014.07.053
839. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for supersymmetry with razor variables in pp collisions at $\text{sqrt}(s)=7 \text{ TeV}$ ”
Phys. Rev. D 90 (2014) 112001
840. S. Chatrchyan, ..., N.Cavallo, et al.:
“Description and performance of track and primary-vertex reconstruction with the CMS tracker”
J. Instrum. 9 (2014) P10009
841. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of differential cross sections for the production of a pair of isolated photons in pp collisions at $\text{sqrt}(s) = 7 \text{ TeV}$ ”
Eur. Phys. J. C 74 (2014) 3129
842. S. Chatrchyan, ..., N.Cavallo, et al.:
“Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z, and Higgs bosons in pp collisions at 8 TeV”
Eur. Phys. J. C 74 (2014) 3036
843. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for jet extinction in the inclusive jet-pt spectrum at $\text{sqrt}(s)=8 \text{ TeV}$ ”
Phys. Rev. D 90 (2014) 032005
844. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the pp to ZZ production cross section and constraints on anomalous triple gauge couplings in four-lepton final states at $\text{sqrt}(s) = 8 \text{ TeV}$ ”
Phys. Lett. B 740 (2015) 250
845. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of the ratio of inclusive jet cross sections using the anti-kt algorithm with radius parameters R=0.5 and 0.7 in pp collisions at $\text{sqrt}(s) = 7 \text{ TeV}$ ”
Phys. Rev. D 90 (2014) 072006
846. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of prompt J/psi pair production in pp collisions at $\text{sqrt}(s) = 7 \text{ TeV}$ ”
J. High Energy Phys. 09 (2014) 094
847. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of jet fragmentation in PbPb and pp collisions at $\text{sqrt}(s[\text{NN}]) = 2.76 \text{ TeV}$ ”
Phys. Rev. C 90 (2014) 024908
848. S. Chatrchyan, ..., N.Cavallo, et al.:
“Search for excited quarks in the photon+jet final state in proton-proton collisions at $\text{sqrt}(s) = 8 \text{ TeV}$ ”
Phys. Lett. B 738 (2014) 274
849. S. Chatrchyan, ..., N.Cavallo, et al.:

- “Differential cross section measurements for the production of a W boson in association with jets in proton-proton collisions at $\text{sqrt}(s) = 7 \text{ TeV}$ ”
[Phys. Lett. B 741 \(2015\) 12](#)
850. S. Chatrchyan, ..., N.Cavallo, et al.:
“Measurement of top quark-antiquark pair production in association with a W or Z boson in pp collisions at $\text{sqrt}(s) = 8 \text{ TeV}$ ”
[Eur. Phys. J. C 74 \(2014\) 3060](#)
851. V.Khachatryan, ..., N.Cavallo, et al.:
“Observation of the diphoton decay of the Higgs boson and measurement of its properties”
[Eur. Phys. J. C 74 \(2014\) 3076](#)
852. V.Khachatryan, ..., N.Cavallo, et al.:
“Study of hadronic event-shape variables in multijet final states in pp collisions at $\text{sqrt}(s) = 7 \text{ TeV}$ ”
[J. High Energy Phys. 10 \(2014\) 087](#)
853. V.Khachatryan, ..., N.Cavallo, et al.:
“Search for new resonances decaying via WZ to leptons in proton-proton collisions at $\text{sqrt}(s)=8 \text{ TeV}$ ”
[Phys. Lett. B 740 \(2015\) 83](#)
854. V.Khachatryan, ..., N.Cavallo, et al.:
“Search for heavy neutrinos and W bosons with right-handed couplings in proton-proton collisions at $\text{sqrt}(s) = 8 \text{ TeV}$ ”
[Eur. Phys. J. C 74 \(2014\) 3149](#)
855. V.Khachatryan, ..., N.Cavallo, et al.:
“Measurement of the ttbar production cross section in pp collisions at $\text{sqrt}(s) = 8 \text{ TeV}$ in dilepton final states containing one tau lepton”
[Phys. Lett. B 739 \(2014\) 23](#)
856. S V.Khachatryan, ..., N.Cavallo, et al.:
“Search for pair production of third-generation scalar leptoquarks and top squarks in proton-proton collisions at $\text{sqrt}(s) = 8 \text{ TeV}$ ”
[Phys. Lett. B 739 \(2014\) 229](#)
857. V.Khachatryan, ..., N.Cavallo, et al.:
“Search for the associated production of the Higgs boson with a top-quark pair”
[J. High Energy Phys. 09 \(2014\) 087](#)
858. V.Khachatryan, ..., N.Cavallo, et al.:
“Search for physics beyond the standard model in final states with a lepton and missing transverse energy in proton-proton collisions at $\text{sqrt}(s) = 8 \text{ TeV}$ ”
Submitted to Phys Rev. D
CERN-PH-EP-2014-176
arXiv: 1408.2745
859. V.Khachatryan, ..., N.Cavallo, et al.:
“Measurements of jet multiplicity and differential production cross sections of Z+jets events in proton-proton collisions at $\text{sqrt}(s)=7 \text{ TeV}$ ”
Submitted to Phys. Rev. D
CERN-PH-EP-2014-205
arXiv: 1408.3104
860. V.Khachatryan, ..., N.Cavallo, et al.:
“Search for neutral MSSM Higgs bosons decaying to a pair of tau leptons in pp collisions ”
[J. High Energy Phys. 10 \(2014\) 160](#)
861. V.Khachatryan, ..., N.Cavallo, et al.:

“Search for dark matter, extra dimensions, and unparticles in monojet events in proton-proton collisions at sqrt(s) = 8 TeV”
Submitted to Eur. Phys. J. C
CERN-PH-EP-2014-164
arXiv: 1408.3583

862. V.Khachatryan, ..., N.Cavallo, et al.:
“Searches for electroweak neutralino and chargino production in channels with Higgs, Z, and W bosons in pp collisions at 8 TeV”
Phys. Rev. D 90 (2014) 092007
863. V.Khachatryan, ..., N.Cavallo, et al.:
“Long-range two-particle correlations of strange hadrons with charged particles in pPb and PbPb collisions at LHC energies”
Phys. Lett. B 742 (2015) 200
10.1016/j.physletb.2015.01.034
UGOV: 110885
864. V.Khachatryan, ..., N.Cavallo, et al.:
“Search for "Displaced Supersymmetry" in events with an electron and a muon with large impact parameters”
Phys. Rev. Lett. 114 (2015) 061801
10.1103/PhysRevLett.114.061801
UGOV: NOT YET
865. V.Khachatryan, ..., N.Cavallo, et al.:
“Measurement of the production cross section ratio $\sigma(\chi b2 (1P))/\sigma(\chi b1 (1P))$ in pp collisions at sqrt(s) = 8 TeV”
CERN-PH-EP-2014-217
arXiv: 1409.5761
866. V.Khachatryan, ..., N.Cavallo, et al.:
“Search for standard model production of four top quarks in the lepton + jets channel in pp collisions at sqrt(s) = 8 TeV”
JHEP 11 (2014) 154
DOI: 10.1007/JHEP11(2014)154
867. V.Khachatryan, ..., N.Cavallo, et al.:
“Search for monotop signatures in proton-proton collisions at sqrt(s) = 8 TeV”
Submitted to *Phys. Rev. Lett*
CERN-PH-EP-2014-225
arXiv: 1410.1149
868. V.Khachatryan, ..., N.Cavallo, et al.:
“Measurement of the W boson helicity in events with a single reconstructed top quark in pp collisions at sqrt(s)=8 TeV”
JHEP 01 (2015) 053
10.1007/JHEP01(2015)053
UGOV: 110884
869. V.Khachatryan, ..., N.Cavallo, et al.:
“Measurement of prompt psi(2S) to J/psi yield ratios in PbPb and pp collisions at sqrt(s[NN]) = 2.76 TeV”
Phys. Rev. Lett. 113 (2014) 262301
10.1103/PhysRevLett.113.262301
UGOV: 99306
870. V.Khachatryan, ..., N.Cavallo, et al.:
“Searches for heavy scalar and pseudoscalar Higgs bosons and for flavor-violating decays of the top quark into a Higgs boson in pp collisions at sqrt(s) = 8 TeV”

Phys. Rev. D 90 (2014) 112013
10.1103/PhysRevD.90.112013
UGOV: 99308

871. V.Khachatryan, ..., N.Cavallo, et al.:
“Measurement of electroweak production of two jets in association with a Z boson in proton-proton collisions at $\sqrt{s}= 8 \text{ TeV}$ ”
Eur. Phys. J. C 75 (2015) 66
10.1140/epjc/s10052-014-3232-5
872. V.Khachatryan, ..., N.Cavallo, et al.:
“Identification techniques for highly boosted W bosons that decay into hadrons”
JHEP 12 (2014) 017
DOI: 10.1007/JHEP12(2014)017
873. V.Khachatryan, ..., N.Cavallo, et al.:
“Study of Z production in PbPb and pp collisions at $\sqrt{s_{\text{NN}}}= 2.76 \text{ TeV}$ in the dimuon and dielectron decay channels Related supersedes”
JHEP 03 (2015) 022
DOI: 10.1007/JHEP03(2015)022
874. V.Khachatryan, ..., N.Cavallo, et al.:
“Measurement of the ratio $B(\text{Bc}^{+/-} \rightarrow \text{J}/\psi \pi^{+/-} \pi^{+/-})/B(\text{Bc}^{+/-} \rightarrow \text{J}/\psi \pi^{+/-})$ and the production cross sections times branching fractions of $\text{Bc}^{+/-} \rightarrow \text{J}/\psi \pi^{+/-}$ and $\text{B}^{+/-} \rightarrow \text{J}/\psi \text{K}^{+/-}$ in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ ”
Submitted to J. High Energy Phys.
CERN-PH-EP-2014-248
arXiv: 1410.5729
875. V.Khachatryan, ..., N.Cavallo, et al.:
“Study of vector boson scattering and search for new physics in events with two same-sign leptons and two jets”
Phys. Rev. Lett. 114 (2015) 051801
10.1103/PhysRevLett.114.051801
876. V.Khachatryan, ..., N.Cavallo, et al.:
“Search for a standard model-like Higgs boson in the $\mu^+ \mu^-$ and $e^+ e^-$ decay channels at the LHC”
Phys. Lett. B 744 (2015) 184
DOI: 10.1016/j.physletb.2015.03.048
877. V.Khachatryan, ..., N.Cavallo, et al.:
“Constraints on parton distribution functions and extraction of the strong coupling constant from the inclusive jet cross section in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ ”
Submitted to Eur. Phys. J. C
CERN-PH-EP-2014-238
arXiv: 1410.6765
878. V.Khachatryan, ..., N.Cavallo, et al.:
“Search for new phenomena in monophoton final states in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ ”
Submitted to Phys. Lett. B
CERN-PH-EP-2014-253
arXiv: 1410.8812
879. V.Khachatryan, ..., N.Cavallo, et al.:
“Performance of the missing transverse energy reconstruction by the CMS experiment in $\sqrt{s} = 8 \text{ TeV}$ pp data”
JINST 10 (2015) P02006
10.1088/1748-0221/10/02/P02006

880. A. Cimmino, ..., N.Cavallo, et al.:
“CMS RPC commissioning of the existing detector during the long shutdown ”
[JINST 9 \(2014\) 10, C10043](#)
881. S. Colafranceschi, ..., N.Cavallo, et al.:
“Resistive plate chambers for 2013-2014 muon upgrade in CMS at LHC”
[JINST 9 \(2014\) 10, C10033](#)
882. M.S. Kim, ..., N.Cavallo, et al.:
“Web-based monitoring tools for Resistive Plate Chambers in the CMS experiment at CERN ”
[JINST 9 \(2014\) 10, C10031](#)
883. J. Goh, ..., N.Cavallo, et al.:
“CMS RPC tracker muon reconstruction”
[JINST 9 \(2014\) 10, C10027](#)
884. A.J. Bevan, ..., N.Cavallo, et al.:
“The Physics of the B Factories ”
[Eur. Phys. J. C74 \(2014\) 3026](#)
885. V. Khachatryan, ..., N.Cavallo, et al.:
“Search for quark contact interactions and extra spatial dimensions using dijet angular distributions in proton-proton collisions at $\sqrt{s} = 8$ TeV”
Submitted to Phys. Lett. B
CERN-PH-EP-2014-261
arXiv: 1411.2646
886. V. Khachatryan, ..., N.Cavallo, et al.:
“Constraints on the spin-parity and anomalous HVV couplings of the Higgs boson in proton collisions at 7 and 8 TeV”
Submitted to Phys. Rev. D
CERN-PH-EP-2014-265
arXiv: 1411.3441
887. V. Khachatryan, ..., N.Cavallo, et al.:
“Observation of the rare $B^0 \rightarrow \mu^+\mu^-$ decay from the combined analysis of CMS and LHCb data ”
Submitted to Nature
CERN-PH-EP-2014-220
arXiv: 1411.4413
888. V. Khachatryan, ..., N.Cavallo, et al.:
“Measurement of the cross section ratio $\sigma(t\bar{t} b\bar{b}) / \sigma(t\bar{t} jj)$ in pp collisions at $\sqrt{s} = 8$ TeV”
Submitted to Phys. Lett. B
CERN-PH-EP-2014-249
arXiv: 1411.5621
889. V. Khachatryan, ..., N.Cavallo, et al.:
“Search for disappearing tracks in proton-proton collisions at $\sqrt{s} = 8$ TeV”
Submitted to JHEP
CERN-PH-EP-2014-273
arXiv: 1411.6006
890. V. Khachatryan, ..., N.Cavallo, et al.:
“Search for long-lived neutral particles decaying to quark-antiquark pairs in proton-proton collisions at $\sqrt{s} = 8$ TeV”
Submitted to Phys. Rev. D
CERN-PH-EP-2014-256
arXiv: 1411.6530

891. V. Khachatryan, ..., N.Cavallo, et al.:
“Search for stealth supersymmetry in events with jets, either photons or leptons, and low missing transverse momentum in pp collisions at 8 TeV”
Submitted to Phys. Lett. B
CERN-PH-EP-2014-277
arXiv: 1411.7255
892. V. Khachatryan, ..., N.Cavallo, et al.:
“Measurements of differential and double-differential Drell-Yan cross sections in proton-proton collisions at 8 TeV”
Submitted to Eur. Phys. J. C
CERN-PH-EP-2014-289
arXiv: 1412.1115
893. V. Khachatryan, ..., N.Cavallo, et al.:
“Measurement of the inclusive 3-jet production differential cross section in proton-proton collisions at 7 TeV and determination of the strong coupling constant in the TeV range”
Submitted to Eur. Phys. J. C
CERN-PH-EP-2014-287
arXiv: 1412.1633
894. V. Khachatryan, ..., N.Cavallo, et al.:
“Searches for supersymmetry based on events with b jets and four W bosons in pp collisions at 8 TeV”
Submitted to Phys. Lett. B
CERN-PH-EP-2014-286
arXiv: 1412.4109
895. V. Khachatryan, ..., N.Cavallo, et al.:
“Search for physics beyond the standard model in dilepton mass spectra in proton-proton collisions at $\sqrt{s} = 8$ TeV”
Submitted to JHEP
CERN-PH-EP-2014-272
arXiv: 1412.6302
896. V. Khachatryan, ..., N.Cavallo, et al.:
“Search for pair-produced resonances decaying to jet pairs in proton-proton collisions at $\sqrt{s}= 8$ TeV”
Submitted to Phys. Lett. B
CERN-PH-EP-2014-293
arXiv: 1412.7706
897. V. Khachatryan, ..., N.Cavallo, et al.:
“Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 TeV”
Submitted to Eur. Phys. J. C
CERN-PH-EP-2014-288
arXiv: 1412.8662
898. L.Benussi, ..., N.Cavallo, et al.:
“Performance of the gas gain monitoring system of the CMS RPC muon detector”
Submitted to JINST
INFN-14-22-LNF
arXiv: 1412.8039
899. V. Khachatryan, ..., N.Cavallo, et al.:
“Search for resonances and quantum black holes using dijet mass spectra in proton-proton collisions at $\sqrt{s} = 8$ TeV”
Submitted to Phys. Rev. D
CERN-PH-EP-2014-300
arXiv: 1501.04198

900. V. Khachatryan, ..., N.Cavallo, et al.:
“Search for heavy Majorana neutrinos in mu⁺/- mu⁺/- + jets events in proton-proton collisions at sqrt(s) = 8 TeV”
Submitted to Phys. Lett. B
CERN-PH-EP-2015-001
arXiv: 1501.05566
901. V. Khachatryan, ..., N.Cavallo, et al.:
“Search for decays of stopped long-lived particles produced in proton-proton collisions at sqrt(s) = 8 TeV”
Submitted to Eur. Phys. J. C
CERN-PH-EP-2015-002
arXiv: 1501.05603
902. V. Khachatryan, ..., N.Cavallo, et al.:
“Measurement of the ratio B(B[0,s] to J/psi f0(980))/B(B[0,s] to J/psi phi(1020)) in pp collisions at sqrt(s) = 7 TeV”
Submitted to Phys. Lett. B
CERN-PH-EP-2015-003
arXiv: 1501.06089
903. V. Khachatryan, ..., N.Cavallo, et al.:
“Measurements of the Upsilon(1S), Upsilon(2S), and Upsilon(3S) differential cross sections in pp collisions at sqrt(s) = 7 TeV”
Submitted to Phys. Lett. B
CERN-PH-EP-2015-007
arXiv: 1501.07750
904. V. Khachatryan, ..., N.Cavallo, et al.:
“Search for supersymmetry using razor variables in events with b-tagged jets in pp collisions at sqrt(s) = 8 TeV”
Submitted to Phys. Rev. D
CERN-PH-EP-2015-005
arXiv: 1502.00300
905. V. Khachatryan, ..., N.Cavallo, et al.:
“Search for a standard model Higgs boson produced in association with a top-quark pair and decaying to bottom quarks using a matrix element method”
Submitted to Eur. Phys. J. C
CERN-PH-EP-2015-016
arXiv: 1502.02485
906. V. Khachatryan, ..., N.Cavallo, et al.:
“Constraints on the pMSSM, AMSB model and on other models from the search for long-lived charged particles in proton-proton collisions at sqrt(s) = 8 TeV”
Submitted to Eur. Phys. J. C
CERN-PH-EP-2015-014
arXiv: 1502.02522
907. V. Khachatryan, ..., N.Cavallo, et al.:
“Performance of electron reconstruction and selection with the CMS detector in proton-proton collisions at sqrt(s)=8 TeV”
Submitted to JINST
CERN-PH-EP-2015-004
arXiv: 1502.02701
908. V. Khachatryan, ..., N.Cavallo, et al.:
“Performance of photon reconstruction and identification with the CMS detector in proton-proton collisions at sqrt(s) = 8 TeV”
Submitted to JINST
CERN-PH-EP-2015-006

arXiv: 1502.02702

909. V. Khachatryan, ..., N.Cavallo, et al.:
“Measurement of J/psi and psi(2S) prompt double-differential cross sections in pp collisions at sqrt(s) = 7 TeV”
Submitted to Phys. Rev. Lett
CERN-PH-EP-2015-022
arXiv: 1502.04155
910. V. Khachatryan, ..., N.Cavallo, et al.:
“Searches for supersymmetry using the MT2 variable in hadronic events produced in pp collisions at 8 TeV”
Submitted to JHEP
CERN-PH-EP-2015-017
arXiv: 1502.04358
911. V. Khachatryan, ..., N.Cavallo, et al.:
“Distributions of topological observables in inclusive three- and four-jet events in pp collisions at sqrt(s) = 7 TeV”
Submitted to Eur. Phys. J. C
CERN-PH-EP-2014-302
arXiv: 1502.04785
912. V. Khachatryan, ..., N.Cavallo, et al.:
“Search for narrow high-mass resonances in proton-proton collisions at sqrt(s) = 8 TeV decaying to Z and Higgs bosons”
Submitted to Phys. Lett. B
CERN-PH-EP-2015-010
arXiv: 1502.04994
913. V. Khachatryan, ..., N.Cavallo, et al.:
“Evidence for collective multi-particle correlations in pPb collisions”
Submitted to Phys. Rev. Lett
CERN-PH-EP-2015-011
arXiv: 1502.05382
914. V. Khachatryan, ..., N.Cavallo, et al.:
“Nuclear effects on the transverse momentum spectra of charged particles in pPb collisions at a nucleon-nucleon center-of-mass energy of 5.02 TeV”
Submitted to Eur. Phys. J. C
CERN-PH-EP-2014-282
arXiv: 1502.05387
915. V. Khachatryan, ..., N.Cavallo, et al.:
“Measurement of the Zgamma production cross section in pp collisions at 8 TeV and search for anomalous triple gauge boson couplings”
Submitted to JHEP
CERN-PH-EP-2014-303
arXiv: 1502.05664
916. V. Khachatryan, ..., N.Cavallo, et al.:
“Search for physics beyond the standard model in events with two leptons, jets, and missing transverse momentum in pp collisions at sqrt(s) = 8 TeV”
Submitted to JHEP
CERN-PH-EP-2015-033
arXiv: 1502.06031
917. V. Khachatryan, ..., N.Cavallo, et al.:
“Search for physics beyond the standard model in events with two leptons, jets, and missing transverse momentum in pp collisions at sqrt(s) = 8 TeV”
Submitted to JHEP

CERN-PH-EP-2015-033
arXiv: 1502.06031

918. V. Khachatryan, ..., N.Cavallo, et al.:
“A study of final-state radiation in decays of Z bosons produced in pp collisions at 7 TeV”
Submitted to Phys. Rev. D
CERN-PH-EP-2015-031
arXiv: 1502.07940
919. V. Khachatryan, ..., N.Cavallo, et al.:
“Evidence for transverse momentum and pseudorapidity dependent event plane fluctuations in PbPb and pPb collisions”
Submitted to Phys. Rev. C
CERN-PH-EP-2015-039
arXiv: 1503.01692
920. V. Khachatryan, ..., N.Cavallo, et al.:
“Search for vector-like T quarks decaying to top quarks and Higgs bosons in the all-hadronic channel using jet substructure”
Submitted to JHEP
CERN-PH-EP-2015-034
arXiv: 1503.01952
921. V. Khachatryan, ..., N.Cavallo, et al.:
“Search for resonant pair production of Higgs bosons decaying to two bottom quark-antiquark pairs in proton-proton collisions at 8 TeV”
Submitted to Phys. Lett. B
CERN-PH-EP-2015-042
arXiv: 1503.04114
922. V. Khachatryan, ..., N.Cavallo, et al.:
“Measurements of the ZZ production cross sections in the 2 1 2 nu channel in proton-proton collisions at sqrt(s) = 7 and 8 TeV and combined constraints on triple gauge couplings”
Submitted to EPJC
CERN-PH-EP-2015-029
arXiv: 1503.05467
923. V. Khachatryan, ..., N.Cavallo, et al.:
“Study of W boson production in pPb collisions at sqrt(s[NN]) = 5.02 TeV ”
Submitted to Phys. Lett. B
CERN-PH-EP-2015-054
arXiv: 1503.05825
924. V. Khachatryan, ..., N.Cavallo, et al.:
“Combined Measurement of the Higgs Boson Mass in pp Collisions at sqrt(s) =7 and 8 TeV with the ATLAS and CMS Experiments”
Submitted to
CERN-PH-EP-2015-075
arXiv: 1503.07589
925. V. Khachatryan, ..., N.Cavallo, et al.:

“Searches for third generation squark production in fully hadronic final states in proton-proton collisions at sqrt(s)=8 TeV”
Submitted to JHEP
CERN-PH-EP-2015-055
arXiv: 1503.08037

926. V. Khachatryan, ..., N.Cavallo, et al.:
“Measurement of diffraction dissociation cross sections in pp collisions at sqrt(s)=7 TeV”
Submitted to Phys. Rev. D
CERN-PH-EP-2015-062
arXiv: 1503.08689
927. V. Khachatryan, ..., N.Cavallo, et al.:
“Search for third-generation scalar leptoquarks in the t-tau channel in proton-proton collisions at 8 TeV”
Submitted to JHEP
CERN-PH-EP-2015-063
arXiv: 1503.09049
928. V. Khachatryan, ..., N.Cavallo, et al.:
“Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons”
Submitted to JHEP
CERN-PH-EP-2015-074
arXiv: 1504.00936
929. V. Khachatryan, ..., N.Cavallo, et al.:
“Search for the production of dark matter in association with top-quark pairs in the single-lepton final state in proton-proton collisions at sqrt(s) = 8 TeV”
Submitted to
CERN-PH-EP-2015-087
arXiv: 1504.03198
930. V. Khachatryan, ..., N.Cavallo, et al.:
“Measurement of the Z boson differential cross section in transverse momentum and rapidity in proton-proton collisions at 8 TeV”
Submitted to Phys. Lett. B
CERN-PH-EP-2015-059
arXiv: 1504.03511
931. V. Khachatryan, ..., N.Cavallo, et al.:
“Angular coefficients of Z bosons produced in pp collisions at 8 TeV and decaying to mu+mu- as a function of transverse momentum and rapidity”
Submitted to Phys. Lett. B
CERN-PH-EP-2015-046
arXiv: 1504.03512
932. V. Khachatryan, ..., N.Cavallo, et al.:
“Search for a pseudoscalar boson decaying into a Z boson and the 125 GeV Higgs boson in llbb final states”
Submitted to Phys. Lett. B
CERN-PH-EP-2015-088
arXiv: 1504.04710